

**APPENDIX NO 1 TO THE GENERAL TERMS OF INSURANCE FROM 1 JULY 2025  
THE “CARE FOR YOU AND YOUR FAMILY” 1/2025 – SCOPE OF INSURANCE**

	COMPLEX	COMPLEX+	ELITE	ELITE+
<b>EMERGENCY AID</b>				
<b>HOTLINE MEDICOVER</b>				
Emergency information advice (24h)	+	+	+	+
<b>AMBULANCE</b>				
The Emergency Service is provided in the case of a sudden illness or an accident within the Area where the benefits are provided. Calling the ambulance takes place via the Medicover Hotline, whose dispatchers determine whether it is justified to send an ambulance based on the obtained information.	+	+	+	+
<b>MEDICAL TRANSPORT</b>				
Medical transport is related to provision of a medical service in the case of medical contraindications with respect to transport with a non-medical means of transport when performance of the medical service in the place where the Insured is staying is impossible. The service is implemented on the basis of a referral issued by a physician of the Medicover Centre or Damian Medical Centre. Calling the ambulance takes place via the Medicover HotLine.	+	+	+	+
<b>HOME VISITS</b>				
Home visits (of a family doctor, internist or paediatrician) are provided in the case of a sudden illness or an accident within the Area where the benefits are provided. Making appointment for a home visit takes place via the Medicover Hotline, whose dispatchers determine whether a home visit is justified based on the obtained information.	30 PLN (Limit: 4 per year)	+ (Limit: 4 per year)	30 PLN	+
<b>CONSULTATIONS OF EMERGENCY CARE PHYSICIANS</b>				
Consultation of surgical emergency care physician	30 PLN	+	30 PLN	+
Consultation of general emergency care physician	30 PLN	+	30 PLN	+
Consultation of orthopaedic emergency care physician	30 PLN	+	30 PLN	+
Consultation of paediatric emergency care physician	30 PLN	+	30 PLN	+
The services of emergency care physicians are provided in the event of sudden illness or accident that require initial treatment and are provided in selected Medicover Medical Facilities. All emergencies should be reported to the Medicover Hotline, whose dispatchers, based on the information obtained, will determine whether emergency assistance is required and indicate the possible place where it will be provided. In situations related to saving life and health, the Medicover HotLine will indicate to the Insured a medical facility, including facilities in the public system, where it will be possible to obtain appropriate assistance.				
<b>CONSULTATIONS OF PHYSICIANS</b>				
Consultations are carried out due to medical indications in the form of stationary visits or advice provided via electronic channels (telemedicine) by Medicover Medical Facility or, after obtaining a referral from Medicover, also by another Medical Facility (sub-supplier) with whom Medicover has concluded a relevant agreement. The scope does not include outpatient consultations in a Hospitals. In order to offer the best solution, corresponding to a given medical need, Medicover reserves the right to verify medical indications before performing a given service.				
<b>CONSULTATIONS OF PRIMARY CARE PHYSICIANS</b>				
Internist consultation	30 PLN	+	30 PLN	+
Family medicine physician consultation	30 PLN	+	30 PLN	+
Paediatrician consultation	30 PLN	+	30 PLN	+
<b>CONSULTATIONS OF SPECIALISTS – BASIC LEVEL</b>				
Dermatologist consultation	30 PLN	+	30 PLN	+
Paediatric dermatologist consultation	30 PLN	+	30 PLN	+
Gynaecologist consultation	30 PLN	+	30 PLN	+
Paediatric gynaecologist consultation	30 PLN	+	30 PLN	+
Ophthalmologist consultation	30 PLN	+	30 PLN	+
Paediatric ophthalmologist consultation	30 PLN	+	30 PLN	+
Medicover Optician Optometry - eye examination and selection of corrective lenses	30 PLN	+	30 PLN	+
<b>CONSULTATIONS OF SPECIALISTS – ADVANCED LEVEL</b>				
Surgeon consultation	30 PLN	+	30 PLN	+
Paediatric surgeon consultation	30 PLN	+	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Cardiologist consultation	30 PLN	+	30 PLN	+
Paediatric cardiologist consultation	30 PLN	+	30 PLN	+
Neurologist consultation	30 PLN	+	30 PLN	+
Paediatric neurologist consultation	30 PLN	+	30 PLN	+
Orthopaedist consultation	30 PLN	+	30 PLN	+
Paediatric orthopaedist consultation	30 PLN	+	30 PLN	+
Otolaryngologist consultation	30 PLN	+	30 PLN	+
Paediatric otolaryngologist consultation	30 PLN	+	30 PLN	+
Urologist consultation	30 PLN	+	30 PLN	+
Paediatric urologist consultation	30 PLN	+	30 PLN	+
<b>CONSULTATIONS WITH SPECIALIST DOCTORS - ADVANCED LEVEL</b>				
Available on the basis of a referral issued by a physician of a Medicover medical centre.				
Allergic diseases immunotherapy (desensitization)	30 PLN	+	30 PLN	+
Allergist consultation	30 PLN	+	30 PLN	+
Paediatric allergist consultation	30 PLN	+	30 PLN	+
Vascular surgeon consultation	30 PLN	+	30 PLN	+
Surgeon oncologist consultation	30 PLN	+	30 PLN	+
Paediatric surgeon oncologist consultation	30 PLN	+	30 PLN	+
Paediatric dermatologist-allergist consultation	30 PLN	+	30 PLN	+
Diabetologist consultation	30 PLN	+	30 PLN	+
Paediatric diabetologist consultation	30 PLN	+	30 PLN	+
Endocrinologist consultation	30 PLN	+	30 PLN	+
Paediatric endocrinologist consultation	30 PLN	+	30 PLN	+
Gastrologist consultation	30 PLN	+	30 PLN	+
Paediatric gastrologist consultation	30 PLN	+	30 PLN	+
Gynaecologist - oncologist consultation	30 PLN	+	30 PLN	+
Gynaecologist-endocrinologist consultation	30 PLN	+	30 PLN	+
Haematologist consultation	30 PLN	+	30 PLN	+
Paediatric haematologist consultation	30 PLN	+	30 PLN	+
Hepatologist consultation	30 PLN	+	30 PLN	+
Infectious diseases physician consultation	30 PLN	+	30 PLN	+
Nephrologist consultation	30 PLN	+	30 PLN	+
Paediatric nephrologist consultation	30 PLN	+	30 PLN	+
Oncologist consultation	30 PLN	+	30 PLN	+
Pulmonologist consultation	30 PLN	+	30 PLN	+
Paediatric pulmonologist consultation	30 PLN	+	30 PLN	+
Rheumatologist consultation	30 PLN	+	30 PLN	+
Paediatric rheumatologist consultation	30 PLN	+	30 PLN	+
Travel medicine - medical consultation	30 PLN	+	30 PLN	+
<b>CONSULTATIONS WITH SPECIALIST DOCTORS - COMPREHENSIVE LEVEL</b>				
Available on the basis of a referral issued by a physician of a Medicover medical centre.				
Andrologist consultation	30 PLN	+	30 PLN	+
Anaesthesiologist consultation	30 PLN	+	30 PLN	+
Angiologist consultation	30 PLN	+	30 PLN	+
Audiologist consultation	30 PLN	+	30 PLN	+
Plastic surgeon consultation - reconstructive surgery/hand surgery	30 PLN	+	30 PLN	+
Phoniatrist consultation	30 PLN	+	30 PLN	+
Genetic consultation	30 PLN	+	30 PLN	+
Hypertensiologist consultation	30 PLN	+	30 PLN	+
Immunologist consultation	30 PLN	+	30 PLN	+
Paediatric immunologist consultation	30 PLN	+	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Cardiosurgeon consultation	30 PLN	+	30 PLN	+
Sports medicine physician consultation	30 PLN	+	30 PLN	+
Rehabilitation physician consultation	30 PLN	+	30 PLN	+
Pain Therapy Clinic doctor consultation	30 PLN	+	30 PLN	+
Neonatologist consultation	30 PLN	+	30 PLN	+
Neurosurgeon consultation	30 PLN	+	30 PLN	+
Paediatric neurosurgeon consultation	30 PLN	+	30 PLN	+
Orthoptist consultation	30 PLN	+	30 PLN	+
Pathomorphologist consultation	30 PLN	+	30 PLN	+
Proctologist consultation	30 PLN	+	30 PLN	+
Radiologist consultation	30 PLN	+	30 PLN	+
Rehabilitator consultation	30 PLN	+	30 PLN	+
Therapist consultation - briefing	30 PLN	+	30 PLN	+
Nuclear medicine doctor consultation	30 PLN	+	30 PLN	+
Thoracic surgeon consultation	30 PLN	+	30 PLN	+
Consultation in muscle diseases clinic	30 PLN	+	30 PLN	+
<b>PREVENTIVE VISIT</b>				
A preventive visit is the first-time or annual appointment with the patient's personal physician (internist or family doctor), during which the physician conducts a review of the patient's medical history, a physical examination, and recommends appropriate examinations suitable for the age and gender of the patient based on the Prevention Standard. In the case of additional risk factors or chronic diseases in patient's family, including oncological diseases, the physician determines the scope of preventive examinations individually. Due to continuity of care provided by the patient's personal physician, during the visit, it is possible to commission performance of examinations necessary for the proper treatment of the patient's chronic diseases.	30 PLN	+	30 PLN	+
<b>SPECIALIST CONSULTATIONS AND THERAPIES - LIMITED</b> (*)Services provided free of charge within limits (based on a referral from a Medicovert doctor).				
Services listed below are covered by an annual limit of 3 services (in total):				
Neuropsychological consultation	30 PLN	+	30 PLN	+
Psychiatrist consultation	30 PLN	+	30 PLN	+
Paediatric psychiatrist consultation	30 PLN	+	30 PLN	+
Psychologist consultation	30 PLN	+	30 PLN	+
Child psychologist consultation	30 PLN	+	30 PLN	+
Services listed below are covered by an annual limit of 3 services (for each service):				
Sexologist consultation	30 PLN	+	30 PLN	+
Dietician consultation*	30 PLN	+	30 PLN	+
Consultation for psychosomatic disorders	30 PLN	+	30 PLN	+
Services listed below are covered by an annual limit of 30 services/treatments*:				
Speech-language therapist consultation - children and youth	30 PLN	+	30 PLN	+
Speech therapist consultation	30 PLN	+	30 PLN	+
Speech-language neuropathologist consultation - children and youth	30 PLN	+	30 PLN	+
Speech-language neuropathologist consultation	30 PLN	+	30 PLN	+
Surdologopedics consultation - children and youth	30 PLN	+	30 PLN	+
Surdologopedics consultation	30 PLN	+	30 PLN	+
Speech-language therapy - children and youth	30 PLN	+	30 PLN	+
Speech-language therapy	30 PLN	+	30 PLN	+
Neurologic speech-language therapy - children and youth	30 PLN	+	30 PLN	+
Neurologic speech-language therapy	30 PLN	+	30 PLN	+
Speech-language therapy for hypoacusia - children and youth	30 PLN	+	30 PLN	+
Speech-language therapy for hypoacusia	30 PLN	+	30 PLN	+
<b>NURSE CONSULTATIONS</b>				
Nurse medical consultation	30 PLN	+	30 PLN	+
Midwife consultation	30 PLN	+	30 PLN	+
<b>OUTPATIENT PROCEDURES</b> Available on the basis of a referral issued by a physician of a Medicovert medical centre				
<b>NURCING PROCEDURES</b>				
Urine analysis - urine dipstick test	+	+	+	+
Capillary cholesterol level - strip test measurement	+	+	+	+
D-dimer - test strip	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Patient education by a nurse	+	+	+	+
Education of the patient by the midwife	+	+	+	+
Blood glucose fingerstick capillary measurement	+	+	+	+
Inhalations on an emergency basis in an outpatient setting	+	+	+	+
Enema	+	+	+	+
Blood collection	+	+	+	+
Administration of ophthalmic drops	+	+	+	+
Intranasal administration of the drug	+	+	+	+
Oral drug administration	+	+	+	+
Per rectum drug administration	+	+	+	+
Measurement of blood pressure	+	+	+	+
Temperature measurement	+	+	+	+
Patient weight measurement	+	+	+	+
Growth measurement	+	+	+	+
Counseling a midwife in breastfeeding	+	+	+	+
Strep A test	+	+	+	+
Strep A test Quik Read	+	+	+	+
Actim CRP test	+	+	+	+
Troponin test	+	+	+	+
Oxygen therapy on an emergency basis in an outpatient setting	+	+	+	+
Tick removal	+	+	+	+
Nursing procedure	+	+	+	+
<b>INJECTIONS</b>				
Intramuscular / subcutaneous injection	+	+	+	+
Intravenous injection	+	+	+	+
Intradermal injection	+	+	+	+
Drip	+	+	+	+
Venflon removal	+	+	+	+
Venflon insertion	+	+	+	+
<b>OTHER PROCEDURES</b>				
Dermatoscopy	+	+	+	+
Phototherapy with PSORILUX	+	+	+	+
UVA/UVA1 phototherapy	+	+	+	+
UVB Phototherapy (SUP)	+	+	+	+
UVB (TL-01) phototherapy - narrow band UVB	+	+	+	+
Cryotherapy with liquid nitrogen N2	+	+	+	+
PUVA	+	+	+	+
<b>SURGICAL PROCEDURES</b>				
Rectal biopsy with histopathological examination	+	+	+	+
Open biopsy of subcutaneous lesion	+	+	+	+
Percutaneous biopsy of subcutaneous lesion	+	+	+	+
Electrocoagulation of skin lesion / mucous membrane	+	+	+	+
Next rinsing of wound/abscess	+	+	+	+
Cryosurgical removal of a wart	+	+	+	+
Cryosurgical skin lesion removal	+	+	+	+
Incision and drainage of cutaneous and subcutaneous haematoma	+	+	+	+
Incision and drainage of cutaneous and subcutaneous hematoma, in children	+	+	+	+
Incision and drainage of cutaneous and subcutaneous abscess/paronychia	+	+	+	+
Incision and drainage of infections of skin and subcutaneous tissue wounds	+	+	+	+
Incision and removal of cutaneous and subcutaneous foreign body	+	+	+	+
Incision and removal of cutaneous and subcutaneous foreign body, in children	+	+	+	+
Abscess incision (limb)	+	+	+	+
Breast abscess incision	+	+	+	+
Incision of paronychia of finger or toe in children	+	+	+	+
Necrectomy under ambulatory conditions	+	+	+	+
Cutting or paring of hyperkeratotic lesions (e.g. corn or callus), in children	+	+	+	+
Prepuce separation under surface anesthesia (EMLA)	+	+	+	+
One skin tissue sample collection	+	+	+	+
Skin tissue sample collection	+	+	+	+
Simple superficial skin wound closure, up to 10 cm, in children	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Simple superficial skin wound closure, up to 5 cm, in children	+	+	+	+
Abcess, haematoma, blister or skin/subcutaneous tissue aspiration puncture	+	+	+	+
Wedge resection of ingrown nail	+	+	+	+
Preputial stretch	+	+	+	+
Pudendal labia separation under surface anesthesia (EMLA)	+	+	+	+
Foreign body removal	+	+	+	+
Removal of skin nodules (atheroma, fibroma, lipoma), in children	+	+	+	+
Tick removal with incision	+	+	+	+
Fingernail removal	+	+	+	+
Removal of the nail plate, partial or total	+	+	+	+
Removal of the nail plate, partial or total, simple; single, in children	+	+	+	+
Removal of melanocytic or vascular skin lesions under local anaesthesia, in children	+	+	+	+
Removal of cutaneous papillomas	+	+	+	+
Initial or subsequent treatment, second degree burn, local treatment (dressing), adults	+	+	+	+
Initial or subsequent treatment, second degree burn, local treatment (dressing), below 1 year old, in children	+	+	+	+
Initial or subsequent treatment, second degree burn, local treatment (dressing), above 1 year old, in children	+	+	+	+
Initial or subsequent treatment, first degree burn, local treatment (dressing), adults	+	+	+	+
Initial or subsequent treatment, first degree burn, local treatment (dressing), below 1 year old, in children	+	+	+	+
Initial or subsequent treatment, first degree burn, local treatment (dressing), above 1 year old, in children	+	+	+	+
Cutting of hyperkeratotic lesions (e.g. corn or callus)	+	+	+	+
Resection of a small subcutaneous lesion up to 1,5 cm	+	+	+	+
Resection of a small subcutaneous lesion up to 1,5 cm	+	+	+	+
Resection of a small skin lesion up to 1,5 cm	+	+	+	+
Resection of a fingernail and wedge resection of a nail wall, in children	+	+	+	+
Resection of a single pigmented naevus, in children	+	+	+	+
Resection of a medium subcutaneous lesion over 1,5 cm	+	+	+	+
Resection of a medium skin lesion over 1,5 cm	+	+	+	+
Resection of lipoma up to 5.0 cm	+	+	+	+
Skin resection, lipoma up to 5.0 cm	+	+	+	+
Resection of a subcutaneous/skin lesion over 3 cm without plastic surgery procedures	+	+	+	+
Curettage/destruction of a skin lesion	+	+	+	+
Application/change of large dressing	+	+	+	+
Application/change of dressing	+	+	+	+
Application/change of burn dressing	+	+	+	+
Stitches removal	+	+	+	+
Wound sewing up to 3 cm	+	+	+	+
Wound sewing over 3 cm	+	+	+	+
Facial wound sewing up to 3 cm	+	+	+	+
Local infiltration anesthesia for a procedure	+	+	+	+
<b>GYNAECOLOGICAL PROCEDURES</b>				
Laser ablation of cervical lesions	+	+	+	+
Vaginal mucosal membrane biopsy; after colposcopy	+	+	+	+
Vaginal and pudendal condyloma cryotherapy	+	+	+	+
Cryotherapy of uterine cervix lesions	+	+	+	+
Cervical erosion treatment - electrocoagulation	+	+	+	+
Cervical erosion treatment - cryotherapy	+	+	+	+
Cervical erosion treatment - laser	+	+	+	+
Cervical erosion treatment - solcogyn	+	+	+	+
Fiblaferon bandage	+	+	+	+
Removal of the intrauterine device	+	+	+	+
Diagnostic procedure of cervical stub	+	+	+	+
Application of the intrauterine device	+	+	+	+
<b>LARYNGOLOGICAL PROCEDURES</b>				
Saliwary gland fine needle biopsy	+	+	+	+
Minor procedures/exchange of drain/bandage	+	+	+	+
Evacuation of auricular concha haematoma	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Auditory meatus abscess incision	+	+	+	+
Ear dressing	+	+	+	+
Ear dressing under microscope guidance, in children	+	+	+	+
Ear wash	+	+	+	+
Blowing through of the Eustachian tubes/catheterization	+	+	+	+
Anterior nasal tamponade	+	+	+	+
Anterior nasal tamponade, two-side	+	+	+	+
Foreign body removal from the ORL region	+	+	+	+
Nasal tamponade removal	+	+	+	+
Cerumen removal	+	+	+	+
<b>OPHTHALMIC PROCEDURES</b>				
Eyelash electrolysis	+	+	+	+
Injection in the eyeball region	+	+	+	+
Subconjunctival injection	+	+	+	+
Correction of improper eyelash growth	+	+	+	+
Rinsing the tear ducts in adults	+	+	+	+
Lacrimal duct recanalisation in adults	+	+	+	+
Foreign body removal from the eye during ophthalmologist consultation	+	+	+	+
<b>ORTHOPAEDIC PROCEDURES</b>				
Aspiration/injection intracystic, intratissual	+	+	+	+
Periarticular block	+	+	+	+
Incision of hematoma and drainage	+	+	+	+
Fracture reduction without internal stabilization	+	+	+	+
Fixing plaster bandage	+	+	+	+
Fixing plaster bandage (crus)	+	+	+	+
Fixing plaster bandage (forearm/arm)	+	+	+	+
Fixing plaster bandage (hand and forearm)	+	+	+	+
Fixing plaster bandage (thigh/crus)	+	+	+	+
Fixing plaster bandage immobilising the knee	+	+	+	+
Popliteal fossa puncture under USG guidance	+	+	+	+
Joint puncture with or without drug injection	+	+	+	+
Joint puncture with or without drug injection, in children	+	+	+	+
Joint/cyst puncture	+	+	+	+
Joint/cyst puncture with drug injection	+	+	+	+
Intraarticular drug injection	+	+	+	+
Gypsum plaster application - big	+	+	+	+
Gypsum plaster application - small	+	+	+	+
Application of Jewett corset, lumbar corset with laces, thermoplastic mass	+	+	+	+
Application of Jewett corset, lumbar corset with laces, thermoplastic mass in children	+	+	+	+
Application and adaptation of soft orthopaedic collar	+	+	+	+
Application and adaptation of rigid orthopaedic collar (e.g. Philadelphia type)	+	+	+	+
Application of a synthetic plaster bandage	+	+	+	+
Application of a Kramer splint	+	+	+	+
Application of long orthopaedic stabilizator on lower limb, upper limb	+	+	+	+
Application of long orthopaedic stabilizator on lower limb, upper limb, in children	+	+	+	+
Application of short orthopaedic stabilizator on lower limb, upper limb	+	+	+	+
Application of short orthopaedic stabilizator on lower limb, upper limb, in children	+	+	+	+
Application of an orthopaedic stabilizator on trunk and shoulder girdle	+	+	+	+
Application of a trunk or upper limb orthesis	+	+	+	+
Application of a trunk or upper limb orthesis	+	+	+	+
Application of a trunk and shoulder girdle orthesis	+	+	+	+
Application of a trunk and shoulder girdle orthesis	+	+	+	+
Stabilization dressing removal	+	+	+	+
<b>UROLOGICAL PROCEDURES</b>				
Catheterization of the urinary bladder	+	+	+	+
Prepuce separation, in children	+	+	+	+
Urinary bladder irrigation	+	+	+	+
Dissection of labial adhesions (synechia), in girls	+	+	+	+
Removal of a catheter from the ureter	+	+	+	+
Laser removal of penile condyloma	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Replacement/removal of a catheter	+	+	+	+
<b>TREATMENT PROCEDURES</b>				
Cytology sampling	+	+	+	+
Smear collection	+	+	+	+
Cervical smear collection	+	+	+	+
Vaginal smear collection	+	+	+	+
Catheterization of the urinary bladder in children below the age of 16	+	+	+	+
<b>DIAGNOSTIC TESTS</b>				
Available on the basis of a referral issued by a physician of a Medicover medical centre.				
<b>ALLERGOLOGY</b>				
Alpha lactoglobulin	+	+	+	+
Alternaria alternata - M6	+	+	+	+
Aspergillus fumigatus - M3	+	+	+	+
Ribwort Plantain - W9	+	+	+	+
Banana -F92	+	+	+	+
Beta lactoglobulin	+	+	+	+
Hen egg protein - F1	+	+	+	+
Mice`s urine-protein	+	+	+	+
Rat`s urine-protein	+	+	+	+
Peach - F95	+	+	+	+
Birch -T3	+	+	+	+
Mugwort -W6	+	+	+	+
Candida albicans - specific IgE	+	+	+	+
Onion F48	+	+	+	+
Cladosporium herbarum -M2	+	+	+	+
Lemon	+	+	+	+
Garlic F47	+	+	+	+
Dermatophagoides farinae - D2 (dust mite)	+	+	+	+
Dermatophagoides pteronyssinus - D1	+	+	+	+
Cod - F3	+	+	+	+
Yeast - F45	+	+	+	+
White bean -F15	+	+	+	+
Gluten -F79	+	+	+	+
Pea - F12	+	+	+	+
IgE total	+	+	+	+
IgE specific - dipstick test	+	+	+	+
IgE specific A. lumbricoides	+	+	+	+
Apple - F49	+	+	+	+
Mosquito venom	+	+	+	+
Wasp venom -I3	+	+	+	+
Honeybee venom -I1	+	+	+	+
Hornet venom	+	+	+	+
Cocoa F93	+	+	+	+
Casein	+	+	+	+
Kiwi -F84	+	+	+	+
Horse (dander) E3	+	+	+	+
Maize/corn -F8	+	+	+	+
Dactylis glomerata G3	+	+	+	+
Latex -K82	+	+	+	+
Hazel -T4	+	+	+	+
Linden -T208	+	+	+	+
Dog dandruff -E5	+	+	+	+
Poppy	+	+	+	+
Raspberry -F156	+	+	+	+
Carrot -F31	+	+	+	+
Wheat flour -F4	+	+	+	+
Rye flour -F5	+	+	+	+
6 grass mix	+	+	+	+
Weed mix -Wx1	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
House dust mix -Hx2	+	+	+	+
Nut mix -Fx1	+	+	+	+
Fruit mix - Fx15	+	+	+	+
Fruit mix - Fx16	+	+	+	+
EX71 mixed feather (goose feathers, hen feathers, duck feathers, turkey feathers)	+	+	+	+
Mould mix - Mx2	+	+	+	+
Mould mix (Mx1)	+	+	+	+
Food mix - Fx5	+	+	+	+
Late blooming trees pollen mix - Tx6	+	+	+	+
Early blooming trees pollen mix - Tx5	+	+	+	+
Animal mix - Ex1	+	+	+	+
Late blooming grass mix - Gx4	+	+	+	+
Early blooming grass mix - Gx1	+	+	+	+
Vegetable mix - Fx13	+	+	+	+
Vegetable mix - Fx14	+	+	+	+
Cereal mix - Fx20	+	+	+	+
Turkey meat - F284	+	+	+	+
Chicken meat -F83	+	+	+	+
Almonds	+	+	+	+
Cow`s milk -F2	+	+	+	+
Mustard/ mustard seeds F89	+	+	+	+
Hamster epithelium -E84	+	+	+	+
Rabbit epithelium	+	+	+	+
Mice epithelium	+	+	+	+
Rat epithelium	+	+	+	+
Dog epithelium and dog dander - E2	+	+	+	+
Guinea pig epithelium -E6	+	+	+	+
Cucumber -F244	+	+	+	+
Alder -T2	+	+	+	+
Hazelnut -F17	+	+	+	+
Walnut - F256	+	+	+	+
Peanut -F13	+	+	+	+
Ovalbumin -F232	+	+	+	+
Oat -F7	+	+	+	+
Atopic panel (20 allergens)	+	+	+	+
Paediatric inhalative panel (20 allergens)	+	+	+	+
Paediatric panel (27 allergens)	+	+	+	+
Food panel (20 allergens)	+	+	+	+
Inhalative panel (20 allergens)	+	+	+	+
Paprika spice - F218	+	+	+	+
E213 Parrot feathers	+	+	+	+
E78 Budgerigar feathers	+	+	+	+
Penicillium notatum -M1	+	+	+	+
Orange -F33	+	+	+	+
Tomato - F25	+	+	+	+
Blackcurrant -F171	+	+	+	+
Ryegrass -G5	+	+	+	+
Fish/crustaceans Fx2	+	+	+	+
Rice - F9	+	+	+	+
Celery -F85	+	+	+	+
Cheddar cheese	+	+	+	+
Cat hair/dander -E1	+	+	+	+
Soya bean -F14	+	+	+	+
Sweet vernal grass -G1	+	+	+	+
Populus -T14	+	+	+	+
Strawberry -F44	+	+	+	+
Timothy grass -G6	+	+	+	+
Wool K20	+	+	+	+
Meadow/Kentucky blue grass -G8	+	+	+	+
Pork -F26	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Grape -F50	+	+	+	+
Beef - F27	+	+	+	+
Potato -F35	+	+	+	+
Egg yolk - F75	+	+	+	+
Rye -G12	+	+	+	+
<b>CYTOLOGICAL AND HISTOPATHOLOGICAL TESTS</b>				
Cytology	30 PLN	+	30 PLN	+
Cytological examination of material from fine-needle aspiration biopsy of 1 organ	30 PLN	+	30 PLN	+
Sputum cytology	30 PLN	+	30 PLN	+
Nipple fluid cytology	30 PLN	+	30 PLN	+
Histopathological examination of the additional serial slices (over 2)	30 PLN	+	30 PLN	+
Histopathological examination of diagnostic material - small	30 PLN	+	30 PLN	+
Histopathological examination of cutaneous fragments	30 PLN	+	30 PLN	+
Immunopathological examination of cutaneous fragments	30 PLN	+	30 PLN	+
Nasal mucous membrane cytology	30 PLN	+	30 PLN	+
Uteral cervix cytology	+	+	+	+
Additional histochemical colouring	30 PLN	+	30 PLN	+
<b>GENETIC TESTS</b>				
Diagnostics of cystic fibrosis and other CFTR-related diseases - analysis of the p.Phe508del mutation of the CFTR gene and over 80 other mutations in exon 11	+	+	+	+
Analysis of mRNA chimeric BCR-ABL P210 (Mbc) gene - qualitative test	+	+	+	+
Analysis of mRNA chimeric BCR-ABL P210 (Mbc) gene - quantitative test	+	+	+	+
<b>URINE ANALYSIS</b>				
Urine - general examination	+	+	+	+
Urine - protein	+	+	+	+
Urine - Bence Jones protein using immunofixation	+	+	+	+
Urine - specific gravity	+	+	+	+
Urine - cytology	+	+	+	+
Urine - glucose	+	+	+	+
Urine - dysmorphic blood cells	+	+	+	+
Urine - Addis count	+	+	+	+
Urine - microalbuminuria	+	+	+	+
Diurnal urine - protein	+	+	+	+
Diurnal urine - glucose	+	+	+	+
Diurnal urine - Copper Cu level	+	+	+	+
Diurnal urine - microalbuminuria	+	+	+	+
Panel: albumin, urinary creatinine and urine albumin/creatinine (ALB/CRE) levels	+	+	+	+
<b>STOOL TESTS</b>				
Examination for threadworm	+	+	+	+
Faeces - general examination	+	+	+	+
Faeces - occult blood	+	+	+	+
Faeces - lamblias by ELISA	+	+	+	+
Faeces - Parasites (1 test)	+	+	+	+
Faeces for digestion rate	+	+	+	+
<b>BIOCHEMISTRY</b>				
Serum renin activity (SRA)	+	+	+	+
Albumin - serum	+	+	+	+
Alpha-1 antitrypsin	+	+	+	+
Alanine aminotransferase - ALT (GPT)	+	+	+	+
Aspartate aminotransferase - AST (GOT)	+	+	+	+
Ammonia	+	+	+	+
Amylase - urine	+	+	+	+
Amylase - serum	+	+	+	+
Pancreatic amylase - urine	+	+	+	+
Pancreatic amylase - serum	+	+	+	+
Apolipoprotein AI - ApoAI	+	+	+	+
Apolipoprotein B - Apo B	+	+	+	+
Beta - crosslaps	+	+	+	+
Beta-2-microglobulin (urine)	+	+	+	+
Beta-2-microglobulin (urine)	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Beta-2-microglobulin (serum)	+	+	+	+
Total protein - serum	+	+	+	+
Immunofixation method monoclonal protein	+	+	+	+
Acute phase protein - CRP - quantitative	+	+	+	+
Direct bilirubin	+	+	+	+
Total bilirubin - serum	+	+	+	+
Total bilirubin and fractions - serum	+	+	+	+
Total iron binding capacity - TIBC	+	+	+	+
Ceruloplasmin	+	+	+	+
Chlorides - diurnal urine	+	+	+	+
Chlorides - serum	+	+	+	+
Chlorides in sudor	+	+	+	+
Total cholesterol	+	+	+	+
HDL Cholesterol	+	+	+	+
Direct LDL cholesterol	+	+	+	+
Cholinesterase - CHE	+	+	+	+
Cu - serum	+	+	+	+
Zinc - urine	+	+	+	+
Zinc - serum	+	+	+	+
Zinc protoporphyrin in erythrocytes	+	+	+	+
Cystatin C	+	+	+	+
Glucose-6-phosphate dehydrogenase - G6PDH	+	+	+	+
Lactate dehydrogenase - LDH	+	+	+	+
Protein electrophoresis - urine	+	+	+	+
Protein electrophoresis - serum	+	+	+	+
Neuron-specific enolase - NSE	+	+	+	+
Phenol in urine	+	+	+	+
Ferritin	+	+	+	+
Alkaline phosphatase - ALP	+	+	+	+
Alkaline phosphatase B fraction ALP-B	+	+	+	+
Acid phosphatase - total - ACP	+	+	+	+
Prostatic acid phosphatase - ACP	+	+	+	+
Phosphorus - urine	+	+	+	+
Phosphorus - diurnal urine	+	+	+	+
Phosphorus - serum	+	+	+	+
Fructosamine - serum	+	+	+	+
Blood galactose	+	+	+	+
Galactose in urine	+	+	+	+
Gamma-glutamyl transpeptidase - GGTP	+	+	+	+
Random glycaemia	+	+	+	+
Glucose - ear/nasal leak	+	+	+	+
Glucose (random test)	+	+	+	+
Glucose 1h postprandial	+	+	+	+
Glucose 2h postprandial in venous blood	+	+	+	+
Glucose 30min postprandial	+	+	+	+
Glucose 90 min postprandial	+	+	+	+
Fasting glucose in venous blood	+	+	+	+
Glucose after 120 min - lactose tolerance test	+	+	+	+
Glucose after 30 min - lactose tolerance test	+	+	+	+
Glucose after 50g of glucose - measured after 1h	+	+	+	+
Glucose after 50g of glucose - measured after 2h	+	+	+	+
Glucose after 60 min - lactose tolerance test	+	+	+	+
Glucose after 75g of glucose after 4h	+	+	+	+
Glucose after 75g of glucose - measured after 1h	+	+	+	+
Glucose after 75g of glucose - measured after 2h	+	+	+	+
Glucose after 75g of glucose - measured after 3h	+	+	+	+
Glucose after 90 min - lactose tolerance test	+	+	+	+
Fasting blood glucose level	+	+	+	+
Haptoglobin	+	+	+	+
Glycated haemoglobin	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Haemosiderin	+	+	+	+
Homocysteine	+	+	+	+
hs CRP	+	+	+	+
Immunoelectrophoresis	+	+	+	+
Immunoglobulin A - IgA	+	+	+	+
Immunoglobulin G - IgG	+	+	+	+
Immunoglobulin M - IgM	+	+	+	+
Creatine kinase - CK	+	+	+	+
Creatine kinase heart type - CKMB	+	+	+	+
Creatine kinase heart type - CKMB-MASS	+	+	+	+
Creatinine clearance (estimated)	+	+	+	+
Coproporphyrins - urine	+	+	+	+
Creatinine - urine	+	+	+	+
Creatinine - diurnal urine	+	+	+	+
Creatinine - serum	+	+	+	+
Cryoglobulins	+	+	+	+
Delta-aminolevulinic acid - urine	+	+	+	+
Folic acid	+	+	+	+
Hippuric acid in urine	+	+	+	+
Lactic acid (plasma)	+	+	+	+
Uric acid - urine	+	+	+	+
Uric acid - diurnal urine	+	+	+	+
Uric acid - serum	+	+	+	+
Trichloroacetic acid TCA in urine	+	+	+	+
Cholic acids (serum)	+	+	+	+
Leucyl aminopeptidase (LAP) - urine	+	+	+	+
Leucyl aminopeptidase (LAP) - serum	+	+	+	+
Lipase - serum	+	+	+	+
Lipid panel	+	+	+	+
Lipoprotein a (Lpa)	+	+	+	+
Lipoprotein x (Lpx)	+	+	+	+
Magnesium - urine	+	+	+	+
Magnesium - diurnal urine	+	+	+	+
Magnesium - serum	+	+	+	+
Myoglobin	+	+	+	+
Urea - diurnal urine	+	+	+	+
Urea - serum	+	+	+	+
Urea (urine)	+	+	+	+
Lead - urine	+	+	+	+
Lead - plasma	+	+	+	+
Mucoproteins	+	+	+	+
Mucoproteins	+	+	+	+
Osteocalcin	+	+	+	+
Total porphyrins - diurnal urine	+	+	+	+
Porphobilinogen - urine	+	+	+	+
Potassium - urine	+	+	+	+
Potassium - diurnal urine	+	+	+	+
Potassium - serum	+	+	+	+
Angiotensin convertase level	+	+	+	+
Procalcitonin	+	+	+	+
D-Pyrilinks	+	+	+	+
Soluble transferrin receptor (sTfR)	+	+	+	+
Hydrargyrum in urine	+	+	+	+
Mercury in the blood	+	+	+	+
Transferrin saturation (calculated)	+	+	+	+
Sodium - diurnal urine	+	+	+	+
Sodium - serum	+	+	+	+
Flotation equilibrium of serum	+	+	+	+
Transferrin	+	+	+	+
Transferrin + transferrin saturation + fasting iron – panel	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Troponin I	+	+	+	+
Troponin T	+	+	+	+
Triglycerides TG	+	+	+	+
UIBC - unsaturated iron binding capacity	+	+	+	+
Uroporphyrins - diurnal urine	+	+	+	+
Phosphogalactose Uridyl Transferase	+	+	+	+
Calcium - urine	+	+	+	+
Calcium - diurnal urine	+	+	+	+
Total calcium - serum	+	+	+	+
Corrected calcium - serum	+	+	+	+
Ionized calcium - blood	+	+	+	+
Serum porphyrins fluorescence spectrum	+	+	+	+
Vitamins A+E	+	+	+	+
Vitamin B12	+	+	+	+
Vitamin D-1,25(OH)2D	+	+	+	+
Vitamin D-1,25(OH)D	+	+	+	+
Free hemoglobin in serum	+	+	+	+
Iron on empty stomach - serum	+	+	+	+
Iron - serum after 1 h	+	+	+	+
Iron - serum after 2 h	+	+	+	+
Iron - serum after 3 h	+	+	+	+
Iron - serum after 5 h	+	+	+	+
Iron - serum after 6 h	+	+	+	+
Iron x 5 - serum - iron absorption curve	+	+	+	+
<b>BIOPSIES</b>				
Rectal biopsy	30 PLN	+	30 PLN	+
Biopsy of skin	30 PLN	+	30 PLN	+
Breast fine needle aspiration biopsy under USG guidance	30 PLN	+	30 PLN	+
Fine needle aspiration biopsy of thyroid gland under USG guidance	30 PLN	+	30 PLN	+
Fine needle aspiration biopsy of subcutaneous tissue lesion under ultrasound control	30 PLN	+	30 PLN	+
Fine needle aspiration biopsy under USG guidance	30 PLN	+	30 PLN	+
Testicle biopsy	30 PLN	+	30 PLN	+
Salivary gland biopsy under USG guidance	30 PLN	+	30 PLN	+
<b>CARDIAC DIAGNOSTICS</b>				
Resting ECG	+	+	+	+
Event Holter ECG	30 PLN	+	30 PLN	+
Holter ECG 12 leads	30 PLN	+	30 PLN	+
Holter ECG 24 hours	30 PLN	+	30 PLN	+
Holter EKG 48 h	30 PLN	+	30 PLN	+
Holter ECG 72 hours	30 PLN	+	30 PLN	+
24-hour blood pressure Holter monitoring	30 PLN	+	30 PLN	+
Pacemaker check	30 PLN	+	30 PLN	+
Resting ECG interpretation	+	+	+	+
ECG effort test	30 PLN	+	30 PLN	+
Exercise stress test with oxygen consumption measurement (spiroergometry)	30 PLN	+	30 PLN	+
<b>LABORATORY DIAGNOSTICS OF INFECTIONS</b>				
Adenovirus antigen -faeces	+	+	+	+
Candida antigen	+	+	+	+
ASO	+	+	+	+
CMV IgG avidity	+	+	+	+
Bordetella pertussis, parapertussis by PCR - nasopharyngeal swab	+	+	+	+
Borrelia burgdorferi by PCR in joint fluid	+	+	+	+
Chlamydia pneumoniae by PCR	+	+	+	+
Chlamydia trachomatis by PCR	+	+	+	+
Clostridium difficile - A and B toxin in faeces	+	+	+	+
Cytomegalovirus CMV by PCR in serum - qualitative	+	+	+	+
Cytomegalovirus CMV PCR in urine	+	+	+	+
EBV - Epstein-Barr virus by PCR	+	+	+	+
Mycosis - serological test	+	+	+	+
HBe antigen	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Hbs antigen	+	+	+	+
HBV - DNA	+	+	+	+
HBV DNA quantitative	+	+	+	+
HCV - RNA	+	+	+	+
HCV RNA - genotype	+	+	+	+
HCV RNA - viraemia load	+	+	+	+
Helicobacter - breath test	+	+	+	+
Helicobacter pylori - faecal antigen test	+	+	+	+
Helicobacter pylori using PCR method	+	+	+	+
HPV 14 with genotyping (6, 11, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59)	+	+	+	+
HPV DNA 16 and 18 (2 genotypes - genotyping test) – quantitative	+	+	+	+
HPV DNA – 4 high-risk genotypes (16, 18, 31, 33)	+	+	+	+
Legionella pneumophila by PCR in sputum	+	+	+	+
Leptospira sp by PCR	+	+	+	+
Mononucleosis (screening test)	+	+	+	+
Mycobacterium tuberculosis by PCR	+	+	+	+
Mycoplasma pneumoniae by PCR	+	+	+	+
Mycoplasma pneumoniae by PCR quantitative	+	+	+	+
Treponema pallidum hemagglutination TPHA	+	+	+	+
Widal test	+	+	+	+
Immunoglobulins anti -HIV with p24 antigen - COMBO assay	+	+	+	+
Immunoglobulins anti HCV - RIBA	+	+	+	+
Immunoglobulins anti-HDV (anti-delta)	+	+	+	+
Immunoglobulins anti - CMV IgG	+	+	+	+
Immunoglobulins anti - CMV IgM	+	+	+	+
Immunoglobulins anti - HAV total	+	+	+	+
Immunoglobulins anti - HAV IgG	+	+	+	+
Immunoglobulins anti - HAV IgM	+	+	+	+
Immunoglobulins anti - HBc IgM	+	+	+	+
Immunoglobulins anti - HBc total	+	+	+	+
Immunoglobulins anti - HBe	+	+	+	+
Immunoglobulins anti - HBs total	+	+	+	+
Immunoglobulins anti - HCV	+	+	+	+
Immunoglobulins anti aspergillosis	+	+	+	+
Immunoglobulins anti Bartonella sp. IgM and IgG	+	+	+	+
Immunoglobulins anti Bordetella pertussis IgA	+	+	+	+
Immunoglobulins anti Bordetella pertussis IgG	+	+	+	+
Immunoglobulins anti Bordetella pertussis IgM	+	+	+	+
Immunoglobulins anti Borrelia	+	+	+	+
Immunoglobulins anti Borrelia IgG	+	+	+	+
Immunoglobulins anti Borrelia IgM	+	+	+	+
Immunoglobulins anti candidiasis	+	+	+	+
Immunoglobulins anti Chlamydia pneumoniae IgA	+	+	+	+
Immunoglobulins anti Chlamydia pneumoniae IgG	+	+	+	+
Immunoglobulins anti Chlamydia pneumoniae IgM	+	+	+	+
Immunoglobulins anti Chlamydia trachomatis IgA	+	+	+	+
Immunoglobulins anti Chlamydia trachomatis IgG	+	+	+	+
Immunoglobulins anti Chlamydia trachomatis IgM	+	+	+	+
Immunoglobulins anti Coxsackie	+	+	+	+
Immunoglobulins anti EBV IgG	+	+	+	+
Immunoglobulins anti EBV IgM	+	+	+	+
Immunoglobulins anti enteroviruses IgG	+	+	+	+
Immunoglobulins anti enteroviruses IgM	+	+	+	+
Immunoglobulins anti Helicobacter pylori IgG quantitative	+	+	+	+
Immunoglobulins anti Helicobacter pylori-qualitative	+	+	+	+
Immunoglobulins anti Herpes simplex IgG	+	+	+	+
Immunoglobulins anti Herpes simplex IgM	+	+	+	+
Immunoglobulins anti tick-borne encephalitis IgG	+	+	+	+
Immunoglobulins anti tick-borne encephalitis IgM	+	+	+	+
Immunoglobulins anti Legionella pneumophila IgG	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Immunoglobulins anti Legionella pneumophila IgM	+	+	+	+
Immunoglobulins anti Listeria monocytogenes	+	+	+	+
Immunoglobulins anti Mycoplasma pneumoniae IgG	+	+	+	+
Immunoglobulins anti Mycoplasma pneumoniae IgM	+	+	+	+
Immunoglobulins anti measles IgG	+	+	+	+
Immunoglobulins anti measles IgM	+	+	+	+
Immunoglobulins anti Varicella IgG	+	+	+	+
Immunoglobulins anti Varicella IgM	+	+	+	+
Immunoglobulins anti parvovirus IgG	+	+	+	+
Immunoglobulins anti parvovirus IgM	+	+	+	+
Immunoglobulins anti Rickettsia IgG	+	+	+	+
Immunoglobulins anti Rickettsia IgG and IgM	+	+	+	+
Immunoglobulins anti rubella IgG	+	+	+	+
Immunoglobulins anti rubella IgG	+	+	+	+
Immunoglobulins anti Saccharomyces cerevisiae - ASCA	+	+	+	+
Immunoglobulins anti Salmonella sp.	+	+	+	+
Serotypes of anti-Yersinia sp. immunoglobulins (IgA, IgM, IgG)	+	+	+	+
Immunoglobulins anti mumps IgG	+	+	+	+
Immunoglobulins anti mumps IgM	+	+	+	+
Immunoglobulins anti tetanus	+	+	+	+
Immunoglobulins anti toxoplasmosis IgA	+	+	+	+
Immunoglobulins anti toxoplasmosis IgG	+	+	+	+
Immunoglobulins anti toxoplasmosis IgM	+	+	+	+
Immunoglobulins anti toxocarosis	+	+	+	+
Immunoglobulins anti Echinococcus	+	+	+	+
Immunoglobulins anti malaria	+	+	+	+
Immunoglobulins anti pneumocytosis IgM and IgG	+	+	+	+
Immunoglobulins anti Trichinella spp. (włośnica) metodą Western blot	+	+	+	+
Borrelia IgG blot antibodies	+	+	+	+
Borrelia IgM blot antibodies	+	+	+	+
Anit-brucella antibodies, IgD method (B. abortus, B. melitensis, B. suis and B. canis)	+	+	+	+
Anit-brucella antibodies, IgM method (B. abortus, B. melitensis, B. suis and B. canis)	+	+	+	+
Anti-Treponema pallidum antibodies	+	+	+	+
Anti-Treponema pallidum antibodies	+	+	+	+
Pneumocystis carinii by PCR	+	+	+	+
Rotavirus antigen - faeces	+	+	+	+
Thick blood smear for malaria identification	+	+	+	+
Serological diagnosis of syphilis FTA	+	+	+	+
Syphilis serology (VDRL)	+	+	+	+
Syphilis serology (VDRL)	+	+	+	+
Syphilis serology FTA - ABS	+	+	+	+
QuantiFERON-TB test	+	+	+	+
Urease test	+	+	+	+
Toxoplasma gondii by PCR	+	+	+	+
Toxoplasmosis - panel (IgG, IgM)	+	+	+	+
IgG toxo-avidity	+	+	+	+
Trichomonas vaginalis antigen	+	+	+	+
Ureaplasma urealyticum by PCR	+	+	+	+
<b>NEUROLOGICAL DIAGNOSTICS</b>				
EEG Electroencephalography	30 PLN	+	30 PLN	+
EEG (electroencephalography) – children	30 PLN	+	30 PLN	+
Sleep EEG Electroencephalography	30 PLN	+	30 PLN	+
Electromyography (EMG)	30 PLN	+	30 PLN	+
Electroneurography	30 PLN	+	30 PLN	+
EMG (Electromyography) - edrophonium test	30 PLN	+	30 PLN	+
EMG (Electromyography) - ischaemic test	30 PLN	+	30 PLN	+
Mini mental state scale	30 PLN	+	30 PLN	+
Polysomnography	30 PLN	+	30 PLN	+
Somatosensory evoked potentials	30 PLN	+	30 PLN	+
<b>PULMONOLOGICAL DIAGNOSTICS</b>				

	COMPLEX	COMPLEX+	ELITE	ELITE+
Maximum flow testing in airways	30 PLN	+	30 PLN	+
Lung resistance and capacity test by cabin method (plethysmography)	30 PLN	+	30 PLN	+
Lung diffusion capacity test	30 PLN	+	30 PLN	+
Respiratory mechanics	30 PLN	+	30 PLN	+
Tuberculin skin test	30 PLN	+	30 PLN	+
Whole-body plethysmography	30 PLN	+	30 PLN	+
Trial treatment with air prosthesis (auto-CPAP)	+	+	+	+
Spirometry	30 PLN	+	30 PLN	+
Spirometry with bronchodilatation test	30 PLN	+	30 PLN	+
Exercise test spirometry	30 PLN	+	30 PLN	+
<b>OPHTHALMOLOGICAL DIAGNOSTICS</b>				
Angio-OCT	30 PLN	+	30 PLN	+
Eye fundus examination	30 PLN	+	30 PLN	+
Visual acuity test - computer	+	+	+	+
Visual field test	+	+	+	+
Visual field test - MATRIX	30 PLN	+	30 PLN	+
Corneal endothelium examination	30 PLN	+	30 PLN	+
Sight defect evaluation - sciascopy	+	+	+	+
Chromatic vision test	+	+	+	+
Chromatic vision in anomaloscope examination	30 PLN	+	30 PLN	+
Binocular sight and strabismus angle examination	30 PLN	+	30 PLN	+
Stereoscopic vision test	30 PLN	+	30 PLN	+
Twilight vision and light reaction examination	30 PLN	+	30 PLN	+
Tear secretion examination	30 PLN	+	30 PLN	+
Biometry - ocular bulb length measurement	30 PLN	+	30 PLN	+
Conjunctival cytology	30 PLN	+	30 PLN	+
Exophthalmometry	30 PLN	+	30 PLN	+
Multifocal electromyography	30 PLN	+	30 PLN	+
Electrooculography	30 PLN	+	30 PLN	+
Electroretinography	30 PLN	+	30 PLN	+
GDX - laser optic nerve fiber thickness measurement	30 PLN	+	30 PLN	+
Gonioscopy	30 PLN	+	30 PLN	+
HRT - Heidelberg retina tomograph	30 PLN	+	30 PLN	+
HRT II - optic nerve disc topography	30 PLN	+	30 PLN	+
Keratometry	30 PLN	+	30 PLN	+
Diurnal curve of intraocular pressure	30 PLN	+	30 PLN	+
Confocal microscopy	30 PLN	+	30 PLN	+
OCT RNFL Retinal Nerve Fiber Layer and optic disc examination	30 PLN	+	30 PLN	+
Optical coherence tomography OCT	30 PLN	+	30 PLN	+
Optical coherence tomography OCT - examination of one eye	30 PLN	+	30 PLN	+
Optical coherence tomography of the anterior segment	30 PLN	+	30 PLN	+
OCT of the anterior segment of one eye	30 PLN	+	30 PLN	+
Pachymetry	30 PLN	+	30 PLN	+
Intraorbital pressure measurement	+	+	+	+
Visual evoked potentials	30 PLN	+	30 PLN	+
Reflectometry	+	+	+	+
Corneal topography	30 PLN	+	30 PLN	+
UBM - ultrasound biomicroscopy	30 PLN	+	30 PLN	+
Volumetry of the posterior segment	30 PLN	+	30 PLN	+
Color eye-fundus photography	30 PLN	+	30 PLN	+
Color fundus photo – both eyes	30 PLN	+	30 PLN	+
<b>DIAGNOSIS OF ORL DISEASES (LARYNGOLOGY)</b>				
Impedance audiometry - exercise test (Decay test)	30 PLN	+	30 PLN	+
Impedance audiometry (tymanometry)	30 PLN	+	30 PLN	+
Impedance audiometry + Eustachian tube function testing	30 PLN	+	30 PLN	+
Impedance audiometry (tymanometry) for children up to the age of 3	30 PLN	+	30 PLN	+
Suprathreshold audiometry - Decay test	30 PLN	+	30 PLN	+
Suprathreshold audiometry - Fowler's test	30 PLN	+	30 PLN	+
Suprathreshold audiometry - Stenger test	30 PLN	+	30 PLN	+
Suprathreshold audiometry SISI	30 PLN	+	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Speech audiometry	30 PLN	+	30 PLN	+
Tonal audiometry	30 PLN	+	30 PLN	+
Tonal and impedance audiometry	30 PLN	+	30 PLN	+
Tonal audiometry for children up to the age of 8	30 PLN	+	30 PLN	+
Psychoacoustic tests	30 PLN	+	30 PLN	+
Psychoacoustic test - uncomfortable loudness levels (UCL)	30 PLN	+	30 PLN	+
Newborn hearing screening test	30 PLN	+	30 PLN	+
Central hearing impairment diagnostics	30 PLN	+	30 PLN	+
Tinnitus diagnostics	30 PLN	+	30 PLN	+
Electronystagmography (ENG)	30 PLN	+	30 PLN	+
Minimum tinnitus masking level (MML)	30 PLN	+	30 PLN	+
Otoacoustic emissions	30 PLN	+	30 PLN	+
Otoacoustic emissions of cochlear linear deformation products (dB)	30 PLN	+	30 PLN	+
Dynamic posturography	30 PLN	+	30 PLN	+
Auditory Evoked Potentials	30 PLN	+	30 PLN	+
Auditory Evoked Potentials - ABR - latencies/intervals	30 PLN	+	30 PLN	+
Auditory Evoked Potentials - ABR - thresholds	30 PLN	+	30 PLN	+
Rhinomanometry (RMM)	30 PLN	+	30 PLN	+
Acoustic rhinometry (AR)	30 PLN	+	30 PLN	+
Speech discrimination test (SDT)	30 PLN	+	30 PLN	+
Videolaryngoscopy	30 PLN	+	30 PLN	+
Videolaryngostroboscopy	30 PLN	+	30 PLN	+
<b>DIAGNOSTICS OF THE URINARY SYSTEM</b>				
Urodynamic measurement	30 PLN	+	30 PLN	+
Cystometry	30 PLN	+	30 PLN	+
Uroflowmetry	30 PLN	+	30 PLN	+
<b>ENDOSCOPIC DIAGNOSTICS</b>				
Anoscopy	30 PLN	+	30 PLN	+
Nasal / sinus endoscopy	30 PLN	+	30 PLN	+
Fiberoptic ORL test during pharmacological coma	30 PLN	+	30 PLN	+
Endoscopic examination of larynx	30 PLN	+	30 PLN	+
Endoscopic examination of nasopharynx	30 PLN	+	30 PLN	+
Endoscopic examination of nasopharynx and larynx	30 PLN	+	30 PLN	+
Endoscopic examination of sinuses	30 PLN	+	30 PLN	+
Endoscopic control of bleeding from the digestive tract	30 PLN	+	30 PLN	+
Endoscopic polyp resection under ambulatory conditions	30 PLN	+	30 PLN	+
Gastroduodenoscopy + H.p test + tissue samples/polipektomia + histopathological examination	30 PLN	+	30 PLN	+
Gastroduodenoscopy under anaesthesia+ H.p test + tissue samples/polipektomia + histopathological examination	30 PLN	+	30 PLN	+
Gastroduodenoscopy + H.p test	30 PLN	+	30 PLN	+
Gastroduodenoscopy + H.p test under anaesthesia	30 PLN	+	30 PLN	+
Coagulation of vascular lesions found during endoscopy	30 PLN	+	30 PLN	+
Colonoscopy	30 PLN	+	30 PLN	+
Colonoscopy with biopsy / polypectomy with histopathological examination	30 PLN	+	30 PLN	+
Colonoscopy under anaesthesia	30 PLN	+	30 PLN	+
Colonoscopy under anaesthesia with biopsy / polypectomy with histopathological examination	30 PLN	+	30 PLN	+
Colonoscopy with anesthesia with biopsy / polypectomy with hist-pat test with ENDO-LOOP usage	30 PLN	+	30 PLN	+
Colonoscopy with anesthesia with biopsy / polypectomy with hist-pat test with clip applicator usage	30 PLN	+	30 PLN	+
Anal manometry	30 PLN	+	30 PLN	+
Esophageal manometry	30 PLN	+	30 PLN	+
Esophageal pH-metrics	30 PLN	+	30 PLN	+
Gastric juice pH-metrics	30 PLN	+	30 PLN	+
Proctoscopy	30 PLN	+	30 PLN	+
Rectoscopy with biopsy	30 PLN	+	30 PLN	+
Proctoscopy under anaesthesia	30 PLN	+	30 PLN	+
Sigmoidoscopy	30 PLN	+	30 PLN	+
Sigmoidoscopy with biopsy/polypectomy and histopathological examination	30 PLN	+	30 PLN	+



	COMPLEX	COMPLEX+	ELITE	ELITE+
Sigmoidoscopy under anaesthesia	30 PLN	+	30 PLN	+
Sigmoidoscopy under anaesthesia with biopsy/polypectomy and histopathological examination	30 PLN	+	30 PLN	+
Endoscopic tattoo	30 PLN	+	30 PLN	+
Anaesthesia for endoscopic diagnostics	30 PLN	+	30 PLN	+
<b>HAEMATOLOGY</b>				
Electrophoresis of pathological hemoglobins.	+	+	+	+
Absolute eosinophilia - blood	+	+	+	+
Erythrocytes - osmotic resistance - blood	+	+	+	+
Leucocytosis	+	+	+	+
Leukogram	+	+	+	+
Complete blood count + platelets count verification (EDTA + heparin)	+	+	+	+
Complete blood count+platelets count verification (EDTA+citrate)	+	+	+	+
Full blood count - analyser - blood	+	+	+	+
Full blood count - analyser - capillary blood	+	+	+	+
Full blood count - microscopic smear - blood	+	+	+	+
Full blood count - microscopic smear - capillary blood	+	+	+	+
Biernacki Reaction - ESR - blood	+	+	+	+
Reticulocytes - blood	+	+	+	+
Reticulocytes - capillary blood	+	+	+	+
Peripheral blood microscopic smear	+	+	+	+
Lymphocytes subpopulations CD3/CD19	+	+	+	+
Lymphocytes subpopulations CD4/CD8	+	+	+	+
Lymphocyte T, B, NK subpopulations - IMK test	+	+	+	+
<b>HORMONES</b>				
17 - hydrocorticosteroids 17 - OHCS - urine	+	+	+	+
17 - ketosteroids 17-CS - urine	+	+	+	+
17 - OH Progesterone	+	+	+	+
5-HIAA	+	+	+	+
Adrenaline - urine	+	+	+	+
Aldosterone	+	+	+	+
Aldosterone in urine	+	+	+	+
Androstenedione	+	+	+	+
Sex hormone binding globulin - SHBG	+	+	+	+
DHEA (dehydroepiandrosterone) serum	+	+	+	+
Erythropoietin - EPO	+	+	+	+
Estradiol	+	+	+	+
Human chorionic gonadotropin beta-subunit - beta HCG	+	+	+	+
Adrenocorticotrophic hormone - ACTH	+	+	+	+
Follicle-stimulating hormone - FSH	+	+	+	+
Luteinizing hormone - LH	+	+	+	+
Thyroid-stimulating hormone - TSH	+	+	+	+
Growth hormone - hGH	+	+	+	+
Growth hormone hGH after glucose load 75g after 120min	+	+	+	+
Growth hormone hGH after glucose load 75g after 60 min	+	+	+	+
Growth hormone hGH after glucagon stimulation in 120min	+	+	+	+
Growth hormone hGH after glucagon stimulation in 150 min	+	+	+	+
Growth hormone hGH after glucagon stimulation in 180 min	+	+	+	+
Growth hormone hGH after glucagon stimulation in 90 min	+	+	+	+
Growth hormone hGH after L -Dopa stimulation - 120min	+	+	+	+
Growth hormone hGH after L -Dopa stimulation - 30min	+	+	+	+
Growth hormone hGH after L -Dopa stimulation - 60min	+	+	+	+
Growth hormone hGH after L -Dopa stimulation - 90min	+	+	+	+
IGF1 Somatomedin (serum)	+	+	+	+
Insulin	+	+	+	+
Insulin 30min postprandial	+	+	+	+
Insulin 90min postprandial	+	+	+	+
Insulin after 1h	+	+	+	+
Insulin after 2h	+	+	+	+
Insulin after glucagon stimulation in 6 min	+	+	+	+
Calcitonin	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Catecholamines in plasma	+	+	+	+
Cortisol - diurnal urine	+	+	+	+
Cortisol - serum	+	+	+	+
Cortisol - serum - low-dose dexamethasone suppression test	+	+	+	+
Cortisol in saliva	+	+	+	+
Vanillylmandelic acid - VMA	+	+	+	+
Methoxycatecholamines - urine	+	+	+	+
NT-proBNP	+	+	+	+
Parathormone - PTH	+	+	+	+
Peptide C	+	+	+	+
Alpha subunit of glycoprotein hormones	+	+	+	+
Diurnal urine steroid test	+	+	+	+
Progesterone - P	+	+	+	+
Proinsulin	+	+	+	+
Prolactin - PRL	+	+	+	+
Prolactin after 10 mg metoclopramid-provocation test - 1 h	+	+	+	+
Prolactin after 10 mg metoclopramid-provocation test - 2 h	+	+	+	+
Pregnancy test - urine	+	+	+	+
Dehydroepiandrosterone sulfate - DHEA-S	+	+	+	+
Testosterone - T	+	+	+	+
Free testosterone (FTST)	+	+	+	+
Total triiodothyronine - T3	+	+	+	+
Free triiodothyronine - fT3	+	+	+	+
Thyroglobulin	+	+	+	+
Total thyroxine - t4	+	+	+	+
Free thyroxine -fT4	+	+	+	+
Free catecholamines - urine	+	+	+	+
Free estriol	+	+	+	+
<b>IMMUNOLOGY</b>				
Galactomannan antigen Aspergillus sp.	+	+	+	+
Mannan antigen Candida sp.	+	+	+	+
Lupus anticoagulant	+	+	+	+
Autoantibodies - liver panel	+	+	+	+
Rheumatoid factor - latex agglutination	+	+	+	+
Rheumatoid factor - quantitative	+	+	+	+
Rheumatoid factor RF IgA	+	+	+	+
Rheumatoid factor RF IgG	+	+	+	+
Rheumatoid factor RF IgM	+	+	+	+
Complement, component C3	+	+	+	+
Complement, component C4	+	+	+	+
Eosinophils - nose smear test	+	+	+	+
Lymphocyte T, NK, B immunophenotype (CD5/CD10)	+	+	+	+
Immunoglobulin IgG - subclasses 1,2,3,4	+	+	+	+
Interleukin 1-beta	+	+	+	+
Interleukin 3 (IL-3)	+	+	+	+
Interleukin 6 (IL-6)	+	+	+	+
Interleukin 8 (IL-8)	+	+	+	+
LE cells	+	+	+	+
C1q immune complexes	+	+	+	+
C3d immune complexes	+	+	+	+
Waalser-Rose test	+	+	+	+
Immunoglobulins anti CCP / cyclic citrullinated peptide/	+	+	+	+
Immunoglobulins anti GAD - endogenous	+	+	+	+
Immunoglobulins anti RNP (ribonucleoprotein)	+	+	+	+
Immunoglobulins anti Scl 70 (topoisomerase)	+	+	+	+
Immunoglobulins anti SS-A (Ro)	+	+	+	+
Immunoglobulins anti SS-B (La)	+	+	+	+
Immunoglobulins antierythrocytal in autoimmune hemolytic anaemia diagnostics	+	+	+	+
Anti-dsDNA-NcX antibodies (ELISA)	+	+	+	+
Immunoglobulins anti Sm	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Immunoglobulins pemphigus (Pf, Pv)	+	+	+	+
Immunoglobulins anti B2GP1 (beta 2 glycoprotein 1)	+	+	+	+
Immunoglobulins anti glomerular basement membrane (GBM)	+	+	+	+
Immunoglobulins anti neutrophil granulocytes cytoplasm p-ANCA	+	+	+	+
Immunoglobulins anti neutrophil granulocytes cytoplasm c-ANCA	+	+	+	+
Immunoglobulins anti Castle's intrinsic factor	+	+	+	+
Immunoglobulins anti double-stranded DNA - dsDNA	+	+	+	+
Immunoglobulins anti endomysium - IgA - EmA IgA	+	+	+	+
Immunoglobulins anti endomysium - IgG - EmA IgG	+	+	+	+
Immunoglobulins anti phosphatidylinositol IgG and IgM	+	+	+	+
Immunoglobulins anti gliadin class IgA	+	+	+	+
Immunoglobulins anti gliadin class IgG	+	+	+	+
Anti-granulocyte antibodies - GIF/GAT/MAIGA method	+	+	+	+
Immunoglobulins anti histones	+	+	+	+
Immunoglobulins anti insulin (anti IAA)	+	+	+	+
Immunoglobulins anti cardiolipin (IgM and IgG)	+	+	+	+
Immunoglobulins anti cardiolipin IgG	+	+	+	+
Immunoglobulins anti cardiolipin IgM	+	+	+	+
Immunoglobulins anti intestinal goblet cells	+	+	+	+
Immunoglobulins anti interislet cells	+	+	+	+
Immunoglobulins anti smooth muscle tissue cells	+	+	+	+
Immunoglobulins anti skeletal muscle tissue cells	+	+	+	+
Immunoglobulins anti heart muscle tissue cells	+	+	+	+
Immunoglobulins anti parietal cells	+	+	+	+
Anti-phosphatidylserine/prothrombin (aPS/PT) IgG antibodies	+	+	+	+
Anti-phosphatidylserine/prothrombin (aPS/PT) IgM antibodies	+	+	+	+
Immunoglobulins anti LKMA in liver cells	+	+	+	+
Immunoglobulins anti mitochondria	+	+	+	+
Immunoglobulins anti adrenal	+	+	+	+
Immunoglobulins anti platelet	+	+	+	+
Immunoglobulins anti acetylcholine receptors (ARAB)	+	+	+	+
Immunoglobulins anti TSH receptors	+	+	+	+
Immunoglobulins anti reticulin	+	+	+	+
Immunoglobulins anti tissue transglutaminase IgA	+	+	+	+
Immunoglobulins anti tissue transglutaminase IgG	+	+	+	+
Immunoglobulins anti thyroglobulin - ATG	+	+	+	+
Immunoglobulins anti pancreatic islets	+	+	+	+
Immunoglobulins antinuclear ANA 2	+	+	+	+
Immunoglobulins antinuclear - latex agglutination test	+	+	+	+
Immunoglobulins antinuclear ANA by ELISA	+	+	+	+
Immunoglobulins antinuclear ANA by IF	+	+	+	+
Immunoglobulins antinuclear ANA3 (immunoblot)	+	+	+	+
Immunoglobulins anti neutrophil granulocytes cytoplasm ANCA -Profile (Elisa)	+	+	+	+
Immunoglobulins antimitochondrial M2	+	+	+	+
Immunoglobulins antithyroid microsomal - ATPO	+	+	+	+
Intestine panel II F	+	+	+	+
Panel-immunoglobulins antiendomysial, antireticulin (IgG and IgA)	+	+	+	+
Panel-immunoglobulins antiendomysial, antireticulin, antigliadin IgA	+	+	+	+
Panel-immunoglobulins antiendomysial, antireticulin, antigliadin IgG	+	+	+	+
Panel-immunoglobulins antiendomysial, antireticulin, antigliadin IgG and IgA	+	+	+	+
Nitrotetrazolium blue test (NBT)	+	+	+	+
E-rosette test	+	+	+	+
<b>OTHER DIAGNOSTICS</b>				
Capillaroscopy	30 PLN	+	30 PLN	+
Colposcopy	30 PLN	+	30 PLN	+
Ectocervix tissue sample collection with endocervical curettage	30 PLN	+	30 PLN	+
Ectocervix tissue sample collection with endocervical and uteral curettage	30 PLN	+	30 PLN	+
Vibration sensing evaluation using pallestesimetric test	30 PLN	+	30 PLN	+
Vibration sensing evaluation using pallestesimetric test, cutaneous thermometry, cold provocation test	30 PLN	+	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Single contact patch tests	30 PLN	+	30 PLN	+
Cooling test	30 PLN	+	30 PLN	+
Cooling test with skin thermometry and compression test	30 PLN	+	30 PLN	+
Thermography	30 PLN	+	30 PLN	+
Cutaneous thermometry	30 PLN	+	30 PLN	+
Nasal provocation test	30 PLN	+	30 PLN	+
Non-specific provocation test (histamine/methacholine/acetylcholine)	30 PLN	+	30 PLN	+
Cutaneous tests with mite antigen	30 PLN	+	30 PLN	+
Contact patch tests - European standard	30 PLN	+	30 PLN	+
Contact patch tests with Standard I, II allergens	30 PLN	+	30 PLN	+
Skin prick tests - alimentary and inhalant panel	+	+	+	+
Skin prick tests - single diagnosis	+	+	+	+
Skin prick tests - alimentary panel	+	+	+	+
Skin tests - inhaled allergens	+	+	+	+
Trichogram	30 PLN	+	30 PLN	+
Hydrogen breath test after fructose load	30 PLN	+	30 PLN	+
Hydrogen breath test after lactose load	30 PLN	+	30 PLN	+
Hydrogen breath test after sucrose load	30 PLN	+	30 PLN	+
Skin scrapings for Demodex identification	30 PLN	+	30 PLN	+
<b>OTHER LABORATORY TESTS</b>				
Urinary calculus - composition examination	+	+	+	+
Synovial fluid - for uric acid crystals detection	+	+	+	+
Synovial fluid - general examination	+	+	+	+
<b>OTHER IMAGING TESTS</b>				
Fluorescent retinal angiography	30 PLN	+	30 PLN	+
Indocyanine angiography	30 PLN	+	30 PLN	+
Densitometry	30 PLN	+	30 PLN	+
Lumbar vertebrae densitometry	30 PLN	+	30 PLN	+
Densitometry of lumbar vertebrae + 1 femoral neck	30 PLN	+	30 PLN	+
Femoral neck densitometry	30 PLN	+	30 PLN	+
Xeromammography	30 PLN	+	30 PLN	+
Mammography	30 PLN	+	30 PLN	+
Mammography of a single breast	30 PLN	+	30 PLN	+
Photography of the anterior segment of the eye	30 PLN	+	30 PLN	+
<b>COAGULOGY</b>				
Platelet aggregation	+	+	+	+
Factor V activity	+	+	+	+
Von Willebrand factor activity (as ristocetin cofactor)	+	+	+	+
Antithrombin III (AT III)	+	+	+	+
APTT (Activated Partial Thromboplastin Time)	+	+	+	+
APTT with Actin	+	+	+	+
Protein C	+	+	+	+
Protein S	+	+	+	+
C1-inhibitor activity	+	+	+	+
C1-inhibitor quantitative	+	+	+	+
Bleeding time	+	+	+	+
Whole blood coagulation time	+	+	+	+
Reptilase time	+	+	+	+
Factor IX	+	+	+	+
Coagulation factor II	+	+	+	+
Factor VII	+	+	+	+
Factor VIII	+	+	+	+
von Willebrand factor (antigen)	+	+	+	+
Factor X	+	+	+	+
Factor XI	+	+	+	+
Factor XII	+	+	+	+
D-dimer quantitative (plasma)	+	+	+	+
Fibrinogen	+	+	+	+
Euglobulin fibrinolysis	+	+	+	+
Kaolin coagulation time (KCT)	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Circulating anticoagulant (factor IX inhibitor)	+	+	+	+
Circulating anticoagulant (factor VIII inhibitor)	+	+	+	+
Clot contraction	+	+	+	+
Full-serum clott lysis	+	+	+	+
Activated protein C resistance (APCR)	+	+	+	+
Measurement of platelet function PFA -100 COL/ADP	+	+	+	+
PT (INR, Quick)	+	+	+	+
TT	+	+	+	+
<b>MARKERS</b>				
Alpha-fetoprotein	+	+	+	+
CA-125 antigen	+	+	+	+
CA -15-3 antigen	+	+	+	+
CA -19-9 antigen	+	+	+	+
Tissue polypeptide specific antigen -TPS	+	+	+	+
Tissue polypeptide antigen - TPA	+	+	+	+
Carcino-embryonic antigen - CEA	+	+	+	+
Antigen SCC - squamous cell carcinoma	+	+	+	+
Prostate specific antigen - PSA total	+	+	+	+
Prostate specific antigen - PSA free	+	+	+	+
Chromogranin A	+	+	+	+
Diagnostics of genetic predisposition to breast and ovarian neoplasms - (BRCA1 - 6 mutations) + (BRCA2 - 2 mutations)	+	+	+	+
Factor V Leiden mutation detection	+	+	+	+
BCR-ABL gene mutation detection	+	+	+	+
HFE gene mutation detection mutation C282Y i H63D	+	+	+	+
Prothrombin gene mutation detection	+	+	+	+
<b>BACTERIAL CULTURES</b>				
Microscopic examination for fungus identification	+	+	+	+
Chlamydia pneumoniae - throat smear	+	+	+	+
Chlamydia trachomatis - antigen	+	+	+	+
Faeces for Salmonella-Shigella carrier state test (3 determinations)	+	+	+	+
Mycoplasma/Ureaplasma - smear +antibiogram	+	+	+	+
Neisseria gonorrhoeae - smear	+	+	+	+
Evaluation of the direct preparation and culture for dermatophyte	+	+	+	+
Evaluation of the direct preparation, culture for dermatophytes, evaluation of fluorescence in a Wood lamp	+	+	+	+
Mycobacterium tuberculosis drug susceptibility testing	+	+	+	+
Faecal culture	+	+	+	+
Faecal culture extended by EPEC in children up to 2 years old	+	+	+	+
Faecal culture for Campylobacter sp.	+	+	+	+
Faecal culture for Salmonella-Shigella	+	+	+	+
Faecal culture for Clostridium difficile	+	+	+	+
Faecal culture for enteropathogenic E.coli identification	+	+	+	+
Faecal culture for fungus identification	+	+	+	+
Faecal culture for Yersinia sp. identification	+	+	+	+
Woman`s milk culture	+	+	+	+
Urine culture	+	+	+	+
Semen culture	+	+	+	+
Sputum culture	+	+	+	+
Sputum culture for tuberculosis identification	+	+	+	+
Synovial fluid culture	+	+	+	+
The culture of the fluid from the body cavities towards yeast-like fungi	+	+	+	+
The culture of fluid from body cavities under anaerobic conditions	+	+	+	+
Pus culture	+	+	+	+
Culture for anaerobic bacteria identification	+	+	+	+
Culture for tuberculosis identification	+	+	+	+
Culture for fungus identification (moulds)	+	+	+	+
Culture for fungus identification	+	+	+	+
Subpreputial smear culture	+	+	+	+
Urethral smear culture	+	+	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Pharyngeal smear culture	+	+	+	+
Oral cavity smear culture	+	+	+	+
Auditory canal smear culture	+	+	+	+
Cervical smear culture	+	+	+	+
Nasal smear culture	+	+	+	+
Anal smear culture	+	+	+	+
Ulceration/decubitus ulcer smear culture - anaerobes	+	+	+	+
Umbilical swab culture	+	+	+	+
Vaginal smear culture	+	+	+	+
Wound smear culture	+	+	+	+
Conjunctival smear culture	+	+	+	+
Skin lesions smear culture	+	+	+	+
Grade of vaginal microflora	+	+	+	+
<b>MAGNETIC RESONANCE IMAGING</b>				
Magnetic resonance angiography	30 PLN	+	30 PLN	+
MRI angiography with contrast	30 PLN	+	30 PLN	+
Magnetic resonance cholangiography of biliary tract	30 PLN	+	30 PLN	+
Magnetic resonance cholangiography of biliary tract with contrast	30 PLN	+	30 PLN	+
Application of contrast Gadovist 15 ml	30 PLN	+	30 PLN	+
MRI of the head	30 PLN	+	30 PLN	+
MRI of the head + Magnetic resonance spectroscopy (MRS)	30 PLN	+	30 PLN	+
MRI of the head with contrast	30 PLN	+	30 PLN	+
MRI of the abdominal cavity	30 PLN	+	30 PLN	+
MRI of the abdominal cavity with contrast	30 PLN	+	30 PLN	+
MRI of the thorax	30 PLN	+	30 PLN	+
MRI of the thorax with contrast	30 PLN	+	30 PLN	+
MRI of the bones	30 PLN	+	30 PLN	+
MRI of the temporal bones	30 PLN	+	30 PLN	+
MRI of the temporal bones with contrast	30 PLN	+	30 PLN	+
MRI of the bones with contrast	30 PLN	+	30 PLN	+
MRI of the L-S spine	30 PLN	+	30 PLN	+
MRI of the L-S spine	30 PLN	+	30 PLN	+
MRI of the thoracic spine	30 PLN	+	30 PLN	+
MRI of the thoracic spine with contrast	30 PLN	+	30 PLN	+
MRI of the cervical spine	30 PLN	+	30 PLN	+
MRI of the cervical spine with contrast	30 PLN	+	30 PLN	+
MRI of the pelvis	30 PLN	+	30 PLN	+
MRI of the pelvis with contrast	30 PLN	+	30 PLN	+
MRI of the muscles	30 PLN	+	30 PLN	+
MRI of the muscles with contrast	30 PLN	+	30 PLN	+
MRI of the wrist	30 PLN	+	30 PLN	+
Magnetic resonance imaging of the wrist with contrast	30 PLN	+	30 PLN	+
MRI of the adrenal glands	30 PLN	+	30 PLN	+
MRI of the adrenal glands with contrast	30 PLN	+	30 PLN	+
MRI of the kidneys	30 PLN	+	30 PLN	+
MRI of the kidneys with dynamic evaluation after contrast agent administration	30 PLN	+	30 PLN	+
MRI of the orbital cavity	30 PLN	+	30 PLN	+
MRI of the orbital cavity with contrast	30 PLN	+	30 PLN	+
Fetal MRI	30 PLN	+	30 PLN	+
MRI of the prostate with contrast agent	30 PLN	+	30 PLN	+
MRI of the pituitary gland	30 PLN	+	30 PLN	+
Magnetic resonance imaging of the pituitary gland and head with contrast	30 PLN	+	30 PLN	+
MRI of the pituitary gland with contrast	30 PLN	+	30 PLN	+
MRI of the sacroiliac joints	30 PLN	+	30 PLN	+
MRI of the sacroiliac joint with contrast	30 PLN	+	30 PLN	+
MRI of the shoulder joint	30 PLN	+	30 PLN	+
MRI of the shoulder joint with contrast	30 PLN	+	30 PLN	+
MRI of the hip joint	30 PLN	+	30 PLN	+
MRI of the hip joint with contrast	30 PLN	+	30 PLN	+
MRI of the knee joint	30 PLN	+	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
MRI of the knee joint with contrast	30 PLN	+	30 PLN	+
MRI of the elbow joint	30 PLN	+	30 PLN	+
MRI of the elbow joint with contrast agent	30 PLN	+	30 PLN	+
MRI of the ankle joint	30 PLN	+	30 PLN	+
Magnetic resonance imaging of ankle with contrast	30 PLN	+	30 PLN	+
Magnetic resonance imaging of the foot	30 PLN	+	30 PLN	+
MRI of the foot with contrast	30 PLN	+	30 PLN	+
Breast MRI	30 PLN	+	30 PLN	+
Breast MRI with contrast	30 PLN	+	30 PLN	+
MRI of the neck	30 PLN	+	30 PLN	+
MRI of the neck with contrast	30 PLN	+	30 PLN	+
MRI of the soft tissues with contrast	30 PLN	+	30 PLN	+
MRI of the splanchnocranium	30 PLN	+	30 PLN	+
MRI of the liver	30 PLN	+	30 PLN	+
MRI of the liver with contrast	30 PLN	+	30 PLN	+
Facial skull MRI with contrast	30 PLN	+	30 PLN	+
MRI of the posterior cranial fossa	30 PLN	+	30 PLN	+
MRI of the posterior cranial fossa with contrast	30 PLN	+	30 PLN	+
Proton spectroscopy	30 PLN	+	30 PLN	+
Magnetic resonance spectroscopy (MRS)	30 PLN	+	30 PLN	+
Magnetic resonance spectroscopy (MRS) of the brain	30 PLN	+	30 PLN	+
Magnetic resonance urography - Uro-MR	30 PLN	+	30 PLN	+
Dynamic venography of abdominal and lesser pelvic veins with contrast agent	30 PLN	+	30 PLN	+
<b>X-RAY</b>				
Micturition cystography	30 PLN	+	30 PLN	+
Micturition cystography with Dornicum premedication	30 PLN	+	30 PLN	+
Fistulography	30 PLN	+	30 PLN	+
Phlebography	30 PLN	+	30 PLN	+
Impression of X-Ray from other medical facility	30 PLN	+	30 PLN	+
Digestive tract passage	30 PLN	+	30 PLN	+
X-Ray of the skull AP + lateral and posterior inferior	30 PLN	+	30 PLN	+
X-Ray of the skull PA/PA + lateral	30 PLN	+	30 PLN	+
X-Ray of the skull posterior inferior	30 PLN	+	30 PLN	+
X-Ray of the skull lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the upper digestive tract	30 PLN	+	30 PLN	+
X-Ray of the abdominal cavity - plain in supine position	30 PLN	+	30 PLN	+
X-Ray of the abdominal cavity - plain in standing position	30 PLN	+	30 PLN	+
X-Ray of the large intestine colocolyter	30 PLN	+	30 PLN	+
X-Ray of the thorax - lateral with contrast	30 PLN	+	30 PLN	+
X-Ray of the thorax - lateral	30 PLN	+	30 PLN	+
Chest X-Ray (inspiration-expiration)	30 PLN	+	30 PLN	+
X-Ray of the thorax PA - aimed at lungs apexes	30 PLN	+	30 PLN	+
X-Ray of the thorax PA	30 PLN	+	30 PLN	+
X-Ray of the thorax PA + lateral	30 PLN	+	30 PLN	+
X-Ray of the thorax with cervico-thoracic border	30 PLN	+	30 PLN	+
X-Ray of the sacrococcygeal bone AP	30 PLN	+	30 PLN	+
X-Ray of the sacrococcygeal bone AP + lateral	30 PLN	+	30 PLN	+
X-Ray of the sacrococcygeal bone lateral radiogram	30 PLN	+	30 PLN	+
Bone or join X-ray - additional projection	30 PLN	+	30 PLN	+
X-Ray of the scaphoid bone	30 PLN	+	30 PLN	+
X-Ray of the humerus AP	30 PLN	+	30 PLN	+
X-Ray of the humerus AP + lateral	30 PLN	+	30 PLN	+
X-Ray of the humerus lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the spine (scoliosis) PA + lateral picture	30 PLN	+	30 PLN	+
X-Ray of the spine AP (scoliosis)	30 PLN	+	30 PLN	+
X-Ray of the lumbosacral spine AP + lateral	30 PLN	+	30 PLN	+
X-Ray of the lumbosacral spine aimed at L5-S1 lateral	30 PLN	+	30 PLN	+
X-Ray of the lumbosacral spine functional	30 PLN	+	30 PLN	+
X-Ray of the lumbosacral spine oblique radiogram	30 PLN	+	30 PLN	+
X-Ray of the lumbosacral spine lateral radiogram	30 PLN	+	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
X-Ray of the thoracic spine - functional	30 PLN	+	30 PLN	+
X-Ray of the thoracic spine oblique radiogram	30 PLN	+	30 PLN	+
X-Ray of the thoracic spine AP + lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the thoracic spine lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the cervical spine - intervertebral foramina	30 PLN	+	30 PLN	+
X-Ray of the cervical spine - functional	30 PLN	+	30 PLN	+
X-Ray of the cervical spine AP and lateral	30 PLN	+	30 PLN	+
X-Ray of the cervical spine aimed at dens axis	30 PLN	+	30 PLN	+
X-Ray of the cervical spine lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the scapula (AP + tangential radiogram)	30 PLN	+	30 PLN	+
X-Ray of the scapula AP	30 PLN	+	30 PLN	+
X-Ray of the scapula tangential radiogram	30 PLN	+	30 PLN	+
X-Ray of the pelvis	30 PLN	+	30 PLN	+
X-Ray of the sternum	30 PLN	+	30 PLN	+
X-Ray of the wrist AP	30 PLN	+	30 PLN	+
X-Ray of the wrist AP + lateral	30 PLN	+	30 PLN	+
X-Ray of the wrist lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the nose	30 PLN	+	30 PLN	+
X-Ray of the clavicle	30 PLN	+	30 PLN	+
X-Ray of both wrists	30 PLN	+	30 PLN	+
X-Ray of both calcaneuses	30 PLN	+	30 PLN	+
Repeat X-ray of both lower legs	30 PLN	+	30 PLN	+
X-Ray of both hands	30 PLN	+	30 PLN	+
X-Ray of both knee joints	30 PLN	+	30 PLN	+
X-Ray of both knee joints in standing position	30 PLN	+	30 PLN	+
X-Ray of both ankle joints	30 PLN	+	30 PLN	+
X-Ray of both feet	30 PLN	+	30 PLN	+
X-Ray of both feet in standing position, AP + lateral projection	30 PLN	+	30 PLN	+
X-Ray of the orbicular cavities PA	30 PLN	+	30 PLN	+
X-Ray of the orbicular cavities PA + lateral	30 PLN	+	30 PLN	+
X-Ray bone age determining	30 PLN	+	30 PLN	+
Axial X-Ray of the patella	30 PLN	+	30 PLN	+
X-Ray of the finger	30 PLN	+	30 PLN	+
X-Ray of the toe	30 PLN	+	30 PLN	+
X-Ray of the calcaneus	30 PLN	+	30 PLN	+
X-Ray of the calcaneus lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the calcaneus lateral + axial radiogram	30 PLN	+	30 PLN	+
X-Ray of the calcaneus axial radiogram	30 PLN	+	30 PLN	+
X-Ray of the skull base	30 PLN	+	30 PLN	+
X-Ray of the crus	30 PLN	+	30 PLN	+
X-Ray of the crus AP + lateral	30 PLN	+	30 PLN	+
X-Ray of the crus lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the forearm AP	30 PLN	+	30 PLN	+
X-Ray of the forearm AP + lateral	30 PLN	+	30 PLN	+
X-Ray of the forearm lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the esophagus	30 PLN	+	30 PLN	+
X-Ray of the hand AP	30 PLN	+	30 PLN	+
X-Ray of the hand AP + lateral	30 PLN	+	30 PLN	+
X-Ray of the hand AP + oblique	30 PLN	+	30 PLN	+
X-Ray of the hand lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the Turkish saddle	30 PLN	+	30 PLN	+
X-ray scoliosis AP + lateral below 1.2 m height	30 PLN	+	30 PLN	+
X-ray scoliosis AP + lateral above 1.2 m height	30 PLN	+	30 PLN	+
X-ray scoliosis AP below 1.2 m height	30 PLN	+	30 PLN	+
X-ray scoliosis AP above 1.2 m height	30 PLN	+	30 PLN	+
X-ray of the chest oblique	30 PLN	+	30 PLN	+
X-Ray of the shoulder joints	30 PLN	+	30 PLN	+
X-Ray of the hip joints AP	30 PLN	+	30 PLN	+
X-Ray of the hip joints AP + axial	30 PLN	+	30 PLN	+
X-Ray of the hip joints axial radiogram	30 PLN	+	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
X-Ray of the sacroiliac joints	30 PLN	+	30 PLN	+
Repeat X-ray of the elbow joints - AP + lateral	30 PLN	+	30 PLN	+
X-Ray of the sternoclavicular joints	30 PLN	+	30 PLN	+
X-Ray of the shoulder joint - oblique radiogram	30 PLN	+	30 PLN	+
X-Ray of the shoulder joint AP	30 PLN	+	30 PLN	+
X-Ray of the shoulder joint AP + axial radiogram	30 PLN	+	30 PLN	+
X-Ray of the shoulder joint axial radiogram	30 PLN	+	30 PLN	+
X-Ray of the hip joints + axial	30 PLN	+	30 PLN	+
X-Ray of the hip joint AP	30 PLN	+	30 PLN	+
X-Ray of the knee joint AP	30 PLN	+	30 PLN	+
X-Ray of the knee joint AP + lateral	30 PLN	+	30 PLN	+
X-Ray of the knee joint in Merchant's view	30 PLN	+	30 PLN	+
X-Ray of the knee joint lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the elbow joint AP	30 PLN	+	30 PLN	+
X-Ray of the elbow joint AP + lateral	30 PLN	+	30 PLN	+
X-Ray of the elbow joint lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the sternoclavicular joint	30 PLN	+	30 PLN	+
X-Ray of the ankle joint AP	30 PLN	+	30 PLN	+
X-Ray of the ankle joint AP + lateral	30 PLN	+	30 PLN	+
X-Ray of the ankle joint AP lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the temporomandibular joint	30 PLN	+	30 PLN	+
X-Ray of the foot AP	30 PLN	+	30 PLN	+
X-Ray of the foot AP + lateral	30 PLN	+	30 PLN	+
X-Ray of foot in standing position, AP + lateral projection	30 PLN	+	30 PLN	+
X-Ray of the foot lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the third tonsil	30 PLN	+	30 PLN	+
X-Ray of the knee in tunnel view	30 PLN	+	30 PLN	+
X-Ray of the splanchnocranium PA	30 PLN	+	30 PLN	+
X-Ray of the thigh AP	30 PLN	+	30 PLN	+
X-Ray of the thigh AP + lateral	30 PLN	+	30 PLN	+
X-Ray of the thigh lateral radiogram	30 PLN	+	30 PLN	+
X-Ray of the sinuses	30 PLN	+	30 PLN	+
X-Ray of the ribs	30 PLN	+	30 PLN	+
Oblique X-ray of the mandible	30 PLN	+	30 PLN	+
Sialography	30 PLN	+	30 PLN	+
Thoracic scopy	30 PLN	+	30 PLN	+
Urethrography	30 PLN	+	30 PLN	+
Urography	30 PLN	+	30 PLN	+
<b>SCYNTIGRAPHY</b>				
Isotope cisternography	30 PLN	+	30 PLN	+
Lower limbs lymphoscintigraphy	30 PLN	+	30 PLN	+
Whole body scintigraphy	30 PLN	+	30 PLN	+
Scintigraphy of the lacrimal ducts	30 PLN	+	30 PLN	+
Cholescintigraphy	30 PLN	+	30 PLN	+
Scintigraphy of the bones + SPECT	30 PLN	+	30 PLN	+
Three-phase scintigraphy of the bones	30 PLN	+	30 PLN	+
Static scintigraphy of the bones	30 PLN	+	30 PLN	+
Micturition scintigraphy of the kidney	30 PLN	+	30 PLN	+
Scintigraphy of the brain	30 PLN	+	30 PLN	+
Scintigraphy of adrenal glands	30 PLN	+	30 PLN	+
Dynamic scintigraphy of the kidneys	30 PLN	+	30 PLN	+
Static scintigraphy of the kidneys	30 PLN	+	30 PLN	+
Scintigraphy of the inflammatory niduses with labelled leukocytes	30 PLN	+	30 PLN	+
Lung perfusion scintigraphy	30 PLN	+	30 PLN	+
Cardiac perfusion scintigraphy after physical exercise	30 PLN	+	30 PLN	+
Resting cardiac perfusion scintigraphy	30 PLN	+	30 PLN	+
Myocardial perfusion scintigraphy resting and after physical exercise	30 PLN	+	30 PLN	+
Ventilation/perfusion scintigraphy of the lungs	30 PLN	+	30 PLN	+
Scintigraphy of the digestive tract (Meckel's diverticulum)	30 PLN	+	30 PLN	+
Scintigraphy of the parathyroid glands	30 PLN	+	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Scintigraphy of the somatostatin receptors	30 PLN	+	30 PLN	+
Scintigraphy of the heart - isotope ventriculography	30 PLN	+	30 PLN	+
Static scintigraphy of the liver	30 PLN	+	30 PLN	+
Scintigraphy of the spleen	30 PLN	+	30 PLN	+
Scintigraphy of the salivary glands	30 PLN	+	30 PLN	+
Scintigraphy of the thyroid gland	30 PLN	+	30 PLN	+
Scintigraphy of the lymphatic system	30 PLN	+	30 PLN	+
Gallium-67 scintigraphy	30 PLN	+	30 PLN	+
<b>BLOOD TYPE SEROLOGY</b>				
Alloantibody test (anti-RH and other)	+	+	+	+
Indirect Coombs test (ATM)	+	+	+	+
Blood type and immune alloantibodies (anti-Rh and other)	+	+	+	+
Blood type certificate	+	+	+	+
Blood cells surface antigens marking	+	+	+	+
Weak D antigen test	+	+	+	+
<b>TOXICOLOGY AND DRUGS LEVEL MONITORING</b>				
Cordarone - drug level	+	+	+	+
Cyclosporin C 0	+	+	+	+
Cyclosporin C2	+	+	+	+
Digoxin	+	+	+	+
Phenytoin	+	+	+	+
Carbon monoxide haemoglobin	+	+	+	+
Carbamazepin	+	+	+	+
Lithium - serum	+	+	+	+
Tacrolimus - drug level	+	+	+	+
Theophylline	+	+	+	+
Valproic acid	+	+	+	+
<b>COMPUTED TOMOGRAPHY</b>				
Multislice CT angiography	30 PLN	+	30 PLN	+
Head CT	30 PLN	+	30 PLN	+
Two-phase head CT	30 PLN	+	30 PLN	+
Contrast head CT	30 PLN	+	30 PLN	+
Head CT with paranasal sinuses evaluation	30 PLN	+	30 PLN	+
Abdominal CT - multiphase method	30 PLN	+	30 PLN	+
Non-contrast abdominal CT	30 PLN	+	30 PLN	+
Two-phase abdominal CT	30 PLN	+	30 PLN	+
CT of the abdominal cavity and pelvis	30 PLN	+	30 PLN	+
CT of the abdominal cavity and pelvis with contrast agent	30 PLN	+	30 PLN	+
Contrast abdominal CT	30 PLN	+	30 PLN	+
Non-contrast thoracic CT	30 PLN	+	30 PLN	+
Two-phase thoracic CT	30 PLN	+	30 PLN	+
Contrast thoracic CT	30 PLN	+	30 PLN	+
CT colonography	30 PLN	+	30 PLN	+
Bone CT	30 PLN	+	30 PLN	+
Temporal bones CT	30 PLN	+	30 PLN	+
CT of vertebral column	30 PLN	+	30 PLN	+
Laryngeal CT	30 PLN	+	30 PLN	+
Laryngeal CT with contrast agent	30 PLN	+	30 PLN	+
Pelvic CT	30 PLN	+	30 PLN	+
Multiphase small pelvis CT	30 PLN	+	30 PLN	+
CT of the wrist	30 PLN	+	30 PLN	+
Non-contrast adrenal CT	30 PLN	+	30 PLN	+
Multiphase contrast adrenal CT	30 PLN	+	30 PLN	+
Multiphase renal CT	30 PLN	+	30 PLN	+
CT of nasopharynx	30 PLN	+	30 PLN	+
CT of nasopharynx with contrast agent	30 PLN	+	30 PLN	+
Two-phase orbit CT	30 PLN	+	30 PLN	+
Heart CT Calcium Score	30 PLN	+	30 PLN	+
CT of coronary arteries with contrast	30 PLN	+	30 PLN	+
Heart CT coronarography with evaluation of activity of the left ventricle	30 PLN	+	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Heart CT with left atrium evaluation with contrast agent	30 PLN	+	30 PLN	+
Hip CT	30 PLN	+	30 PLN	+
CT of the shoulder joint	30 PLN	+	30 PLN	+
CT of the knee joint	30 PLN	+	30 PLN	+
Elbow CT	30 PLN	+	30 PLN	+
CT of the sternoclavicular joint	30 PLN	+	30 PLN	+
CT of the ankle	30 PLN	+	30 PLN	+
Two-phase neck CT	30 PLN	+	30 PLN	+
Splanchnocranium CT	30 PLN	+	30 PLN	+
Contrast CT of the splanchnocranium	30 PLN	+	30 PLN	+
CT urography (Uro-CT)	30 PLN	+	30 PLN	+
Multiphase liver CT	30 PLN	+	30 PLN	+
Sinus CT	30 PLN	+	30 PLN	+
High-Resolution Chest CT	30 PLN	+	30 PLN	+
Nonionic contrast for CT/NMR	30 PLN	+	30 PLN	+
TC contrast administration - Ultravist 370 50 ml	30 PLN	+	30 PLN	+
Application of contrast Iomeron 400 100 ml	30 PLN	+	30 PLN	+
Application of contrast Ultravist 370,100 ml	30 PLN	+	30 PLN	+
Application of contrast Ultravist 50 ml	30 PLN	+	30 PLN	+
CT Virtual Bronchoscopy	30 PLN	+	30 PLN	+
Anaesthesia for CT/NMR/X-ray	30 PLN	+	30 PLN	+
<b>USG</b>				
Adult doppler echocardiography	30 PLN	+	30 PLN	+
Paediatric doppler echocardiography	30 PLN	+	30 PLN	+
Fetal echocardiography	30 PLN	+	30 PLN	+
Transoesophageal echocardiography	30 PLN	+	30 PLN	+
Stress echocardiography	30 PLN	+	30 PLN	+
Ultrasonography of the axilla	30 PLN	+	30 PLN	+
Ultrasonography of the patellar fossa	30 PLN	+	30 PLN	+
Doppler sonography of the renal arteries	30 PLN	+	30 PLN	+
Doppler sonography of the hepatic portal system	30 PLN	+	30 PLN	+
Doppler sonography of vascular lesions in soft tissues	30 PLN	+	30 PLN	+
Doppler sonography of vascular lesions in soft tissues	30 PLN	+	30 PLN	+
Venous Doppler Ultrasound of the pelvis and abdomen	30 PLN	+	30 PLN	+
Doppler sonography of the jugular veins	30 PLN	+	30 PLN	+
Duplex doppler sonography of the aorta and iliac arteries	30 PLN	+	30 PLN	+
Duplex Doppler ultrasound of the carotid and vertebral arteries	30 PLN	+	30 PLN	+
duplex doppler sonography of the arteries of lower limbs	30 PLN	+	30 PLN	+
Duplex Doppler sonography of the arteries of upper limbs	30 PLN	+	30 PLN	+
Duplex doppler sonography of the celiac arteries	30 PLN	+	30 PLN	+
Duplex doppler sonography of the veins of lower limbs	30 PLN	+	30 PLN	+
Duplex Doppler sonography of the veins of upper limbs	30 PLN	+	30 PLN	+
Ultrasonography of the prostate	30 PLN	+	30 PLN	+
Ultrasonography of the abdominal cavity	30 PLN	+	30 PLN	+
Ultrasonography of the testes	30 PLN	+	30 PLN	+
Ultrasonography of the testes with flowmetry	30 PLN	+	30 PLN	+
Ultrasonography of the thorax and mediastinum	30 PLN	+	30 PLN	+
Ultrasonography of the lesser pelvis	30 PLN	+	30 PLN	+
Ultrasonography of muscles and tendons	30 PLN	+	30 PLN	+
Ultrasonography of the wrist	30 PLN	+	30 PLN	+
Ultrasonography of the orbits	30 PLN	+	30 PLN	+
Ultrasonography of the eye	30 PLN	+	30 PLN	+
Ultrasonography of the pleura	30 PLN	+	30 PLN	+
Ultrasonography of the pleura	30 PLN	+	30 PLN	+
Lung ultrasound	30 PLN	+	30 PLN	+
Lung ultrasound in children	30 PLN	+	30 PLN	+
Ultrasonography of the penis	30 PLN	+	30 PLN	+
Transfontanelar ultrasonography	30 PLN	+	30 PLN	+
Ultrasonography of the hip joints in children	30 PLN	+	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Ultrasound of the hip joints in children of up to 8 months of age - screening test for dysplasia along with an orthopedic consultation	30 PLN	+	30 PLN	+
Ultrasonography of the hand's joints	30 PLN	+	30 PLN	+
Ultrasound of the temporomandibular joints	30 PLN	+	30 PLN	+
USG of the shoulder joint	30 PLN	+	30 PLN	+
Ultrasonography of the hip joint	30 PLN	+	30 PLN	+
Ultrasonography of the knee joint	30 PLN	+	30 PLN	+
Ultrasonography of the elbow joint	30 PLN	+	30 PLN	+
Ultrasonography of the ankle joint	30 PLN	+	30 PLN	+
Ultrasonography of the breast	30 PLN	+	30 PLN	+
Ultrasonography of the cranial suture in children	30 PLN	+	30 PLN	+
Ultrasonography of the neck	30 PLN	+	30 PLN	+
Ultrasonography of a tendon	30 PLN	+	30 PLN	+
Ultrasonography of the salivary glands	30 PLN	+	30 PLN	+
Ultrasonography of the metatarsus	30 PLN	+	30 PLN	+
Ultrasonography of the thyroid gland	30 PLN	+	30 PLN	+
Ultrasonography of the soft tissues	30 PLN	+	30 PLN	+
Transrectal ultrasonography of the lesser pelvis	30 PLN	+	30 PLN	+
Transrectal ultrasonography of the prostate	30 PLN	+	30 PLN	+
Transvaginal ultrasonography of the lesser pelvis	30 PLN	+	30 PLN	+
Ultrasonography of the urinary system	30 PLN	+	30 PLN	+
Ultrasonography of the inguinal lymph nodes	30 PLN	+	30 PLN	+
Ultrasonography of the cervical lymph nodes	30 PLN	+	30 PLN	+
Ultrasound of the lower limb veins - compression tests	30 PLN	+	30 PLN	+
Ultrasound of the upper limb veins - compression tests	30 PLN	+	30 PLN	+

#### MEDICAL CARE DURING PREGNANCY

After presenting maternity notes, the Insured pregnant women in correct (physiological) are entitled to the following tests in Medcover Centers without a referral from a physician, in the number specified in the limit for each service, during the period of their pregnancy and in accordance with the deadlines specified in the current ordinance of the Minister of Health in the field of perinatal care. After the limit has been used up, all services are available on the basis of a referral from a Medcover medical center doctor.

#### Number of services available without a referral during pregnancy:

Alloantibody test (anti-RH and other) (limit: 2 examinations)	+	+	+	+
Fetal pulse examination - UDT	+	+	+	+
PAPP-A protein (according to FMF) (limit: 1 examination)	+	+	+	+
Uteral cervix cytology (limit: 1 examination)	+	+	+	+
Fasting glucose in venous blood (limit: 2 examinations)	+	+	+	+
Glucose after 75g of glucose - measured after 1h (limit: 1 examination)	+	+	+	+
Glucose after 75g of glucose - measured after 2h (limit: 1 examination)	+	+	+	+
Blood type and immune alloantibodies (anti-Rh and other) (limit: 1 examination)	+	+	+	+
Hbs antigen (limit: 1 examination)	+	+	+	+
Thyroid-stimulating hormone - TSH (limit: 1 examination)	+	+	+	+
Cardiotocography (CTG) (limit: 3 examinations)	+	+	+	+
Urine - general examination (limit: 7 examinations)	+	+	+	+
Full blood count - analyser - blood (limit: 5 examinations)	+	+	+	+
Immunoglobulins anti -HIV with p24 antigen - COMBO assay (limit: 2 examinations)	+	+	+	+
Immunoglobulins anti - HCV (limit: 2 examinations)	+	+	+	+
Immunoglobulins anti rubella IgG (limit: 1 examination)	+	+	+	+
Immunoglobulins anti rubella IgG (limit: 2 examinations)	+	+	+	+
Anti-Treponema pallidum antibodies (limit: 1 examination)	+	+	+	+
Cytology sampling (limit: 1 examination)	+	+	+	+
Culture for GBS (Group B streptococcus) (limit: 1 examination)	+	+	+	+
Syphilis serology (VDRL) (limit: 2 examinations)	+	+	+	+
Grade of vaginal microflora (limit: 3 examinations)	+	+	+	+
Fetal non-stress test (CTG) (limit: 3 examinations)	+	+	+	+
PAPP-A double test by FMF (limit: 1 examination)	+	+	+	+
Toxoplasmosis - panel (IgG, IgM) (limit: 2 examinations)	+	+	+	+
Obstetric ultrasonography (limit: 1 examination)	30 PLN	+	30 PLN	+
Obstetric ultrasonography 11-14 weeks of pregnancy (limit: 1 examination)	30 PLN	+	30 PLN	+
Obstetric ultrasonography 18-22 weeks of pregnancy (limit: 1 examination)	30 PLN	+	30 PLN	+
Obstetric ultrasonography 28-32 weeks of pregnancy (limit: 1 examination)	30 PLN	+	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Obstetric ultrasonography under 10 weeks of pregnancy (limit: 1 examination)	30 PLN	+	30 PLN	+
Obstetric ultrasonography over 32 weeks of pregnancy (limit: 1 examination)	30 PLN	+	30 PLN	+
Obstetric Doppler sonography (limit: 1 examination)	30 PLN	+	30 PLN	+
Free beta HCG (according to FMF) (limit: 1 examination)	+	+	+	+
<b>ANTI-INFLUENZA VACCINATION</b>				
Intramuscular vaccination against influenza is granted no more often than once a year during the term of the Insurance Contract.				
Eligibility for vaccination (medical examination + nurse)	30 PLN	+	30 PLN	+
Injection + the cost of the vaccine	+	+	+	+
<b>TRAVEL INSURANCE</b>				
Travel Care Insurance* - a) Costs of post-accident treatment, sudden illness and assistance in foreign travel; b) Transport of the patient abroad; c) Transport of the patient to the territory of Poland; d) Transport of the body to the territory of Poland. Detailed information is included in Appendix III to the GTC - Specific Terms and Conditions of Insurance in Foreign Travel "Travel Care 2010".	Variant 175	Variant 175	Variant 300	Variant 300
<b>PHYSIOTHERAPY</b>				
Physiotherapeutic procedures (for adults and children) in the field of outpatient and home rehabilitation are available on the basis of a referral from a doctor at the Medcover Medical Facility. Only selected procedures are available at home, depending on the capabilities of the Medcover Medical Facility and due to medical indications for such a procedure to be carried out at home.				
The procedures listed below are covered by an annual limit of 30 services:				
Electrostimulation	+	+	+	+
Electrostimulation of the pelvic floor muscle	+	+	+	+
Electrostimulation of the pelvic floor muscle with biofeedback	+	+	+	+
Electrostimulation of the facial nerve	+	+	+	+
Phonoforesis	+	+	+	+
Galvanization	+	+	+	+
Briefing on individual exercise performance	+	+	+	+
Ionoforesis	+	+	+	+
Kinesitherapy	+	+	+	+
Kinesitherapy - children	+	+	+	+
Cryogenic chamber	+	+	+	+
Partial cryotherapy	+	+	+	+
Qualification for cryogenic chamber	+	+	+	+
Sollux lamp	+	+	+	+
Laser	+	+	+	+
Lymphatic massage	+	+	+	+
Dry facial massage	+	+	+	+
Whirl massage of lower limb	+	+	+	+
Whirl massage of upper limb	+	+	+	+
Magnetic field	+	+	+	+
Diadynamic currents	+	+	+	+
Interferential currents	+	+	+	+
Home-based rehabilitation	+	+	+	+
Tens	+	+	+	+
Therapuls	+	+	+	+
Ultrasounds	+	+	+	+
The procedures listed below are covered by an annual limit of 5 services:				
Paediatric neurological rehabilitation	+	+	+	+
<b>HIGHLY-SPECIALISED PROCEDURES</b>				
Available on the basis of a referral issued by a physician of a Medcover medical centre.				
<b>HIGHLY-SPECIALISED OUTPATIENT PROCEDURES</b>				
Services available after a 90-day grace period or after 12 months if the performance of a given service is related to a pre-existing health condition. Detailed information can be found in the General Terms and Conditions of Insurance.				
<b>SURGICAL PROCEDURES</b>				
Percutaneous core-needle breast biopsy under imaging guidance	-	-	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Breast core needle ercutaneous biopsy, without imaging examination control	-	-	30 PLN	+
Open biopsy of subfascial lesion	-	-	30 PLN	+
Percutaneous biopsy of subfascial lesion	-	-	30 PLN	+
Rigid bronchoscopy with a brush biopsy	-	-	30 PLN	+
Fiberoptic bronchoscopy with bronchial brush biopsy	-	-	30 PLN	+
Electrocoagulation of a skin lesion for medical indications	-	-	30 PLN	+
Incision and drainage of multiloculated abscesses of the skin and subcutaneous tissues	-	-	30 PLN	+
Phimosis surgery in adults	-	-	30 PLN	+
Aspiration puncture of a breast cyst	-	-	30 PLN	+
Aspiration puncture of a breast cyst under imaging guidance	-	-	30 PLN	+
Hydrocele puncture	-	-	30 PLN	+
Foreign body removal from the rectum	-	-	30 PLN	+
Removal of anal vein thrombosis	-	-	30 PLN	+
Removal of lesions from the anal region with histopathological examination	-	-	30 PLN	+
Removal of lesions from the anal region/anal canal/perineum under intravenous anaesthesia	-	-	30 PLN	+
Removal of lesions from the anal region/anal canal/perineum under infiltration anaesthesia	-	-	30 PLN	+
Removal of lesions from the anal region/anal canal/perineum with histopathological examination under infiltration anaesthesia	-	-	30 PLN	+
Removal of cutaneous papillomas, in children	-	-	30 PLN	+
Excision of the breast tumor; Cystectomy, fibroadenoma or other benign or malignant lesion without lymphadenectomy	-	-	30 PLN	+
Breast lump excision	-	-	30 PLN	+
Resection of a single varix on lower limb (miniphlebectomy)	-	-	30 PLN	+
Resection of a subfascial lesion	-	-	30 PLN	+
Resection of a skin lesion - multiple	-	-	30 PLN	+
Resection of a face skin lesion up to 1,5 cm	-	-	30 PLN	+
Resection of a face skin lesion over 1,5 cm	-	-	30 PLN	+
Resection of a varix - multiple (miniphlebectomy)	-	-	30 PLN	+
Resection of a malignant lesion, with margins excision, of 4.0 cm in maximum diameter	-	-	30 PLN	+
Subfascial infection focus purification	-	-	30 PLN	+
Subcutaneous infection focus purification	-	-	30 PLN	+
Facial wound sewing over 3 cm	-	-	30 PLN	+
Anaesthesia of verruca plana/molluscum contagiosum/pompholyx, curettage, in children	-	-	30 PLN	+
<b>GYNAECOLOGICAL PROCEDURES</b>				
Diagnostic abrasion	-	-	30 PLN	+
Diagnostic amniocentesis	-	-	30 PLN	+
Diagnostic amniocentesis - bacteriology; under USG guidance	-	-	30 PLN	+
Genetic amniocentesis; under USG guidance	-	-	30 PLN	+
Diagnostic hysteroscopy	-	-	30 PLN	+
Hysteroscopic diaphragm removal	-	-	30 PLN	+
Colposcopy of the uterine cervix and superior/adjoining part of the vagina; with cervical conisation using electric loop	-	-	30 PLN	+
Cervical and uteral cavity tissue sample collection	-	-	30 PLN	+
Sewing of the vagina – rupture (after a trauma)	-	-	30 PLN	+
Twisting of the cervical polyp with diagnostic abrasion of the canal and uterine cavity	-	-	30 PLN	+
Noninvasive stress urinary incontinence (SUI) treatment (Urolastic)	-	-	30 PLN	+
Colposcopy of the uterine cervix and superior/adjoining part of the vagina; with cervical biopsy using electric loop	-	-	30 PLN	+
Labial adhesion lysis	-	-	30 PLN	+
Vulvoscopy	-	-	30 PLN	+
Vulvoscopy with biopsy	-	-	30 PLN	+
Resection or destruction of a vaginal lesion, single lesion	-	-	30 PLN	+
Resection of a uteral cervical lesion - local, from the cervix/canal, with or without coagulation, with a histopathological examination	-	-	30 PLN	+
Uteral curettage	-	-	30 PLN	+
Endocervical and uteral curettage	-	-	30 PLN	+
Endocervical curettage	-	-	30 PLN	+
Diagnostic procedure of uteral cervix with biopsy and curettage of the uteral cavity	-	-	30 PLN	+
Diagnostic procedure, vulvar or vaginal biopsy, major lesions - vulvar or vaginal biopsy; over 5 samples of each lesion	-	-	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Diagnostic procedure/vulvar or vaginal biopsy, minor lesions - Vulvar biopsy; lesion up to 4 samples	-	-	30 PLN	+
<b>LARYNGOLOGICAL PROCEDURES</b>				
Trigeminal nerve block	-	-	30 PLN	+
Drainage of tympanic cavities in local anaesthesia in adults	-	-	30 PLN	+
Abscess/haematoma drainage, in nasal cavity, internal access	-	-	30 PLN	+
Abscess/haematoma drainage, in nasal septum	-	-	30 PLN	+
Peritonsillar abscess drainage	-	-	30 PLN	+
Drainage of external ear, abscess or haematoma, complex	-	-	30 PLN	+
Vibration-pulsation inhalations	-	-	30 PLN	+
Nasal conchae cryotherapy	-	-	30 PLN	+
Incision and drainage of peritonsillar abscess under local anaesthesia	-	-	30 PLN	+
Nasal fracture closed reduction	-	-	30 PLN	+
Ear dressing under microscope guidance, in children	-	-	30 PLN	+
Sinus irrigation	-	-	30 PLN	+
Diagnostic material collection for histopathological examination	-	-	30 PLN	+
Tissue sample from nasal cavity collection for histopathological examination;	-	-	30 PLN	+
Tissue sample from oral cavity region, tonsils, tongue root collection for histopathological examination;	-	-	30 PLN	+
Lingual frenectomy	-	-	30 PLN	+
Blowing through of the Eustachian tubes, transnasal; with catheterization	-	-	30 PLN	+
Maxillary sinus puncture	-	-	30 PLN	+
Maxillary sinus puncture unilateral/bilateral	-	-	30 PLN	+
Celon radio-frequency-induced coagulation - nasal blood vessel under local anaesthesia	-	-	30 PLN	+
Tympanostomy (requiring ventilation tube insertion), local or infiltration anaesthesia	-	-	30 PLN	+
Interlaryngeal enema	-	-	30 PLN	+
Prevention of epistaxis by arterial plexes coagulation using various methods celon, plasma, electrocoagulation	-	-	30 PLN	+
<b>OPHTHALMOLOGIC PROCEDURES</b>				
Biopsy of the eyelid skin	-	-	30 PLN	+
Biopsy of the conjunctiva	-	-	30 PLN	+
Upper eyelid ectropion with tarsal plastic surgery	-	-	30 PLN	+
Endoscopic lacrimal duct recanalization under local or intravenous anaesthesia	-	-	30 PLN	+
Endoscopic lacrimal duct recanalization under local or general anaesthesia	-	-	30 PLN	+
Retinal photocoagulation (laser)	-	-	30 PLN	+
Intravitreal injection (without drug cost)	-	-	30 PLN	+
Laser iridotomy - glaucoma (one eye) - Laser iridotomy for glaucoma - unilateral	-	-	30 PLN	+
Laser capsulotomy	-	-	30 PLN	+
Correction of lacrimal duct ostium eversion (coagulation)	-	-	30 PLN	+
Cryopexy	-	-	30 PLN	+
YAG laser in elimination of inflammatory/postoperative complications in anterior chamber	-	-	30 PLN	+
Anti-glaucoma laserotherapy/gonioplasty, trabeculoplasty, iridectomy, iridoplasty, cyclophotocoagulation, goniotomy	-	-	30 PLN	+
Laser surgery of glaucoma	-	-	30 PLN	+
Lacrimal duct surgery /foreign body, inflammatory concretions removal, etc. without reconstruction/	-	-	30 PLN	+
Uncomplicated cataract surgery without artificial organs cost	-	-	30 PLN	+
Complicated cataract surgery without artificial organs cost	-	-	30 PLN	+
Lower eyelid ectropion reconstruction (medial part – Lazy T)	-	-	30 PLN	+
Lower eyelid ectropion reconstruction with lateral tarsal strip	-	-	30 PLN	+
Ectropion plastic surgery	-	-	30 PLN	+
Entropion plastic surgery	-	-	30 PLN	+
Lower eyelid entropion reconstruction - oral musosal graft	-	-	30 PLN	+
Lower eyelid entropion reconstruction without retractor reinsertion (1 eyelid)	-	-	30 PLN	+
Lower eyelid entropion reconstruction with lateral tarsal strip	-	-	30 PLN	+
Lower eyelid entropion reconstruction with retractor reinsertion	-	-	30 PLN	+
Pterygium - surgical treatment	-	-	30 PLN	+
Xanthoma removal (one eye)	-	-	30 PLN	+
Eyelid lesion removal	-	-	30 PLN	+
Removal of a conjunctival lesion	-	-	30 PLN	+
Lesion removal, lacrimal caruncle, nictitating membrane	-	-	30 PLN	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Removal of a conjunctival lesion	-	-	30 PLN	+
Resection of the chalazion	-	-	30 PLN	+
Lacrimal duct ostium closure; using thermocoagulation, ligation or laser	-	-	30 PLN	+
<b>ORTHOPAEDIC PROCEDURES</b>				
Paraspinal block	-	-	30 PLN	+
Application of an orthopaedic plaster jacket	-	-	30 PLN	+
<b>UROLOGICAL PROCEDURES</b>				
Urethral dilatation in adults - Calibration and dilation of masculine urethra (under local anaesthesia)	-	-	30 PLN	+
Extracorporeal shock wave lithotripsy (ESWL)	-	-	30 PLN	+
Urinary lithotripsy (URSL)	-	-	30 PLN	+
Puncture of the hydrocele	-	-	30 PLN	+
Reduction of paraphimosis	-	-	30 PLN	+
Frenectomy in adults	-	-	30 PLN	+
Transurethral lithotripsy in the urethra - Transurethral lithotripsy of small calculi in the urinary bladder	-	-	30 PLN	+
Laser urethrotomy	-	-	30 PLN	+
Urethral polypectomy	-	-	30 PLN	+
Suprapubic catheter replacement (cystostomy)	-	-	30 PLN	+
Formation of suprapubic cystostomy	-	-	30 PLN	+
Cystostomy formation	-	-	30 PLN	+
<b>SURGICAL PROCEDURES AND OTHER OPERATIONS</b>				
Suprapubic puncture of the urinary bladder for urine collection	-	-	30 PLN	+
Isotopic synovectomy	-	-	30 PLN	+
<b>ONE-DAY SURGERY</b>				
The procedures are available on the basis of a referral issued by a physician of a Medcover medical centre. To undergo the procedures of one-day surgery, the insured covered by the scope of 'Health Prestige – Option with additional payments' are obliged to make a payment in the amount of 1000 PLN for each stay in a Medcover medical facility related to implementation of those procedures. Services available after a 90-day grace period or after 12 months if the performance of a given service is related to a pre-existing health condition. Detailed information can be found in the General Terms and Conditions of Insurance.				
<b>SURGICAL PROCEDURES</b>				
Finger or toe amputation	-	-	+	+
Biopsy of the pleura	-	-	+	+
Transbronchial biopsy	-	-	+	+
Debridement - surgical removal of necrotic tissue within the limb (a)	-	-	+	+
Debridement - surgical removal of necrotic tissue within the limb (b)	-	-	+	+
Debridement - surgical removal of necrotic tissue within the limb (c)	-	-	+	+
Electrocoagulation of genital condylomas	-	-	+	+
Other vessel excision - lower limb veins (great saphenous)	-	-	+	+
Other vessel excision - lower limb veins (small saphenous)	-	-	+	+
Laser ablation of anal condylomata	-	-	+	+
Treatment of anal varices by Baron ligation (rubber band ligation)	-	-	+	+
Abscess incision (limb), in children	-	-	+	+
Incision of a perirectal abscess - Incision and drainage of a small perirectal abscess	-	-	+	+
Inguinal hernia surgery	-	-	+	+
Anal varices LONGO surgery	-	-	+	+
Ligation and excision of varices - Lower limb veins (tibialis) - Varices surgery of the lower limb - small	-	-	+	+
Ligation and excision of varicose veins - Lower limb veins (saphenous) - Lower limb varicose surgery - small - bilateral surgery	-	-	+	+
Ligation and excision of varices - Lower limb veins (tibialis) - Varices surgery of the lower limb - small + laser	-	-	+	+
Ligation and excision of varices - Lower limb veins (popliteal) - Varices surgery of the lower limb - medium	-	-	+	+
Ligation and excision of varices - Lower limb veins (popliteal) - Varices surgery of the lower limb - medium + laser	-	-	+	+
Ligation and excision of varices - Lower limb veins (femoral) - Varices surgery of the lower limb - large	-	-	+	+
Percutaneous needle lung biopsy	-	-	+	+
Saphenectomy (or parvectomy) with removal of varicose veins from one leg - Babcock's procedure	-	-	+	+



	COMPLEX	COMPLEX+	ELITE	ELITE+
Removal of melanocytic or vascular skin lesions under general anaesthesia, in children	-	-	+	+
Layered closure of skin wounds, up to 10 cm, in children	-	-	+	+
Layered closure of skin wounds, up to 5 cm, in children	-	-	+	+
Skin resection, lipoma up to 5.0 cm	-	-	+	+
Resection of a lymph node	-	-	+	+
Excision of recurrence in mastectomy scar	-	-	+	+
Resection of a benign lesion, with margins excision, of over 4.0 cm in diameter/free-skin graft	-	-	+	+
Resection of a benign lesion, with margins excision, of over 4.1 cm in diameter/free-skin graft	-	-	+	+
Surgical management of a complicated wound	-	-	+	+
<b>GYNAECOLOGICAL PROCEDURES</b>				
Ovarian biopsy	-	-	+	+
Urinary bladder catheterization with methyl blue, revision of the fistula between the bladder and the vagina	-	-	+	+
Operative hysteroscopy; with endometrial biopsy and polyp removal, with uterine cavity curettage, z badaniem hist-pat.	-	-	+	+
Hysteroscopic electroresection of submucous myoma - Vaginal myomectomy of fibroid expulsion	-	-	+	+
Surgical cervical conization	-	-	+	+
Marsupialization of Bartholin's gland cyst	-	-	+	+
Incision and drainage of vaginal hematoma; for non-obstetric reasons (e.g. after injury, spontaneous bleeding)	-	-	+	+
Hysteroscopic endometrial resection	-	-	+	+
Removal of temporary cerclage suture from the cervix	-	-	+	+
Removal of the Bartholin's gland cyst - Bartholin's gland cyst enucleation	-	-	+	+
Excision of endometrioid tumor	-	-	+	+
Resection or destruction of a vaginal lesion, single lesion	-	-	+	+
Excision of a lesion, vulva; single, limited	-	-	+	+
Bartholin's gland cyst enucleation	-	-	+	+
Bartholin's gland abscess removal procedure - Incision and marsupialization of Bartholin's gland cyst	-	-	+	+
Temporary insertion of a circular suture on uterine cervix	-	-	+	+
Uterine cervix sewing	-	-	+	+
<b>LARYNGOLOGICAL PROCEDURES</b>				
Salivary gland biopsy; incision	-	-	+	+
Conchoplastic under local anaesthesia	-	-	+	+
Conchoplastic under general anaesthesia	-	-	+	+
Correction of nasal conchas - CELON	-	-	+	+
Nasal fracture open reduction	-	-	+	+
Soft-palatal surgery for snoring elimination under local anaesthesia	-	-	+	+
Soft-palatal surgery for snoring elimination with pharyngeal surgery using Celon method/RF surgery	-	-	+	+
Paracentesis under local anaesthesia in adults	-	-	+	+
Plastic surgery of tongue root under local anaesthesia	-	-	+	+
Tympanostomy (requiring ventilation tube insertion), general anaesthesia	-	-	+	+
Bilateral anterior tympanotomy with ventilation drainage, under local anaesthesia	-	-	+	+
Bilateral anterior tympanotomy with ventilation drainage, under general anaesthesia	-	-	+	+
Removal of a foreign body from larynx/pharynx under local anaesthesia	-	-	+	+
Aural polypus removal	-	-	+	+
Foreign body removal from external auditory meatus; under general anaesthesia	-	-	+	+
Removal of a lesion within the mucous membrane of the palate, tongue using classic method	-	-	+	+
<b>OPHTHALMOLOGIC PROCEDURES</b>				
Drainage of lacrimal sac abscess	-	-	+	+
Wedge resection of eyelid	-	-	+	+
Lacrimal puncta position correction (using LAZY-T procedure)	-	-	+	+
Intersection of flap peduncle with modeling of reconstituted part of the eyelid	-	-	+	+
Lacrimal duct recanalisation in children	-	-	+	+
Eyelid tumour removal	-	-	+	+
Removal of implanted intraocular lens	-	-	+	+
Excision of eyelid neoplasm – local flap plastic surgery	-	-	+	+
Excision of eyelid neoplasm – skin graft	-	-	+	+
Excision of lower eyelid neoplasm – reconstruction with tarsal conjunctival flap	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Excision of upper eyelid neoplasm – lower eyelid flap plastic surgery without cartilage transplantation	-	-	+	+
Excision of upper eyelid neoplasm – lower eyelid flap plastic surgery with cartilage transplantation	-	-	+	+
Excision of eyelid neoplasm – temporal flap plastic surgery	-	-	+	+
Excision of neoplasm – frontal flap plastic surgery	-	-	+	+
Constriction or ectasia of the palpebral fissure	-	-	+	+
<b>ORTHOPAEDIC PROCEDURES</b>				
Endoscopic decompression in carpal tunnel syndrome	-	-	+	+
Tendon sheath incision in DeQuervain's syndrome	-	-	+	+
Fascial incision in Dupuytren contracture	-	-	+	+
Flexor retinaculum incision (cracking finger)	-	-	+	+
External peripheral nerve neurolysis (additional procedure)	-	-	+	+
Surgery of soft tissues of the hand	-	-	+	+
Ganglion cyst resection	-	-	+	+
Ganglion cyst removal	-	-	+	+
Olecranon or praepatellar bursectomy	-	-	+	+
Removal of anastomosing material with surgical incision in the integument under conduction/local anaesthesia	-	-	+	+
Syndesmosis screw removal without hospitalisation	-	-	+	+
Removal of osteocartilaginous exostosis	-	-	+	+
Anastomosis removal (percutaneous, subcutaneous)	-	-	+	+
Anastomosis removal (percutaneous, subcutaneous), in children	-	-	+	+
Anastomosis removal (intraosseal, paraosseal)	-	-	+	+
Anastomosis removal (intraosseal, paraosseal) - larger	-	-	+	+
Anastomosis removal (intraosseal, paraosseal), in children	-	-	+	+
Application of an orthopaedic stabilizer on trunk and shoulder girdle, in children	-	-	+	+
<b>UROLOGICAL PROCEDURES</b>				
Urethral dilatation in adults - Calibration and dilation of masculine urethra (under local anaesthesia)	-	-	+	+
Circumcision	-	-	+	+
Phimosis surgery in adults - circumcision	-	-	+	+
Endoscopic preparation administration to the urinary bladder	-	-	+	+
Endoscopic administration of preparation to the urinary bladder (due to urinary incontinence)	-	-	+	+
Frenectomy in adults	-	-	+	+
Transurethral urinary bladder endoscopy	-	-	+	+
Transurethral urinary bladder endoscopy with bladder biopsy and tissue sample collection for histopathological examination	-	-	+	+
Urethral dilatation in adults - Calibration and dilation of feminine urethra (under general anaesthesia)	-	-	+	+
Curettage of a condyloma, in children	-	-	+	+
<b>DENTISTRY</b> Implemented in Medicover Centers.				
A dental check-up	+ (1x per year)	+ (1x per year)	+ (1x per year)	+ (1x per year)
Scaling teeth	20% discount	20% discount	+ (1x per year)	+ (1x per year)
Sandblasting teeth	20% discount	20% discount	20% discount	20% discount
Tooth whitening	15% discount	15% discount	15% discount	15% discount

	COMPLEX	COMPLEX+	ELITE	ELITE+
<b>HOSPITAL SERVICES</b>				
The services are available on the basis of a referral issued by a physician of the Medcover Centre. To use the hospital services, the insured covered by the 'Elite' scope are obliged to make a payment in the amount of 1000 PLN for each stay in the hospital related to implementation of those services. Services available after a 90-day grace period or after 12 months if the performance of a given service is related to a pre-existing health condition. Detailed information can be found in the General Terms and Conditions of Insurance.				
Hospital services are provided in the Medcover Hospital and other hospitals that Medcover Sp. z o.o. has signed cooperation agreements with. In situations related to saving life and health, Medcover Hot Line personnel will direct the patient to a medical facility, including public facilities, where it will be possible to obtain appropriate medical assistance. Further treatment of the Insured may take place at Medcover Hospital or another Medcover Medical Facility. At the re-quest of the main Insured, Medcover will:				
a) indicate the destination for further treatment, based on medical indications, as well as the profile of a given Hospital or Medical Facility; b) organise Countrywide Sanitary Transport for the main Insured, provided that there are medical indications for such transport.				
If the health condition of the main Entitled Person does not allow for safe transport to Medcover Hospital or another Medcover Medical Facility, the main Entitled Person should stay in the initial hospital until there are medical indications for transport to another hospital.				
Planned Hospitalisation Standard				
a) a double room; b) a public hospital (hospitalization financed by Medcover) – Medcover will use its best endeavours to ensure accommodation in a superior standard room; c) during hospitalization at Medcover Hospital, it is recommended that a parent or legal guardian stay with the child. Medcover will use its best endeavours to ensure accommodation in a superior standard room with the possibility of accommodation for the legal guardian.	-	-	+	+
Depending on the capabilities of a given hospital, as well as due to lack of availability on a given date, the standard of planned hospitalization may change. In the event that it is not possible to implement the above-described hospitalization standard, the Insurer will make every effort to ensure that the hospitalization takes place in the best possible similar standard.				
Hospital care coordination				
In the event of circumstances related to orthopaedic hospital care, Medcover will provide assistance of an experienced medical personnel, which, based on the Insurance scope:				
a) verifies and authorises the provision of medical services; b) coordinates patient care prior to hospitalization, including assistance in scheduling necessary tests or consultations prior to procedures or surgeries; c) organize admission to the hospital and provide support during the Insured's stay in the hospital d) provides assistance in scheduling follow-up appointments after a hospital stay, as well as in arranging sanitary transport in case of medical indications; e) helps organise hospital care as per the agreement.	-	-	+	+
Nationwide Medical Transport related to planned hospitalisation in the Medcover Hospital				
Insurance scope includes transport: a) to Medcover Hospital in order to undergo treatment; b) to another Hospital, in the event that Medcover confirms the re-quired continuation of treatment in another Hospital, c) to the location of the main Entitled Person within the territory of Poland after the hospitalization at Medcover Hospital.				
Medical Transport to and from Medcover Hospital is provided only if there are medical contraindications confirmed by a doctor of Medcover Hospital to transporting the Insured by other than medical means of transport.	-	-	+	+
Nationwide Medical transport is arranged through the agency of Hot Line Medcover, whose personnel will determine, on the basis of available information, particularly the medical documentation on the Insured's health condition, whether the organization of transport is recommended in a specific case.				
Medcover reserves the right to refuse the Medical Transport if there are medical contraindications to such transport.				
<b>BIOCHEMISTRY</b>				
Total bilirubin - umbilical cord blood	-	-	+	+
Phenylalanine - serum	-	-	+	+
Gasometry - umbilical cord blood	-	-	+	+
Gasometry - arterial blood	-	-	+	+
Gasometry - capillary blood	-	-	+	+
Lactic acid - umbilical cord blood	-	-	+	+
Osmolarity - urine	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Osmolarity - serum	-	-	+	+
<b>BIOPSIES</b>				
Endometrial biopsy	-	-	30 PLN	+
Urinary bladder biopsy- mapping	-	-	30 PLN	+
Breast core needle biopsy under USG guidance	-	-	30 PLN	+
Lung biopsy, percutaneous needle under CT guidance + cytology	-	-	30 PLN	+
Endosonography-guided digestive tract biopsy	-	-	30 PLN	+
Prostate biopsy	-	-	30 PLN	+
Bone marrow biopsy	-	-	30 PLN	+
Trophoblast biopsy	-	-	30 PLN	+
Core needle liver biopsy	-	-	30 PLN	+
Lymph node biopsy under USG guidance	-	-	30 PLN	+
Bone marrow trepanobiopsy	-	-	30 PLN	+
<b>CARDIAC DIAGNOSTICS</b>				
Electrophysiological study of the heart	-	-	30 PLN	+
Transesophageal stimulation	-	-	30 PLN	+
Tilt table test (TILT)	-	-	30 PLN	+
<b>NEUROLOGICAL DIAGNOSTICS</b>				
24-hour video EEG recording	-	-	30 PLN	+
EEG – in newborn	-	-	30 PLN	+
Invasive infusion test - hydrocephaly	-	-	30 PLN	+
Lumbar puncture	-	-	30 PLN	+
<b>ENDOSCOPIC DIAGNOSTICS</b>				
Bronchoscopy	-	-	30 PLN	+
Bronchoscopy under anaesthesia	-	-	30 PLN	+
Cystoscopy	-	-	30 PLN	+
ERCP	-	-	30 PLN	+
ERCP with concrement removal	-	-	30 PLN	+
Endoscopic removal of the PEG catheter	-	-	30 PLN	+
Hysteroscopy	-	-	30 PLN	+
Percutaneous endoscopic gastrostomy (PEG)	-	-	30 PLN	+
Removal of gastrointestinal vascular lesions with argon plasma	-	-	30 PLN	+
<b>HORMONES</b>				
hGH growth hormone - collection 2 hours after falling asleep	-	-	+	+
hGH growth hormone - collection 2.5 hours after falling asleep	-	-	+	+
hGH growth hormone - collection 3 hours after falling asleep	-	-	+	+
hGH growth hormone - collection 3.5 hours after falling asleep	-	-	+	+
hGH growth hormone - collection 4 hours after falling asleep	-	-	+	+
Cortisol - serum collection at 22:00	-	-	+	+
TSH in thyroliberin test - 30 min	-	-	+	+
TSH in thyroliberin test - 60 min	-	-	+	+
<b>OTHER DIAGNOSTICS</b>				
Provocation test with drug matching	-	-	+	+
Test with autologic serum	-	-	+	+
<b>OTHER LABORATORY TESTS</b>				
Coelomic fluid test - general test	-	-	+	+
Biliary calculus - composition examination	-	-	+	+
<b>OTHER IMAGING EXAMINATIONS</b>				
Aortonephrography	-	-	30 PLN	+
Arteriography	-	-	30 PLN	+
Cavography	-	-	30 PLN	+
Coronarography	-	-	30 PLN	+
Splenoportography	-	-	30 PLN	+
<b>BACTERIAL CULTURES</b>				
Bronchoalveolar lavage (BAL)	-	-	+	+
Bronchial tree aspirate culture	-	-	+	+
Sinus aspirate culture	-	-	+	+
Tissue sample biopsy	-	-	+	+
Blood culture - anaerobes	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Blood culture, children	-	-	+	+
Blood culture	-	-	+	+
Blood culture for yeast-like fungus	-	-	+	+
Uterine discharge culture (aerobes and anaerobes)	-	-	+	+
Cerebrospinal fluid culture for fungus identification	-	-	+	+
Cerebrospinal fluid culture	-	-	+	+
Cerebrospinal fluid culture - anaerobes	-	-	+	+
TB culture from cerebrospinal fluid	-	-	+	+
Coelomic fluid culture	-	-	+	+
Amniotic fluid culture (aerobes and anaerobes)	-	-	+	+
Smear culture for MRSA	-	-	+	+
Uteral cavity smear culture	-	-	+	+
Peritoneal cavity smear culture	-	-	+	+
Nasal swab culture for Staphylococcus aureus - before surgery	-	-	+	+
Nasal smear culture for MRSA	-	-	+	+
Anal smear culture for MRSA	-	-	+	+
Fistular smear culture	-	-	+	+
Vulval swab culture	-	-	+	+
Catheter culture	-	-	+	+
Microbiological culture from vascular catheter using Maki's method	-	-	+	+
Endoprostheses culture	-	-	+	+
Microbiological culture from vascular prosthesis	-	-	+	+
Microbiological culture from intubation tube	-	-	+	+
Microbiological culture from tracheostomy tube	-	-	+	+
Valve culture	-	-	+	+
Bile culture	-	-	+	+
Bile culture for anaerobic bacteria	-	-	+	+
<b>CARDIAC PROCEDURES</b>				
Fractional flow reserve (FFR) measurement	-	-	+	+
<b>X-RAY</b>				
Radiological guidance for cannula placement in a vessel	-	-	30 PLN	+
<b>BLOOD TYPE SEROLOGY</b>				
Diagnostics of complications of blood transfusion	-	-	+	+
Blood group of infants of mothers with blood type 0 or Rh negative	-	-	+	+
Qualification for IgG Anti-D immunoglobulin administration	-	-	+	+
Crossmatch test (2 units)	-	-	+	+
Crossmatch test (3 units)	-	-	+	+
Crossmatch test (4 units)	-	-	+	+
Crossmatch test (5 units)	-	-	+	+
Crossmatch test with donor blood type control - donation	-	-	+	+
<b>TOXICOLOGY AND DRUGS LEVEL MONITORING</b>				
Methemoglobin	-	-	+	+
Salicylates	-	-	+	+
<b>USG</b>				
Digestive system endosonography	-	-	30 PLN	+
Doppler sonography of the intracranial arteries	-	-	30 PLN	+
USG guided breast lesion localization (anchor)	-	-	30 PLN	+
<b>HOSPITALISATION</b>				
Hospitalisation under conditions of the surgical department	-	-	+	+
Hospitalisation under conditions of the gynaecological department	-	-	+	+
Hospitalisation under conditions of the internal disease department	-	-	+	+
Hospitalisation under conditions of the cardiological department	-	-	+	+
Hospitalisation under conditions of the laryngological department	-	-	+	+
Hospitalisation under conditions of the neurological department	-	-	+	+
Hospitalisation under conditions of the optical department	-	-	+	+
Hospitalisation under conditions of the orthopedical department	-	-	+	+
Hospitalisation under conditions of the paediatric department	-	-	+	+
Hospitalisation under conditions of the urological department	-	-	+	+
Neonatal intensive care unit stay; neonatal; on the grounds of absolute medical indications	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Neonatal intensive care unit stay; adults; on the grounds of absolute medical indications	-	-	+	+
Neonatal intensive care unit stay; children; on the grounds of absolute medical indications	-	-	+	+
Conservative and diagnostic procedures in gynaecology and obstetrics requiring hospitalization, on the grounds of medical indications	-	-	+	+
Conservative and diagnostic procedures in laryngology requiring hospitalization, on the grounds of medical indications	-	-	+	+
Conservative and diagnostic procedures in orthopedy requiring hospitalization, on the grounds of medical indications	-	-	+	+
Conservative procedures and diagnostics of kidney diseases requiring hospitalization, on the grounds of absolute medical indications	-	-	+	+
Conservative procedures and diagnostics of lung diseases requiring hospitalization, on the grounds of absolute medical indications	-	-	+	+
Conservative procedures and diagnostics of diseases of the motor organ system requiring hospitalization, on the grounds of medical indications	-	-	+	+
Conservative procedures and diagnostics of hemopoietic system diseases requiring hospitalization, on the grounds of medical indications	-	-	+	+
Conservative procedures and diagnostics of digestive system diseases requiring hospitalization, on the grounds of medical indications	-	-	+	+
Conservative procedures and diagnostics of liver diseases requiring hospitalization, on the grounds of medical indications	-	-	+	+
Conservative procedures and diagnostics in children (under 15 years of age) requiring hospitalization, on the grounds of medical indications	-	-	+	+
Conservative procedures and diagnostics in skin diseases requiring hospitalization, on the grounds of medical indications	-	-	+	+
Conservative procedures and diagnostics in neurology requiring hospitalization, on the grounds of absolute medical indications	-	-	+	+
Conservative procedures in an infectious diseases facility/unit requiring hospitalization, on the grounds of medical indications	-	-	+	+
<b>ANAESTHESIOLOGICAL PROCEDURES</b>				
Continuous administration of local anaesthesia (PCA)	-	-	+	+
Other types of mechanical ventilation (HFV, HFO)	-	-	+	+
Nasopharyngeal intubation	-	-	+	+
Oropharyngeal intubation	-	-	+	+
Intubation using fiberoptic	-	-	+	+
Short intravenous anaesthesia	-	-	+	+
Mechanical ventilation	-	-	+	+
ECG monitoring	-	-	+	+
Monitoring of other important parameters	-	-	+	+
Monitoring of respiratory parameters	-	-	+	+
Monitoring of basic vital parameters (ECG, saturation, arterial blood, capnography)	-	-	+	+
Single arterial puncture for tests	-	-	+	+
Arterial puncture for arterial blood pressure measurement	-	-	+	+
Non-invasive automatic arterial blood pressure measurement	-	-	+	+
Non-invasive arterial blood pressure measurement	-	-	+	+
Evaluation of consciousness	-	-	+	+
Brain death evaluation	-	-	+	+
Pericardial tamponade decompression (pericardiocentesis)	-	-	+	+
Segmental intravenous anaesthesia	-	-	+	+
Injection of an anaesthetic into postoperative wound margins	-	-	+	+
Intraarticular injection of a local anaesthetic	-	-	+	+
Measurement of central venous pressure	-	-	+	+
Pulmonary artery pressure and cardiac output measurement	-	-	+	+
Indirect cardiac massage	-	-	+	+
Intermittent demand ventilation managing (SIMV, PSV)	-	-	+	+
Single blood unit transfusion	-	-	+	+
Blood substitutes transfusion	-	-	+	+
Pulse oximetry	-	-	+	+
Cardiorespiratory resuscitation	-	-	+	+
Respiratory resuscitation	-	-	+	+
Sedation for surgery	-	-	+	+
Non-intubated patient's airway hygiene	-	-	+	+
Intubated patient's airway hygiene	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Tracheotomy	-	-	+	+
Coloclysters	-	-	+	+
Insertion of a gastric tube	-	-	+	+
Respiratory support (CPAP)	-	-	+	+
Injection of blood to the epidural space after dura mater puncture (BLOOD PATCH)	-	-	+	+
Antibiotic injection or infusion	-	-	+	+
Injection or infusion of other prophylactic or therapeutic substance	-	-	+	+
Injection/infusion of liquids	-	-	+	+
Change of the intubation tube	-	-	+	+
Change of the tracheostomy tube	-	-	+	+
Peripheral venous catheter placement	-	-	+	+
Placement of a Swan-Ganz catheter	-	-	+	+
Placement of a central venous catheter	-	-	+	+
Placement of a central venous catheter under USG guidance	-	-	+	+
General anaesthesia up to 1 hour	-	-	+	+
General intralaryngeal anaesthesia with monitoring of more than two parameters	-	-	+	+
General intralaryngeal anaesthesia with monitoring of patient's vital functions	-	-	+	+
General intralaryngeal anaesthesia, regional anaesthesia also for endoscopic operations	-	-	+	+
General intravenous anaesthesia for brief operations	-	-	+	+
General anaesthesia, intravenous without intubation	-	-	+	+
Subarachnoideal continual anaesthesia	-	-	+	+
Subarachnoideal anaesthesia for caesarean section	-	-	+	+
Subarachnoideal anaesthesia combined with extradural anaesthesia up to 1 hour	-	-	+	+
Subarachnoideal anaesthesia with sedation	-	-	+	+
Peripheral plexus/nerve anaesthesia	-	-	+	+
Peripheral nerve/plexus block under USG and/or electrostimulation	-	-	+	+
Laryngeal mask anaesthesia	-	-	+	+
Extradural anaesthesia	-	-	+	+
Extradural continual anaesthesia up to 1 hour	-	-	+	+
Extradural continual anaesthesia with subarachnoideal anaesthesia	-	-	+	+
Extradural anaesthesia for physiological delivery	-	-	+	+
<b>SURGICAL PROCEDURES</b>				
Lower limb amputation	-	-	+	+
Forefoot amputation	-	-	+	+
Atherectomy - aortic, iliac, femoral, popliteal arteries	-	-	+	+
Atherectomy of other arteries	-	-	+	+
Tibial arteries atherectomy	-	-	+	+
Aspiration biopsy of a neck nodule, in children	-	-	+	+
Biopsy of the pleura	-	-	+	+
Transbronchial biopsy	-	-	+	+
Abdominal lymph node biopsy, in children	-	-	+	+
Sentinel lymph node biopsy	-	-	+	+
Laparoscopic abdominal lymph node biopsy, in children	-	-	+	+
Biopsy of a peritoneal lesion, in children	-	-	+	+
Biopsy/excision of lesion in thoracic wall/ribs up to 5 cm in diameter	-	-	+	+
Chest tumour resection and chest wall reconstruction	-	-	+	+
Abdominal and perineal resection of the rectum	-	-	+	+
Radical lung resection	-	-	+	+
Surgical opening of the abdominal cavity in acute pancreatitis, removal of necrotic lesions, drainage of pancreatic abscess	-	-	+	+
Surgical removal of foreign body from blood vessel	-	-	+	+
Surgical preparation of jejunostomy	-	-	+	+
Surgical closure of stoma (after surgical operations including endometriosis)	-	-	+	+
Surgical closure of stoma with stapler (after surgical operations including endometriosis)	-	-	+	+
Surgical intestinal anastomosis	-	-	+	+
Classic cholecystectomy with revision of the common bile duct owing to choledocholithiasis without acute cholecystitis	-	-	+	+
Classic cholecystectomy with revision of the common bile duct owing to choledocholithiasis with acute cholecystitis	-	-	+	+
Classic cholecystectomy with revision of the common bile duct with cholangitis	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Classic cholecystectomy, in children	-	-	+	+
Laparoscopic cholecystectomy, in children	-	-	+	+
Haemorrhagic diseases of brain vessels - major endovascular reconstruction procedure	-	-	+	+
Haemorrhagic diseases of brain vessels - medium endovascular reconstruction procedure	-	-	+	+
Hemihepatectomy	-	-	+	+
Partial splenectomy or fenestration of polar cystic lesions of the spleen, in children	-	-	+	+
Diagnostic endoscopic examination of kidney with kidney lesion biopsy	-	-	+	+
Decompression drainage of pleural cavity	-	-	+	+
Embolization or coil occlusion of brain blood vessels - Embolisation of peripheral aneurysms	-	-	+	+
Organ embolization without drug administration	-	-	+	+
Endarterectomy with vascular patch - head and neck vessels - common/external/internal carotid artery	-	-	+	+
Endoscopic examination of mediastinum (mediastinoscopy)	-	-	+	+
Endovascular foreign body removal from blood vessel	-	-	+	+
Endovascular aortal aneurysm management - Endovascular abdominal/thoracic aorta aneurysm management (stent-graft)	-	-	+	+
Endovascular aortal aneurysm management - Endovascular abdominal/thoracic aorta aneurysm management (stent-graft) (A)	-	-	+	+
Endovascular aortal aneurysm management - Endovascular abdominal/thoracic aorta aneurysm management (stent-graft) (B)	-	-	+	+
Endovascular aortal aneurysm management - Endovascular abdominal/thoracic aorta aneurysm management (stent-graft) (C)	-	-	+	+
Endovascular remodeling of intracranial vessels	-	-	+	+
Endovascular reconstructive operation and/ or aneurysm closure, arteriovenous malformations (AVM) or fistulas - other	-	-	+	+
Endovascular reconstructive operation, embolization and/or brain vessels malformation closure - Peripheral aneurysm embolization	-	-	+	+
Pharmacomechanical isolated thrombolysis	-	-	+	+
Laparoscopic fenestration of hepatic cyst, in liver	-	-	+	+
Fistulotomy in treatment of low superficial anal fistula	-	-	+	+
Endovascular IVUS test	-	-	+	+
Bipolar probe bleeding suppression	-	-	+	+
Left hemicolectomy	-	-	+	+
Left hemicolectomy, stapler	-	-	+	+
Right hemicolectomy	-	-	+	+
Right hemicolectomy, stapler	-	-	+	+
Calibration and dilation of feminine urethra, in children	-	-	+	+
Total colectomy, abdominal cavity approach without rectal excision	-	-	+	+
Total colectomy, abdominal cavity approach with rectal excision	-	-	+	+
Exploratory laparoscopy	-	-	+	+
Laparoscopic adrenalectomy	-	-	+	+
Laparoscopic fenestration of liver cyst	-	-	+	+
Laparoscopic abdominal/umbilical hernia surgery IPOM	-	-	+	+
Laparoscopic surgery of secondary hernia IPOM	-	-	+	+
Laparoscopic reconstruction of linea alba dehiscence	-	-	+	+
Laparoscopic resection of a large bowel tumour	-	-	+	+
Laparoscopic ileocolic resection for Crohn's disease with end to end intestinal anastomosis, in children	-	-	+	+
Laparoscopic ileocolic resection for Crohn's disease with formation of a stoma, in children	-	-	+	+
Laparoscopic splenectomy	-	-	+	+
Laparoscopic splenectomy, in children	-	-	+	+
Laparoscopic resection of renal cyst	-	-	+	+
Laparoscopic resection of an abdominal cyst (duplication, hamartoma), in children	-	-	+	+
Laparoscopic creation of an artificial anus	-	-	+	+
Laparoscopic internal drainage of pancreatic abscess	-	-	+	+
Explorative laparotomy	-	-	+	+
Exploratory laparotomy in disseminated neoplastic process, intra-abdominal adhesions with bypassing anastomosis	-	-	+	+
Pelvic-abdominal lymphadenectomy	-	-	+	+
Totally extrapritoneal inguinal/transabdominal preperitoneal hernia repair TEP/TAPP one side	-	-	+	+
Minimally invasive reconstructive surgery of unilateral inguinal hernia TEP/TAPP - scrotal	-	-	+	+
Minimally invasive reconstructive surgery of unilateral inguinal hernia TEP/TAPP - recurrent	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Totally extraperitoneal inguinal/transabdominal preperitoneal hernia repair TEP/TAPP both sides	-	-	+	+
Minimally invasive reconstructive surgery of bilateral inguinal hernia TEP/TAPP - scrotal/recurrent	-	-	+	+
Marsupialization of pancreatic cyst	-	-	+	+
Mastectomy, subcutaneous, bilateral, with implantation	-	-	+	+
Mastectomy, subcutaneous	-	-	+	+
Incision and drainage of multiple cutaneous and subcutaneous abscess, in children below 1 year old	-	-	+	+
Incision and drainage of multiple cutaneous and subcutaneous abscess, in children above 1 year old	-	-	+	+
Incision and drainage of a single abscess of skin and subcutaneous tissue in children below 1 year of age	-	-	+	+
Incision and drainage of single cutaneous and subcutaneous abscess, in children above 1 year old	-	-	+	+
Incision and drainage of multiloculated abscesses of the skin and subcutaneous tissues	-	-	+	+
Incision and drainage of cutaneous and subcutaneous abscess/paronychia	-	-	+	+
Incision and drainage of infections of skin and subcutaneous tissue wounds	-	-	+	+
Incision and drainage, of perianal abscess, superficially, in children	-	-	+	+
Incision and drainage, of perianal abscess, in children	-	-	+	+
Incision of a perirectal abscess - Incision and drainage of a large perirectal abscess	-	-	+	+
Puncture of the abdominal cavity	-	-	+	+
Pleural Puncture	-	-	+	+
Bilateral mastectomy - radical mastectomy with resection of axillar lymph nodes	-	-	+	+
Bilateral mastectomy - radical modified mastectomy, without resection of greater pectoral muscle	-	-	+	+
Removal of retained umbilical stump	-	-	+	+
Segmental resection of large intestine	-	-	+	+
Segmental resection of the intestine, in children	-	-	+	+
Surgery of other umbilical pathology, in children	-	-	+	+
Classic surgery of gastroesophageal reflux disease using Nissen method, in children	-	-	+	+
Classic surgery of gastroesophageal reflux disease using Toupet method, in children	-	-	+	+
Surgery of mechanical intestinal obstruction, in children	-	-	+	+
Reconstructive surgery of primary inguinal hernia, age 5 or more; reducible	-	-	+	+
Reconstructive umbilical hernia surgery in children above 5 years old	-	-	+	+
Reconstructive surgery of umbilical hernia, in children, less than 5 years of age; reducible	-	-	+	+
Inguinal hernia surgery, bilateral	-	-	+	+
Mesh surgery for a giant inguinal hernia	-	-	+	+
Endoscopic surgery of perforating varices	-	-	+	+
Scrotal hernia surgery unilateral/bilateral - Plasty of the scrotal hernia with obstruction, without gangrene	-	-	+	+
Scrotal hernia surgery with hernia mesh	-	-	+	+
Laparoscopic unilateral inguinal hernia repair	-	-	+	+
Inguinal hernia surgery unilateral/bilateral - Plasty of the inguinal hernia with obstruction, without gangrene	-	-	+	+
Laparoscopic surgery of inguinal hernia, bilateral	-	-	+	+
Inguinal hernia surgery	-	-	+	+
Umbilical hernia surgery	-	-	+	+
Esophageal hiatal hernia surgery with laparoscopic Nissen fundoplication	-	-	+	+
Femoral hernia surgery	-	-	+	+
Surgery of gastroesophageal reflux disease + gastrostomy, in children	-	-	+	+
Laparoscopic surgery of gastroesophageal reflux disease using Nissen method	-	-	+	+
Laparoscopic surgery of gastroesophageal reflux disease using Toupet method	-	-	+	+
Surgery of ovarian cyst torsion in children below the age of 4 weeks	-	-	+	+
Surgery of ovarian cyst torsion in children above the age of 4 weeks	-	-	+	+
Anal cleft surgery	-	-	+	+
Anal cleft surgery - chronic anal fissure	-	-	+	+
Anal cleft surgery - chronic anal fissure + Botox	-	-	+	+
Anal cleft surgery + Botox	-	-	+	+
Abdominal aortic aneurysm operation	-	-	+	+
Anal varices (hemorrhoids) surgery using LHP laser	-	-	+	+
Varices surgery - cryosurgery	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Varices surgery of the lower limb - large + SEPS + laser	-	-	+	+
Varices surgery of the lower limb - medium + SEPS + laser	-	-	+	+
Varices surgery of the lower limb using RF (radio frequency) method	-	-	+	+
Operation of lower limb varicose veins by RF (radio frequency) on both sides	-	-	+	+
Anal varices (hemorrhoids) surgery using HeLP laser	-	-	+	+
Anal varices classic surgery	-	-	+	+
Spermatic cord varices surgery (adults) - Spermatic cord varices laparoscopy unilateral	-	-	+	+
Spermatic cord varices surgery (adults) - Spermatic cord varices laparoscopy bilateral	-	-	+	+
Bile duct plastic surgery	-	-	+	+
Thyroid gland surgeries	-	-	+	+
Pilonidal cyst surgery using a Limberg flap	-	-	+	+
Surgical inspection of the mediastinum (mediastinotomy)	-	-	+	+
Surgical reduction of bowel intussusception, in children	-	-	+	+
Skin debridement	-	-	+	+
Surgical debridement; skin, subcutaneous tissue and muscles	-	-	+	+
Surgical debridement; skin, subcutaneous tissue, muscles and bones	-	-	+	+
Aneurysm injection with thrombin	-	-	+	+
Open biopsy of the pleura	-	-	+	+
Open lung biopsy	-	-	+	+
Scalene node biopsy	-	-	+	+
Surgical tissue sample collection of the abdominal cavity organs	-	-	+	+
Plasty of the linea alba hernia	-	-	+	+
Recurrent inguinal hernia plastic surgery	-	-	+	+
Plasty of the umbilical hernia with obstruction, without gangrene	-	-	+	+
Plasty of the post-surgical hernia - large	-	-	+	+
Plasty of the post-surgical hernia - small	-	-	+	+
Ligation and excision of varices - Lower limb veins (tibialis) - Varices surgery of the lower limb - small + laser	-	-	+	+
Ligation and excision of varicose veins - Lower limb vein (saphenous) - Lower limb varicose vein surgery - small + laser - bilateral procedure	-	-	+	+
Ligation and excision of varices - Lower limb veins (popliteal) - Varices surgery of the lower limb - medium + laser	-	-	+	+
Ligation and excision of varices - Lower limb veins (femoral) - Varices surgery of the lower limb - large + laser	-	-	+	+
DGHAL	-	-	+	+
DGHAL + RAR	-	-	+	+
Esophageal or gastric polypectomy with histopathological examination	-	-	+	+
Aorta-superior mesenteric artery bypass	-	-	+	+
Aorto-renal bypass	-	-	+	+
Aorto-iliac bypass	-	-	+	+
Aorto-iliac bypass to popliteal artery	-	-	+	+
Aorto-biiliacal bypass	-	-	+	+
Aorto-bifemoral bypass	-	-	+	+
Aorto-popliteal bypass	-	-	+	+
Aorto-coeliac bypass	-	-	+	+
Aorto-femoral bypass	-	-	+	+
Ilio-femoral bypass	-	-	+	+
Axillo-brachial bypass	-	-	+	+
Superficial axillo-femoral bypass	-	-	+	+
Popliteal-popliteal bypass	-	-	+	+
Subclavian-subclavian bypass	-	-	+	+
Subclavian-jugular bypass	-	-	+	+
Brachial-brachial bypass	-	-	+	+
Jugular-jugular bypass	-	-	+	+
Common carotid-subclavian bypass	-	-	+	+
Hepatic - common iliac - renal bypass	-	-	+	+
Femoral-tibial bypass	-	-	+	+
Femoral-peroneal bypass	-	-	+	+
Femoral-femoral bypass	-	-	+	+
Peripheral arterial bypass surgery	-	-	+	+
Re-laparotomy	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Superficial sphincterotomy in anal fissure treatment	-	-	+	+
The graft ilio - femoral or aorto - femoral	-	-	+	+
Aortic or iliofemoral graft (A)	-	-	+	+
Aortic or iliofemoral graft (B)	-	-	+	+
Aortic or iliofemoral graft (C)	-	-	+	+
Anal fistula	-	-	+	+
Portosystemic shunt (TIPS)	-	-	+	+
Percutaneous angioplasty (PTA) - aorta, iliac, femoral, popliteal arteries - PTA of iliac/femoral arteries	-	-	+	+
Percutaneous angioplasty (PTA) - upper limbs vessels - PTA of peripheral arteries	-	-	+	+
Percutaneous angioplasty (PTA) - shin arteries - PTA of peripheral arteries	-	-	+	+
Percutaneous angioplasty (PTA) - shin arteries - PTA of the renal artery with stent implantation	-	-	+	+
Percutaneous angioplasty (PTA) venous	-	-	+	+
Percutaneous transluminal venous angioplasty (PTA) IVUS	-	-	+	+
Percutaneous angioplasty or atherectomy of the vertebral artery - PTA of peripheral arteries	-	-	+	+
Basilar artery percutaneous angioplasty or atherectomy - PTA of peripheral arteries	-	-	+	+
Carotid artery percutaneous angioplasty or atherectomy - PTA with stenting of the cervical artery	-	-	+	+
Percutaneous transluminal angioplasty (a), for peripheral arteries and visceral arteries (excluding carotid arteries)	-	-	+	+
Percutaneous transluminal angioplasty (b), for peripheral arteries and visceral arteries (excluding carotid arteries)	-	-	+	+
Percutaneous transluminal angioplasty (c), for peripheral arteries and visceral arteries (excluding carotid arteries)	-	-	+	+
Percutaneous transluminal angioplasty (d), for peripheral arteries and visceral arteries (excluding carotid arteries)	-	-	+	+
Percutaneous transluminal angioplasty + stent (a), for peripheral arteries and visceral arteries (excluding carotid arteries)	-	-	+	+
Percutaneous transluminal angioplasty + stent (b), for peripheral arteries and visceral arteries (excluding carotid arteries)	-	-	+	+
Percutaneous transluminal angioplasty + stent (c), for peripheral arteries and visceral arteries (excluding carotid arteries)	-	-	+	+
Percutaneous transluminal angioplasty + stent (d), for peripheral arteries and visceral arteries (excluding carotid arteries)	-	-	+	+
Percutaneous transluminal angioplasty + custom stent/covered stent (c), DES, for peripheral arteries and visceral arteries (excluding carotid arteries)	-	-	+	+
Percutaneous transluminal angioplasty of the carotid artery + stent + neuroprotection (basket) (b)	-	-	+	+
Percutaneous transluminal angioplasty of the carotid artery + stent + neuroprotection (basket) (a)	-	-	+	+
Percutaneous transluminal angioplasty of the carotid artery + stent + neuroprotection (basket) (c)	-	-	+	+
Percutaneous transluminal angioplasty, both limbs + 3 stents	-	-	+	+
Percutaneous needle lung biopsy	-	-	+	+
Percutaneous establishing of renal fistula	-	-	+	+
Radical mastectomy with radical lymphadenectomy	-	-	+	+
Radical mastectomy - radical modified mastectomy, without resection of greater pectoral muscle	-	-	+	+
Reoperation after thyroidectomy (Re-thyroidectomy)	-	-	+	+
Large bowel tumour resection with reconstruction of gastrointestinal tract continuity	-	-	+	+
Large bowel tumour resection with stoma creation	-	-	+	+
Rectal tumor resection – transanal approach	-	-	+	+
Mediastinal tumor resection	-	-	+	+
Segmental resection of small intestine	-	-	+	+
Resection of the transverse colon	-	-	+	+
Resection of the transverse colon, stapler	-	-	+	+
Large intestinal fistula revision - colostomy formation	-	-	+	+
Artery revision with re-stitching or patch implantation	-	-	+	+
Esophageal dilatation (without prosthesis cost)	-	-	+	+
Esophageal dilatation using Stark dilator	-	-	+	+
Segmental resection of the lung	-	-	+	+
Obliteration of varicose leg veins	-	-	+	+
Polidocanol sclerotherapy of esophageal and gastric varices	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Obliteration of of varicose saphenous vein under USG.	-	-	+	+
Subtotal strumectomy with histopathological examination	-	-	+	+
Total strumectomy	-	-	+	+
Sympathectomy	-	-	+	+
Transposition of the subclavian artery to the common carotid artery	-	-	+	+
Thymectomy	-	-	+	+
Vascular graft thrombectomy	-	-	+	+
Restoration of peripheral artery patency	-	-	+	+
Femoral artery endarterectomy with implant	-	-	+	+
Monolateral restoration of patency of internal carotid artery	-	-	+	+
Affixing of a mobile kidney	-	-	+	+
Fixation of a prolapsed rectum	-	-	+	+
Foreign body removal from the lumen of the intestine	-	-	+	+
Vena cava filter removal	-	-	+	+
Removal of the testicle in adults	-	-	+	+
Pulmonary lobectomy	-	-	+	+
Subfascial surgery of lower limb varices - SEPS	-	-	+	+
Sub-fascial removal of varicose veins of the lower limbs - SEPS - two-sided procedure	-	-	+	+
Vascular port removal	-	-	+	+
Splenectomy in hematologic diseases, in children	-	-	+	+
Removal of a dermoid cyst, in children	-	-	+	+
Removal of melanocytic or vascular skin lesions under general anaesthesia, in children	-	-	+	+
Video-thoracoscopic talc poudrage pleurodesis	-	-	+	+
Temporary vena cava filter implantation	-	-	+	+
Permanent vena cava filter implantation	-	-	+	+
Secondary closure of a surgical wound/its disjunction, extensive/complicated	-	-	+	+
Total gastrectomy with classic method	-	-	+	+
Partial gastrectomy	-	-	+	+
Resection of the esophageal tumour	-	-	+	+
Resection of the diaphragm tumour	-	-	+	+
Resection of a breast quadrant	-	-	+	+
Breast quadrantectomy/ tumor enucleation and removal of axillary lymph nodes/ sentinel lymph node - Partial mastectomy, with axillary lymphadenectomy/removal of sentinel lymph node	-	-	+	+
Transperitoneal nephrectomy	-	-	+	+
Lumbar approach nephrectomy	-	-	+	+
Cholecystectomy - classic cholecystectomy owing to urolithiasis and acute cholecystitis	-	-	+	+
Cholecystectomy - Laparoscopic cholecystectomy due to lithiasis and acute cholecystitis	-	-	+	+
Classic cholecystectomy - Classic cholecystectomy (without cholecystitis)	-	-	+	+
Laparoscopic cholecystectomy - Laparoscopic cholecystectomy (without cholecystitis)	-	-	+	+
Lumbar approach resection of single renal cysts	-	-	+	+
Mastectomy - Simple mastectomy with examination of axillar lymph nodes (with biopsy of sentinel lymph node)	-	-	+	+
Splenectomy	-	-	+	+
Radical thyroidectomy with lymphadenectomy	-	-	+	+
Partial thyroidectomy - Thyroidectomy - bilateral	-	-	+	+
Partial thyroidectomy (thyroid lobectomy)	-	-	+	+
Excision of pseudoaneurysm of the radial artery with stitching the hole in the artery	-	-	+	+
Hepatic hydatid cyst resection, in children	-	-	+	+
Resection of dermoid cyst/pilonidal cyst	-	-	+	+
Resection of a hair-derived cyst	-	-	+	+
Pancreatectomy	-	-	+	+
Resection of a posterior crypt	-	-	+	+
Laparoscopic Meckel's diverticulum resection, in children	-	-	+	+
Meckel's diverticulum resection, in children	-	-	+	+
Resection of pelvic lymph nodes	-	-	+	+
Resection of axillar lymph nodes	-	-	+	+
Resection of inguinal-iliac lymph nodes	-	-	+	+
Resection of inguinal lymph nodes	-	-	+	+
Resection of cervical lymph nodes	-	-	+	+
Resection of the hydrocele, in children	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Resection of a spermatic cord hygroma, in children	-	-	+	+
Appendectomy	-	-	+	+
Laparoscopic appendectomy, in children	-	-	+	+
Laparoscopic appendectomy	-	-	+	+
Appendectomy complicated by peritonitis, in children	-	-	+	+
Laparoscopic appendectomy with perforation/abscess	-	-	+	+
Appendectomy, in children	-	-	+	+
Appendectomy with excision of Meckel's diverticulum, in children	-	-	+	+
Appendectomy/complicated	-	-	+	+
*Resection of lower limb varicose veins (miniflebectomy) by RF (radio frequency)	-	-	+	+
Aneurysm coagulation	-	-	+	+
Creation of a loop stoma, in children	-	-	+	+
Hepatic hydatid cyst laparoscopic enucleation, in children	-	-	+	+
Surgical creation of a gastric fistula	-	-	+	+
Surgical creation of an artificial anus	-	-	+	+
Hybrid treatment on limb arteries (A)	-	-	+	+
Hybrid procedure on limb arteries (B)	-	-	+	+
Hybrid treatment on limb arteries (C)	-	-	+	+
Endoscopic esophageal dilatation	-	-	+	+
Argon plasma coagulation procedure (bleeding inhibition, restoration of esophageal patency in neoplastic stenosis)	-	-	+	+
Hybrid procedures on peripheral vessels	-	-	+	+
Abdominal region vascular procedures	-	-	+	+
Abdominal region vascular procedures	-	-	+	+
Abdominal region vascular procedures	-	-	+	+
Endoscopic variceal ligation	-	-	+	+
Gastrostomy according to Kader's method, in children	-	-	+	+
Laparoscopic gastrostomy, in children	-	-	+	+
Closure of an aneurysm with tissue adhesive	-	-	+	+
Venous-arterial fistula management using coil embolization	-	-	+	+
Venous-arterial fistula management using angioplasty stent	-	-	+	+
Venous-arterial fistula management using embolization agents - other	-	-	+	+
Aneurysm management using coil embolization	-	-	+	+
Aneurysm management using angioplasty stent	-	-	+	+
Aneurysm management with vascular insert - limb arteries (A)	-	-	+	+
Aneurysm management with vascular insert - limb arteries (B)	-	-	+	+
Aneurysm management with vascular insert - limb arteries (C)	-	-	+	+
Subclavian-jugular anastomosis	-	-	+	+
<b>GYNAECOLOGICAL PROCEDURES</b>				
Supravaginal uterine amputation, without appendages	-	-	+	+
Supravaginal uterine body amputation, with oviduct excision, with ovary excision	-	-	+	+
Amputation of uteral cervix	-	-	+	+
Total abdominal hysterectomy (body and cervix) with oophorosalingectomy, with colpo-urethrocytopexy	-	-	+	+
Complete abdominal hysterectomy with removal of the oviduct(s) and ovary/ovaries - with partial vaginectomy	-	-	+	+
Total hysterectomy without adnexectomy	-	-	+	+
Laparoscopic total hysterectomy without oophorectomy	-	-	+	+
Embolization of uteral myomas	-	-	+	+
Uterine fixation with the use of a prolene mesh (without cost of mesh)	-	-	+	+
Vaginal hysterectomy	-	-	+	+
Vaginal hysterectomy, with colposuspension, urethral and urinary bladder suspension	-	-	+	+
Vaginal hysterectomy, with oviduct and ovary resection, with reconstructive intestinal hernia surgery	-	-	+	+
Vaginal hysterectomy, with oviduct and ovary resection	-	-	+	+
Vaginal hysterectomy; with reconstructive intestinal hernia surgery (enterocoele), with total/partial vaginectomy	-	-	+	+
Colpo-urethrocytopexy - suspension of the uterine cervix, vagina, urethra, urinary bladder – under endoscopic control, laparoscopic	-	-	+	+
Diagnostic laparoscopy	-	-	+	+
Laparoscopy, surgical, with vaginal hysterectomy, with oviduct and ovary resection	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Laparoscopy, surgical, myoma resection;	-	-	+	+
Laparoscopy, surgical, with vaginal hysterectomy	-	-	+	+
Laparoscopic uterine fixation by Dubuisson technique (without cost of mesh)	-	-	+	+
Ovarian biopsy	-	-	+	+
Laparoscopic surgery for endometriosis	-	-	+	+
Laparoscopic surgery of advanced endometriosis with involvement of the diaphragm (without surgery for pelvic endometriosis)	-	-	+	+
Laparoscopic surgery of advanced/extremely advanced endometriosis	-	-	+	+
Laparoscopic surgery of advanced/extremely advanced endometriosis with intestine involvement	-	-	+	+
Laparoscopic treatment of ectopic pregnancy - Laparoscopic treatment of ectopic pregnancy; without oviduct and/or ovary resection	-	-	+	+
Laparoscopic treatment of ectopic pregnancy - Laparoscopic treatment of ectopic pregnancy; with salpingectomy and/or oophorectomy	-	-	+	+
Laparoscopic collection of retroperitoneal lymph nodes, peritoneal lavage and peritoneal specimens	-	-	+	+
Laparoscopic vagina or uterus suspension	-	-	+	+
Laparoscopic release of adhesions of the large intestine, small intestine and appendix with the vaginal stump	-	-	+	+
Laparoscopic total hysterectomy with sacrocolpopexy (promontofixation)	-	-	+	+
Laparoscopic hysterectomy with removal of the fallopian tube, removal of the ovary and lymphadenectomy	-	-	+	+
Laparoscopic adnexal (ovary) resection - with a histopathological examination, uni/bilaterally	-	-	+	+
Laparoscopic adnexal (oviduct) resection - with a histopathological examination, uni/bilaterally	-	-	+	+
Laparoscopic peritubal cyst resection - Laparoscopy, surgical, with/without adhesiolysis, ovarian biopsy	-	-	+	+
Laparoscopic ovarian cyst enucleation; with or without laparotomy; with histopathological examination	-	-	+	+
Laparoscopic adnexal lesion ablation	-	-	+	+
Laparoscopic ovary lesion ablation	-	-	+	+
Incision and drainage of vaginal hematoma after childbirth	-	-	+	+
Incision and drainage of vaginal hematoma; for non-obstetric reasons (e.g. after injury, spontaneous bleeding)	-	-	+	+
Subtotal laparoscopic hysterectomy (SLH)	-	-	+	+
Reconstructive surgery of perineum	-	-	+	+
Surgery of urinary incontinence with use of TVT/TOT tape - Sling surgery for stress urinary incontinence	-	-	+	+
Plastic vaginal surgery due to urinary incontinence and colpoptosis	-	-	+	+
Hysterectomy, with oviduct and ovary excision, with vaginal suspension - Complete abdominal hysterectomy; with colpo-urethrocytopexy	-	-	+	+
Hysterectomy with oophorosalingectomy - Total, abdominal hysterectomy, with partial vaginectomy	-	-	+	+
Surgery due to urinary retention, surgical correction of tape erosion	-	-	+	+
Surgical vaginal obliteration	-	-	+	+
Laparoscopic promontofixation (sacrocolpopexy)	-	-	+	+
Promontofixation of the reproductive organ	-	-	+	+
Transabdominal amnioinfusion - includes ultrasonographic control	-	-	+	+
Transvaginal hysterectomy and vulvar plasty	-	-	+	+
Fetus vessel puncture, cordocentesis (intrauterine)	-	-	+	+
Extended removal of the reproductive organ	-	-	+	+
Sewing of the vagina – rupture (after a trauma)	-	-	+	+
Sewing of the vagina – after labour	-	-	+	+
Therapeutic amniodrainage	-	-	+	+
Noninvasive stress urinary incontinence (SUI) treatment (Urolastic)	-	-	+	+
Removal of the ovary	-	-	+	+
Hysterectomy with vaginectomy; with reconstructive surgery of intestinal hernia	-	-	+	+
Classic removal of ovarian cyst through the abdomen	-	-	+	+
Laparoscopic resection of ovarian cyst	-	-	+	+
Vulvectomy, simple; partial	-	-	+	+
Excision of endometriometrioidal tumor - laparotomy	-	-	+	+
Resection or destruction of a vaginal lesion, vast lesions	-	-	+	+
Complete hysterectomy with simultaneous cervicocpexy	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Total hysterectomy with larger network	-	-	+	+
Hysterectomy, with reconstructive surgery of intestinal hernia	-	-	+	+
Resection of the uterine myomas - dostępnym brzusznym	-	-	+	+
Resection of a lesion, vulva; extensive	-	-	+	+
Uterine curettage after abortion - missed abortion	-	-	+	+
Procedure of perineal abscess removal after childbirth	-	-	+	+
Vaginal suturing - Neugebauer-Le Fort procedure	-	-	+	+
<b>CARDIAC PROCEDURES / CARDIAC SURGERY</b>				
Simple Catheter ablation	-	-	+	+
Complex Catheter ablation	-	-	+	+
Simple ablation	-	-	+	+
Ablation of heart rhythm disorders with use of electroanatomical system	-	-	+	+
Ablation of heart rhythm disorders with use of 3D electroanatomical system	-	-	+	+
Complex ablation	-	-	+	+
Balloon angioplasty with drug-coated balloon (DEB)	-	-	+	+
Coronary artery angioplasty (PTCA)	-	-	+	+
Cardiac valve diseases	-	-	+	+
Operational treatment of heart rhythm disorders	-	-	+	+
Biventricular defibrillator, implantation without stimulator cost	-	-	+	+
Biventricular defibrillator, replacement free of stimulator cost	-	-	+	+
Univentricular defibrillator, implantation without stimulator cost	-	-	+	+
Univentricular defibrillator, replacement without stimulator cost	-	-	+	+
Biventricular defibrillator, replacement free of stimulator cost	-	-	+	+
Other heart surgeries (pericardial) - pericardiectomy	-	-	+	+
Electrical cardioversion	-	-	+	+
Pharmacological cardioversion	-	-	+	+
Balloon double vessel coronary angioplasty without stents	-	-	+	+
Balloon double vessel coronary angioplasty with two stents	-	-	+	+
Balloon single vessel coronary angioplasty without stent (plus coronarography)	-	-	+	+
Balloon coronary angioplasty with more than two stents	-	-	+	+
Percutaneous coronary angioplasty with two stents	-	-	+	+
Single vessel coronary angioplasty with one stent	-	-	+	+
Heart stimulator repair surgery (+EPS) without stimulator cost	-	-	+	+
Stimulation system repair surgery without stimulator cost	-	-	+	+
ACS - invasive treatment	-	-	+	+
ACS - treatment with application of second/third generation thrombolytic drug	-	-	+	+
ACS non ST elevation	-	-	+	+
Cervical arteries plastic surgery and aorto-coronary bypasses	-	-	+	+
Mitral valve surgery	-	-	+	+
Coronary artery bypass surgery	-	-	+	+
Coronary artery bypass plastic surgery	-	-	+	+
Aorto-coronary bypass in myocardial infarction threat (urgent surgery)	-	-	+	+
Plastic prosthesis of ascending aorta/aortic arch without prosthesis cost	-	-	+	+
Blood leak around infected prosthetic valve (urgent surgery)	-	-	+	+
Percutaneous coronary artery angioplasty (PTCA) with bare stent implantation	-	-	+	+
Percutaneous closure of pathologic intracardiac and extracardiac connections	-	-	+	+
Laser revascularization and aorto-coronary bypass implantation	-	-	+	+
Coronary revascularization (venous/arterial bypass implantation) beating-heart surgery without circulation	-	-	+	+
Coronary revascularization (venous/arterial bypass implantation) under extracorporeal circulation	-	-	+	+
Biventricular stimulator, implantation without stimulator cost	-	-	+	+
Biventricular stimulator, replacement without stimulator cost	-	-	+	+
Univentricular stimulator, implantation without stimulator cost	-	-	+	+
Univentricular stimulator, replacement without stimulator cost	-	-	+	+
Left atrial myxoma (urgent surgery)	-	-	+	+
Heart tumour removal	-	-	+	+
TUsunięcie przezłyżnej elektrody przezskórnej w przypadku powikłań	-	-	+	+
Removal of the implantable loop recorder	-	-	+	+
Intravascular ultrasound of coronary arteries	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Implantation or plastic surgery of the mitral valve and aorto-coronary bypasses without valve cost	-	-	+	+
Implantation of ascending aorta prosthesis with aortal artificial prosthesis without prosthesis cost	-	-	+	+
Univentricular or biventricular stimulator implantation	-	-	+	+
Implantation of a resynchronizing stimulator without stimulator cost	-	-	+	+
Implantation of an artificial aortic valve without valve cost	-	-	+	+
Implantation of an artificial aortic or mitral valve due to bacterial endocarditis; without valve cost	-	-	+	+
Implantation of an artificial aortic and/or mitral valve due to bacterial endocarditis; without valve cost	-	-	+	+
Implantation of an artificial mitral valve without valve cost	-	-	+	+
Implantation of the aortic valve and aorto-coronary bypasses without valve cost	-	-	+	+
Implantation of an artificial aortic and mitral valve without valves cost	-	-	+	+
Implantation of the mitral valve and plastic surgery of the tricuspid valve without valve cost	-	-	+	+
Resection of a postinfarction left ventricle aneurysm and/or aorto-coronary bypasses implantation	-	-	+	+
Replacement of the aortic arch due to dissecting aneurysm with artificial aortic valve implantation without valve cost	-	-	+	+
Upgrading of univentricular system to biventricular without stimulator cost	-	-	+	+
Postinfarction rupture of the interventricular septum closure (urgent surgery)	-	-	+	+
<b>LARYNGOLOGICAL PROCEDURES</b>				
Larynx examination/laryngoscopy/ under general anaesthesia with removal of tissue sample for histopathological examination	-	-	+	+
Partial excision of the larynx numbered among vertical methods; antero-lateral-vertical larynx view in local anaesthesia	-	-	+	+
Partial reduction of palatal tonsils	-	-	+	+
Partial reduction of palatal tonsils, laser	-	-	+	+
Abscess drainage, submaxillary or sublingual, intraoral	-	-	+	+
Nasal/sinus endoscopy, (FESS) surgical; with dacryorhinocystotomy	-	-	+	+
Nasal/sinus endoscopy, surgical; with epistaxis management	-	-	+	+
Functional sinus endoscopy + Septoplasty	-	-	+	+
Functional sinus endoscopy with nasal polypectomy + Septoplasty	-	-	+	+
Paranasal sinus endoscopy (total ethmoidectomy)	-	-	+	+
Paranasal sinus endoscopy (sphenoidectomy/ethmoidectomy/sphenoidectomy) with nasal polypectomy + Septoplasty	-	-	+	+
Paranasal sinus endoscopy (sphenoidectomy/ethmoidectomy/sphenoidectomy) + Septoplasty	-	-	+	+
Paranasal sinus endoscopy (total ethmoidectomy) + Septoplasty	-	-	+	+
Paranasal sinus endoscopy (sphenoidectomy or ethmoidectomy or ethmoidectomy or sphenoidectomy)	-	-	+	+
Paranasal sinus endoscopy (Sphenoidectomy/ethmoidectomy/sphenoidectomy) with nasal polypectomy	-	-	+	+
Paranasal sinus endoscopy with nasal polypectomy (total ethmoidectomy)	-	-	+	+
Paranasal sinus endoscopy with nasal polypectomy (total ethmoidectomy) + Septoplasty	-	-	+	+
Paranasal sinus endoscopy with nasal polypectomy, in children	-	-	+	+
Paranasal sinus endoscopy with nasal polypectomy, in children + Septoplasty	-	-	+	+
Paranasal sinus endoscopy, in children	-	-	+	+
Paranasal sinus endoscopy, in children + Septoplasty	-	-	+	+
Endoscopic maxillary sinus surgery through antrostomy using Caldwell-Luc method - unilateral	-	-	+	+
Endoscopic maxillary sinus surgery through antrostomy using Caldwell-Luc method - bilateral	-	-	+	+
Functional endoscopic sinus surgery (FESS)	-	-	+	+
Paranasal sinus endoscopy with nasal polypectomy (total ethmoidectomy)	-	-	+	+
Functional endoscopic sinus surgery ( FEOZ/FESS) + Septoplasty + Conchoplastic using Celon/RF method or electrocoagulation	-	-	+	+
Functional endoscopic sinus surgery (FESS) with nasal polyps removal	-	-	+	+
Functional endoscopic sinus surgery (FEOZ/FESS) + removal of the pharyngeal tonsil, surgical opening of the tympanic membrane and establishing of an ear drain	-	-	+	+
Functional endoscopic sinus surgery (FEOZ/FESS) + removal of the palatal tonsil and pharyngeal tonsil	-	-	+	+
Endoscopic conchoplastic using shaver (correction of lower nasal conchas)	-	-	+	+
Conchoplastic under general anaesthesia	-	-	+	+



	COMPLEX	COMPLEX+	ELITE	ELITE+
Correction of nasal conchas - CELON	-	-	+	+
Correction of nasal septum deformities under general anaesthesia	-	-	+	+
Correction of nasal septum (septoplasty) with pharyngeal surgery using Celon method/RF surgery	-	-	+	+
Laryngoscopy, direct, surgical, with arytenoid cartilage resection;	-	-	+	+
Laryngoscopy, direct, surgical, with tumour resection and/or vocal cords or epiglottis decortication;	-	-	+	+
Radical mastoidectomy	-	-	+	+
Laryngeal microsurgery - instrumental	-	-	+	+
Laryngeal microsurgery with use of CO2 laser	-	-	+	+
Myringoplasty	-	-	+	+
Incision and drainage of abscess; extrapharyngeal or parapharyngeal, intraoral or external access	-	-	+	+
Laryngeal incision; with laryngeal tumour or cyst removal, vocal cord excision	-	-	+	+
Cochlear window fistula repair	-	-	+	+
Vestibular window fistula repair	-	-	+	+
Debridement, mastoid process cavity, simple (e.g. routine debridement)	-	-	+	+
Debridement, mastoid process cavity, complex (e.g. under anaesthesia or more than one routine debridement)	-	-	+	+
Classic detachment of nasal mucous membrane	-	-	+	+
Larynx observation under stroboscopic light of rigid or flexible laryngoscope	-	-	+	+
Larynx observation - laryngoscopy, with use of flexible fiberoptic; with/without lesion and/or foreign body removal or biopsy	-	-	+	+
Larynx and/or trachea observation under general anaesthesia with aspiration possibility	-	-	+	+
Nasal septum defect reconstructive surgery without cost of reconstructive materials	-	-	+	+
Reconstructive surgery of choanal atresia, intranasal approach and per palatum	-	-	+	+
Surgeries of the submandibular salivary gland	-	-	+	+
Surgeries of the parotid salivary gland	-	-	+	+
Maxillary sinus surgery through antrostomy using Caldwell-Luc method	-	-	+	+
Maxillary sinus surgery using Caldwell-Luc method - unilateral	-	-	+	+
Middle ear explorative surgery via a post-auricular incision or auditory meatus incision	-	-	+	+
External approach sinus opening	-	-	+	+
Pharyngoplasty - uvulopalatopharyngoplasty (UPPP)	-	-	+	+
Puncture and irrigation; sphenoid sinus	-	-	+	+
Laser, Celon, APC etc. palatal tonsillectomy	-	-	+	+
Frontal sinus puncture	-	-	+	+
Reconstructive surgery of external auditory meatus (e.g. in post-traumatic stenosis or as a result of infection)	-	-	+	+
Septoplasty + Conchoplastic, endoscopic, using shaver	-	-	+	+
Septoplasty + Conchoplastic, laser	-	-	+	+
Septoplasty + Conchoplastic using Olympus Celon method	-	-	+	+
Septoplasty + Conchoplastic, instrumental	-	-	+	+
Endoscopic septoplasty	-	-	+	+
Septoplasty + Celon conchoplasty + throat surgery using the Celon method	-	-	+	+
Stapedectomy or stapedotomy with ossicular continuity reconstruction, without foreign material application	-	-	+	+
Posterior tamponade	-	-	+	+
Tympanoplasty without mastoidectomy, first or next surgery, without auditory ossicles reconstruction	-	-	+	+
Removal of the sialoliths; submandibular, sublingual or parotid, uncomplicated, intraoral	-	-	+	+
Removal of the sialoliths; submandibular, complicated, intraoral	-	-	+	+
Removal of the sialoliths; parotid, extraoral or complicated intraoral	-	-	+	+
Removal of ear glomangioma; through auditory meatus	-	-	+	+
Removal of ear glomangioma; extended (extratemporal)	-	-	+	+
Removal of ear glomangioma; trans-mastoid approach	-	-	+	+
Removal of the pharyngeal tonsil with palatal tonsillectomy (adenotonsillectomy)	-	-	+	+
Removal of the pharyngeal tonsil + palatal tonsillectomy + establishing of an ear drain under general anaesthesia	-	-	+	+
Removal of the pharyngeal tonsil, surgical opening of the tympanic membrane and establishing of an ear drain under general anaesthesia	-	-	+	+
Removal of the pharyngeal tonsil, primary or secondary, regardless of age; adults/children	-	-	+	+
Removal of the palatal tonsils	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Removal of the palatal and pharyngeal tonsils,	-	-	+	+
Nasal polypectomy	-	-	+	+
Ventilation tube exertion under general anaesthesia	-	-	+	+
Intranasal adhesions lysis using different methods: Celon, plasma, electrocoagulation	-	-	+	+
Posterior nasal concha polyp resection	-	-	+	+
Resection of nasal polyps	-	-	+	+
Resection of a parotid gland tumour or of the parotid gland; with unilateral radical cervical lymph nodes resection	-	-	+	+
Resection of a parotid gland tumour or of the parotid gland; total, en block resection with or without facial nerve	-	-	+	+
Laryngectomy; subtotal supraglottic, without radical cervical lymphatic system resection	-	-	+	+
Laryngectomy - total, without radical cervical lymphatic system resection	-	-	+	+
Resection or destruction of an intranasal lesion, vast lesions; external (lateral rhinotomy) or intranasal approach	-	-	+	+
Resection of a sublingual salivary gland	-	-	+	+
Resection of a submandibular salivary gland	-	-	+	+
Resection of a sublingual salivary gland cyst (ranula)	-	-	+	+
Resection of the external ear; total amputation	-	-	+	+
Resection of an exostosis (exostoses), external auditory meatus	-	-	+	+
Resection/surgical nasal skin reconstruction in rhinophyma	-	-	+	+
Surgical creation of a fistula from a sublingual salivary gland cyst (ranula)	-	-	+	+
Surgical creation of a fistula from a sublingual salivary gland cyst (ranula); with prosthesis	-	-	+	+
Application and replacement of vocal prosthesis	-	-	+	+
<b>NEONATOLOGICAL PROCEDURES</b>				
Intensive care; low birth weight	-	-	+	+
Newborn endotracheal intubation	-	-	+	+
Central vessel cannulation in newborns - under radiological guidance for cannula placement	-	-	+	+
Peripheral vessels cannulation in newborns - Central venous access placement using peripheral approach, under radiological guidance	-	-	+	+
Monitoring vital signs of newborns (24h system)	-	-	+	+
Noninvasive ear lobe oximetry or pulse oximetry - single assessment (between 6 and 12 hours of infant's life).	-	-	+	+
Noninvasive ear lobe oximetry or pulse oximetry for oxygen saturation monitoring; repetitive assessment	-	-	+	+
Intratracheal surfactant administration in newborns (NICU) - weight 1500-2000g	-	-	+	+
Management of mechanical ventilation in newborns - Mechanical ventilation below 12 h	-	-	+	+
Management of mechanical ventilation in newborns - Mechanical ventilation above 12 h	-	-	+	+
Intermittent demand ventilation managing in newborns - Other types of mechanical ventilation (HFV, HFO)	-	-	+	+
Intermittent demand ventilation managing in newborns - Intermittent demand ventilation managing CPAP/Infant flow - first day	-	-	+	+
Intermittent demand ventilation managing in newborns -CPAP/Infant flow - another day	-	-	+	+
Diagnostic lumbar puncture in newborns	-	-	+	+
Other arterial cannulae implantation in newborns; for blood sample collection, monitoring or transfusion	-	-	+	+
Arterial cannulae implantation in newborns - Peripheral arterial puncture and catheterisation	-	-	+	+
Umbilical artery cannulation - Umbilical artery cannulation under radiological guidance of cannula placement	-	-	+	+
Umbilical vein cannulation - Umbilical vein cannulation in newborns (radiological guidance)	-	-	+	+
Insertion of orogastric or nasogastric tubes in newborns, requiring X-ray TV guidance	-	-	+	+
Neonatal resuscitation procedures - Respiratory resuscitation	-	-	+	+
Neonatal resuscitation procedures - Cardiorespiratory resuscitation	-	-	+	+
Intensive care; low birth weight	-	-	+	+
Newborn endotracheal intubation	-	-	+	+
Central vessel cannulation in newborns - under radiological guidance for cannula placement	-	-	+	+
Peripheral vessels cannulation in newborns - Central venous access placement using peripheral approach, under radiological guidance	-	-	+	+
Monitoring vital signs of newborns (24h system)	-	-	+	+
Noninvasive ear lobe oximetry or pulse oximetry - single assessment (between 6 and 12 hours of infant's life).	-	-	+	+
Noninvasive ear lobe oximetry or pulse oximetry for oxygen saturation monitoring; repetitive assessment	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Intratracheal surfactant administration in newborns (NICU) - weight 1500-2000g	-	-	+	+
Management of mechanical ventilation in newborns - Mechanical ventilation below 12 h	-	-	+	+
Management of mechanical ventilation in newborns - Mechanical ventilation above 12 h	-	-	+	+
Intermittent demand ventilation managing in newborns - Other types of mechanical ventilation (HFV, HFO)	-	-	+	+
Intermittent demand ventilation managing in newborns - Intermittent demand ventilation managing CPAP/Infant flow - first day	-	-	+	+
Intermittent demand ventilation managing in newborns -CPAP/Infant flow - another day	-	-	+	+
Diagnostic lumbar puncture in newborns	-	-	+	+
Other arterial cannulae implantation in newborns; for blood sample collection, monitoring or transfusion	-	-	+	+
Arterial cannulae implantation in newborns - Peripheral arterial puncture and catheterisation	-	-	+	+
Umbilical artery cannulation - Umbilical artery cannulation under radiological guidance of cannula placement	-	-	+	+
Umbilical vein cannulation - Umbilical vein cannulation in newborns (radiological guidance)	-	-	+	+
Insertion of orogastric or nasogastric tubes in newborns, requiring X-ray TV guidance	-	-	+	+
Neonatal resuscitation procedures - Respiratory resuscitation	-	-	+	+
Neonatal resuscitation procedures - Cardiorespiratory resuscitation	-	-	+	+
<b>NEUROSURGICAL PROCEDURES</b>				
Transforaminal lumbar discectomy	-	-	+	+
Specified opening pressure valve implantation without anti-siphon backflow preventer cost	-	-	+	+
Adjustable valve implantation without valve cost	-	-	+	+
Craniotomy – subdural hematoma evacuation	-	-	+	+
Paracerebral haematoma - evacuation	-	-	+	+
Intracerebral haematoma - evacuation	-	-	+	+
Subarachnoid hemorrhage - conservative treatment with ventricle drainage	-	-	+	+
Hydrocephaly - endoscopic treatment	-	-	+	+
Surgical treatment of bone pathology vertebral nidus in patients, without implant cost	-	-	+	+
Calvaria/cranial base bones fracture with or without rhinorrhea; including costs of technical agent	-	-	+	+
Epilepsy treatment - vagus nerve stimulation (without stimulator cost)	-	-	+	+
Drug resistant epilepsy treatment by stimulator implantation without stimulator cost	-	-	+	+
Treatment of an open penetrating craniocerebral trauma – surgical debridement and/or cranioplasty	-	-	+	+
Treatment of pain syndromes and spasticity by implantation	-	-	+	+
Microsurgical drezotomy	-	-	+	+
Microsurgical lumbar discectomy with interspinous stabilization	-	-	+	+
Minimally invasive foraminotomy in the cervical spine with posterior access	-	-	+	+
Intracranial hypertension - conservative treatment	-	-	+	+
Intracranial hypertension - implantation of intracranial pressure sensor without sensor cost	-	-	+	+
Nucleoplasty	-	-	+	+
Thoraco-lumbar spinal canal decompression - posterior approach surgery (without implant cost)	-	-	+	+
Thoracic and/or lumbar spinal canal decompression - anterior approach surgery (without implant cost)	-	-	+	+
Debulking of the spinal channel at cervical level - from anterior approach (without the cost of implant material)	-	-	+	+
Cervical spinal canal decompression - pharyngeal approach surgery (without implant cost)	-	-	+	+
Trigeminal ganglion surgical decompression in intercranial segment (thermal rhizotomy, glycerolysis)	-	-	+	+
Stereotactic surgery in parkinsonism, focal dystonias, essential tremor, central pain disorders	-	-	+	+
Cavernous sinus surgery with anterior clinoid process removal	-	-	+	+
Surgeries of Meckel's cave, clive, superior orbital fissure, orbital cavity, sphenoid sinus	-	-	+	+
Lumbar discopathy surgical treatment - laminectomy	-	-	+	+
Lumbar discopathy surgical treatment - percutaneous laser disc decompression	-	-	+	+
Lumbar discopathy surgical treatment - laminectomy	-	-	+	+
Thoracic discopathy surgical treatment - percutaneous laser disc decompression	-	-	+	+
Surgical removal of epileptogenic zone	-	-	+	+
Surgical removal of peripheral nerve tumors	-	-	+	+
Cranial opening following intracranial complications; otitis media	-	-	+	+
Plastic surgery of anterior cranial fossa - post-traumatic (with rhinorrhoea)	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Intracranial complications of sinusitis, otitis and splanchnocranium purulent processes - surgical treatment	-	-	+	+
Surgical treatment of pituitary adenoma; transsphenoidal	-	-	+	+
Primary microsurgical reconstruction of hand or foot vessels and nerves	-	-	+	+
Primary microsurgical reconstruction of hand or foot vessels or nerves with insert	-	-	+	+
Nerve reconstruction and cable graft	-	-	+	+
Facial nerve reconstruction: hypoglossal-facial nerve anastomosis	-	-	+	+
Revision after hematoma, hygroma, brain tumour surgery	-	-	+	+
Open or percutaneous thoracic and/or lumbar spine stabilization through posterior approach – 1 level	-	-	+	+
Open or percutaneous thoracic and/or lumbar spine stabilization through posterior approach – every additional level	-	-	+	+
Stabilization of the thoracic and/or lumbar spine using the posterior approach using the open method or percutaneously - reoperation	-	-	+	+
Interspinous stabilization	-	-	+	+
Cervical stabilization (stabilization of instability C1-C2)	-	-	+	+
Complex posterior crania - cervical fusion	-	-	+	+
Stereotactic brain biopsy	-	-	+	+
Lumbar discectomy with arthroplasty	-	-	+	+
Thoracic disc removal through posterolateral approach without posterior stabilization	-	-	+	+
Thoracic disc removal through posterolateral approach with posterior stabilization	-	-	+	+
Cervical discectomy with arthrodesis (PEEK cage)	-	-	+	+
Cervical discectomy with arthroplasty	-	-	+	+
Cervical disk removal with arthroplasty - reoperation	-	-	+	+
Anterior cervical decompression and fusion (ACDF) on 1 level	-	-	+	+
Anterior cervical decompression and fusion (ACDF) on 2 levels	-	-	+	+
Anterior cervical decompression and fusion (ACDF) on 3 levels	-	-	+	+
Removal of VIII cranial nerve tumour (intracranial)	-	-	+	+
Removal of a soft tissue tumour of the calvaria bones	-	-	+	+
Removal of intracranial empyema, abscess	-	-	+	+
Cervical vertebral bodies removal with stabilization in order to decompress spinal canal – 1 level	-	-	+	+
Cervical vertebral bodies removal with stabilization in order to decompress spinal canal – every following level	-	-	+	+
Cranioplasty	-	-	+	+
Intramedullary vertebral canal tumour	-	-	+	+
Implantation of a truncal implant (without implant cost - financed from MH)	-	-	+	+
Resection of a calvaria bones tumour	-	-	+	+
Excision of the CNS tumor (location: brain or cerebellar)	-	-	+	+
Resection of the intramedullary tumour	-	-	+	+
Resection of the ventricular system tumour	-	-	+	+
Resection of a brain angioma	-	-	+	+
Resection of the peripheral cranial nerve	-	-	+	+
Neurodestructive procedure in patients with chronic pain - chemical neurolysis	-	-	+	+
Neurodestructive procedure in patients with chronic pain - thermolysis, cryolysis	-	-	+	+
Clipping of a anterior segment of Willis' circle aneurysm	-	-	+	+
Clipping of a posterior segment of Willis' circle aneurysm	-	-	+	+
Inflammation of the calvaria bones - surgical treatment; craniectomy	-	-	+	+
Extramedullary tumour of the spinal canal	-	-	+	+
Calvaria bones fracture - explorative trepanation, oscular and/or disimpaction	-	-	+	+
Medial or anterior cranial fossa fracture with otorrhoea - plasty of the middle cranial fossa	-	-	+	+
<b>OPHTHALMOLOGIC PROCEDURES</b>				
Orbital exenteration	-	-	+	+
Enucleation (eyeball removal)	-	-	+	+
Eye enucleation with implant putting (without the cost of the implant)	-	-	+	+
Laser iridotomy - glaucoma (one eye) - Laser iridotomy for glaucoma - unilateral	-	-	+	+
Correction of improper eyelash growth	-	-	+	+
Laser surgery of glaucoma	-	-	+	+
Lagophthalmos – gold weight implantation into upper eyelid (without the cost of the implant)	-	-	+	+
Retinal detachment - scleral buckling with simultaneous posterior vitrectomy without silicone oil	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Retinal detachment - scleral buckling with simultaneous posterior vitrectomy with use of silicone oil and/or decalin	-	-	+	+
Retinal detachment - detached retina surgery with inlay placing and/or scleral buckling	-	-	+	+
Eye surgery with use of phacoemulsificator/vitrectomy	-	-	+	+
Plastic and reconstructive surgery in anterior ventricle, non-magnetic foreign body removal from interior of the eye	-	-	+	+
Fistular surgery of glaucoma, deep sclerectomy, viscocanalostomy	-	-	+	+
Corrective surgery of cicatricial deformations and post-traumatic defects of the eyelid - excision and stitching	-	-	+	+
Symblepharon plastic surgery using acrylic implant and with tharsorrhaphy	-	-	+	+
Intersection of flap peduncle with modeling of reconstituted part of the eyelid	-	-	+	+
Lacrimal duct reconstruction/classic	-	-	+	+
Lacrimal duct reconstruction/encoscopic for adults	-	-	+	+
Lacrimal duct reconstruction with temporary intubation	-	-	+	+
Unilateral reoperation of oculomotor muscles	-	-	+	+
Fistula revision after glaucoma surgery	-	-	+	+
Injuries of the cornea, sclera - surgical wound management	-	-	+	+
Orbital Tumor Removal	-	-	+	+
Eyelid tumour removal with plastic reconstruction	-	-	+	+
Removal of a magnetic foreign body from the interior of the eye	-	-	+	+
Iris lesion removal with/without ciliary body	-	-	+	+
Intracapsular cataract extraction with intraocular lens implantation (one-stage procedure) without lens cost	-	-	+	+
Anterior vitrectomy	-	-	+	+
Vitrectomy via posterior approach	-	-	+	+
Vitrectomy via posterior approach with use of silicone oil and/or decalin	-	-	+	+
Excision of eyelid neoplasm – local flap plastic surgery	-	-	+	+
Excision of eyelid neoplasm – skin graft	-	-	+	+
Excision of lower eyelid neoplasm – reconstruction with tarsal conjunctival flap	-	-	+	+
Excision of upper eyelid neoplasm – lower eyelid flap plastic surgery without cartilage transplantation	-	-	+	+
Excision of upper eyelid neoplasm – lower eyelid flap plastic surgery with cartilage transplantation	-	-	+	+
Excision of eyelid neoplasm – temporal flap plastic surgery	-	-	+	+
Excision of neoplasm – buccal flap plastic surgery	-	-	+	+
Excision of neoplasm – frontal flap plastic surgery	-	-	+	+
Extracapsular cataract extraction with intraocular lens implantation (one-stage procedure), without lens cost	-	-	+	+
Strabismus - surgical treatment	-	-	+	+
Constriction of the palpebral fissure with tarsal interposition	-	-	+	+
<b>ORTHOPAEDIC PROCEDURES</b>				
Toe interphalangeal arthrodesis (hammer toe or other toes deformities)	-	-	+	+
Open arthrolysis of the elbow joint	-	-	+	+
Shoulder arthroscopy, capsulotomy, debridement (frozen shoulder)	-	-	+	+
Shoulder arthroscopy, sub-acromial decompression, sub-acromial implant	-	-	+	+
Shoulder arthroscopy, arthroscopic reinserion of rotator cuff	-	-	+	+
Shoulder arthroscopy, reconstruction of rotator cuff (latissimus dorsi tendon transfer)	-	-	+	+
Shoulder arthroscopy, LHBT tenodesis through a mini open approach	-	-	+	+
Shoulder arthroscopy, long head of biceps tendon tenodesis (LHBT)	-	-	+	+
Arthroscopy of other joints (elbow, wrist, ankle)	-	-	+	+
Arthroscopy of other joints (elbow, wrist, ankle), in children	-	-	+	+
Knee arthroscopy with partial/total excision of meniscus, chondroplasty, synovectomy, removal of a free body, microfracture	-	-	+	+
Knee arthroscopy with suturing of the meniscus (without implant cost)	-	-	+	+
Knee arthroscopy with excision of meniscus, chondroplasty, synovectomy, removal of a free body, microfracture, in children	-	-	+	+
Knee arthroscopy, lateral retinacular release using classic method, reconstruction of medial patellar retinaculum after patellar dislocation	-	-	+	+
Therapeutic arthroscopy	-	-	+	+
Wrist arthroscopy (synovectomy, debridement, ganglion)	-	-	+	+
Wrist arthroscopy, reinserion of triangular fibrocartilage complex (TFCC)	-	-	+	+
Wrist arthroscopy, partial ulnar resection (Wafer procedure)	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Arthroscopic anterior and posterior cruciate ligament reconstruction - ACL + PCL	-	-	+	+
Hip arthroscopy and labral reconstruction	-	-	+	+
Hip arthroscopy with cartilage reconstruction (AMIC)	-	-	+	+
Hip arthroscopy with removal of the acetabular conflict	-	-	+	+
Hip arthroscopy, labrum and cartilage reconstruction (AMIC)	-	-	+	+
Knee arthroscopy debridement	-	-	+	+
Elbow arthroscopy - arthrolysis	-	-	+	+
Elbow arthroscopy - debridement/removal of free bodies	-	-	+	+
Elbow arthroscopy, debridement of muscle attachments (tennis elbow)	-	-	+	+
Arthroscopy of the first carpometacarpal joint, debridement	-	-	+	+
Shoulder arthroscopy, removal of free bodies	-	-	+	+
Shoulder arthroscopy: instability, reinserion of the glenoid-capsular labrum complex, ACJ stabilization	-	-	+	+
Niestabilność stawu ramiennego, rekonstrukcja panewki wg Bristow-Latarjet	-	-	+	+
Anterior and posterior ankle arthroscopy anterior or posterior	-	-	+	+
Ankle joint arthroscopy anterior or posterior	-	-	+	+
Anterior and posterior ankle arthroscopy with cartilage reconstruction (AMIC)	-	-	+	+
Anterior and posterior ankle arthroscopy with cartilage reconstruction (AMIC) and filling with bone substitutes	-	-	+	+
Arthroscopy, hip joint with free body removal, chondroplasty and glenoid labrum excision	-	-	+	+
Arthroscopic reconstruction of shoulder (medium)	-	-	+	+
Arthroscopy, brachial joint with soft tissue reconstruction	-	-	+	+
Arthroscopy of shoulder (small)	-	-	+	+
Arthroscopy, brachial joint; labrum reconstruction	-	-	+	+
Arthroscopy, brachial joint; stitching of articular capsule, tendons and rotator cuff, removal of a free body, removal of the synovial membrane	-	-	+	+
Arthroscopic double-bundle reconstruction of the anterior cruciate ligament	-	-	+	+
Arthroscopic multi-ligament reconstruction ACL/PCL/MCL/LCL	-	-	+	+
Arthroscopic anterior cruciate ligament reconstruction	-	-	+	+
Arthroscopic posterior cruciate ligament reconstruction	-	-	+	+
Arthroscopic resection of the lateral end of the clavicle with acromioplasty	-	-	+	+
Therapeutic arthrotomy	-	-	+	+
Transepiphysal open biopsy	-	-	+	+
Transepiphysal closed biopsy	-	-	+	+
Brachial plexus block	-	-	+	+
Surgical resection of the lateral end of the clavicle	-	-	+	+
Open discectomy (one level)	-	-	+	+
Open discectomy (several levels) /with internal stabilization	-	-	+	+
Percutaneous discectomy (microdiscectomy), several levels /with internal stabilization	-	-	+	+
Percutaneous discectomy (microdiscectomy), one level	-	-	+	+
Endoscopic decompression in carpal tunnel syndrome	-	-	+	+
Shaft prosthesis implantation without prosthesis cost	-	-	+	+
Interphalangeal joints capsulotomy (post-traumatic contracture, camptodactyly)	-	-	+	+
Kyphoplasty (one level)	-	-	+	+
Kyphoplasty (several levels)	-	-	+	+
Primary correction of post-traumatic deformation of the anatomical hand structures	-	-	+	+
Scoliosis correction with anterior vertebral stabilization	-	-	+	+
Scoliosis correction with anterior and posterior vertebral stabilization	-	-	+	+
Scoliosis correction with posterior vertebral stabilization	-	-	+	+
Secondary correction of post-traumatic deformation of the anatomical hand structures	-	-	+	+
Percutaneous kyphoplasty	-	-	+	+
Open treatment of clavicle, scapular, sternal, acromioclavicular joint, sternoclavicular joint fracture/sprain, in children	-	-	+	+
Open treatment of knee injuries	-	-	+	+
Open treatment of knee injuries, in children	-	-	+	+
Open treatment of hand extensor injuries of hand, fingers	-	-	+	+
Open treatment of lower limb/upper limb fracture in a child	-	-	+	+
Open treatment of malleolar fracture/ligament or syndesmosis injuries	-	-	+	+
Open treatment of malleolar fracture/ligament or syndesmosis injuries - 2-malleolar	-	-	+	+
Open treatment of malleolar fracture/ligament or syndesmosis injuries - 3-malleolar	-	-	+	+
Open treatment of malleolar fracture/ligament or syndesmosis injuries, in children	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Open treatment of distal tibial epiphysis fracture	-	-	+	+
Open treatment of distal tibial epiphysis fracture, in children	-	-	+	+
Open treatment of distal forearm bone epiphysis fracture	-	-	+	+
Open treatment of fractures of distal femoral epiphysis, proximal tibial epiphysis	-	-	+	+
Open treatment of fractures of distal femoral epiphysis, proximal tibial epiphysis, in children	-	-	+	+
Open treatment of forearm diaphysis fracture - two bones	-	-	+	+
Treatment with the open method of fracture of the shaft of the forearm bones - one bone	-	-	+	+
Open treatment of forearm diaphysis fracture (one or both bones), in children	-	-	+	+
Open treatment of humeral diaphysis fracture	-	-	+	+
Open treatment of humeral diaphysis fracture, in children	-	-	+	+
Open treatment of femoral/tibial diaphysis fracture	-	-	+	+
Open treatment of femoral/tibial diaphysis fracture, in children	-	-	+	+
Open treatment of fracture/sprain of femoral proximal end with internal fixation	-	-	+	+
Open treatment of fracture/sprain of femoral proximal end with internal fixation, in children	-	-	+	+
Open treatment of elbow and proximal forearm end fracture/sprain	-	-	+	+
Open treatment of pelvic fracture/sprain	-	-	+	+
Open treatment of distal humeral epiphysis, elbow and proximal forearm end fracture/sprain	-	-	+	+
Open treatment of distal humeral epiphysis, elbow and proximal forearm end fracture/sprain, in children	-	-	+	+
Open treatment of clavicle, scapular, sternal, acromioclavicular joint, sternoclavicular joint fracture/sprain	-	-	+	+
Open treatment of proximal humeral diaphysis fracture/sprain	-	-	+	+
Open treatment of proximal humeral diaphysis fracture/sprain, in children	-	-	+	+
Open/percutaneous treatment of distal tibial epiphysis fracture, in children	-	-	+	+
Open/percutaneous treatment of foot region bone fracture/sprain	-	-	+	+
Open/percutaneous treatment of foot region bone fracture/sprain, in children	-	-	+	+
Open/percutaneous treatment of carpal, metacarpal and finger bone fracture, in children	-	-	+	+
Percutaneous treatment of distal forearm bone epiphysis fracture	-	-	+	+
Percutaneous treatment of carpal, metacarpal and finger bone fracture, in children	-	-	+	+
Percutaneous treatment of a lower/upper limb bone fracture in a child	-	-	+	+
Closed treatment of brachium, thigh, lower leg fracture with bone reduction, immobilization	-	-	+	+
Closed treatment of brachium, thigh, lower leg fracture with bone reduction, immobilization, in children	-	-	+	+
Closed treatment of hand or foot fracture with bone reduction, immobilization	-	-	+	+
Closed treatment of lower limb fracture, upper limb with bone reduction, immobilization	-	-	+	+
Closed treatment of lower limb fracture, upper limb with bone reduction, immobilization, in children	-	-	+	+
Closed treatment of shoulder girdle fracture	-	-	+	+
Closed treatment of shoulder girdle fracture, in children	-	-	+	+
Closed treatment of pelvic fracture/sprain	-	-	+	+
Surgical treatment of tendons or vessels or nerves injuries of hand, fingers	-	-	+	+
Local bone lesion excision	-	-	+	+
Cleaning and reconstruction of the bone defect in the upper or lower limb	-	-	+	+
Endoscopic ulnar nerve decompression	-	-	+	+
Entrapped nerve decompression within foot (Morton's neuroma, Tarsal tunnel syndrome)	-	-	+	+
Entrapped nerve decompression within foot (Morton's neuroma, Tarsal tunnel syndrome), in children	-	-	+	+
Entrapped nerve decompression in carpal tunnel syndrome or Guyon's canal syndrome or ulnar groove	-	-	+	+
Entrapped nerve decompression in carpal tunnel syndrome, Guyon's canal syndrome, ulnar groove, in children	-	-	+	+
Minerva gypsum plaster with thoracic vest	-	-	+	+
Fixing plaster bandage (hip)	-	-	+	+
Bunion surgery with double osteotomy and double stabilization	-	-	+	+
Tennis elbow surgery	-	-	+	+
Surgical treatment of instability of the elbow	-	-	+	+
Radial nerve decompression surgery	-	-	+	+
Bilateral hallux valgus surgery with phalangeal arthrodesis	-	-	+	+
Thumb joints reconstruction surgery	-	-	+	+
Pseudo-joint surgery/non-union of the long bone (lower limb)	-	-	+	+
Plantar aponeurosis surgery	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Surgeries of hallux rigidus	-	-	+	+
Surgeries of hallux valgus - large	-	-	+	+
Hallux valgus surgeries, hallux rigidus, other finger deformities (hammer finger - hallux malleus)	-	-	+	+
Hallux valgus surgeries, hallux rigidus, other finger deformities, open surgery or percutaneous, with osteotomy	-	-	+	+
Long bone osteotomy (lower limb long bone) with internal/external stabilization	-	-	+	+
Long bone osteotomy (upper limb long bone) with internal/external stabilization	-	-	+	+
Osteotomy accompanying arthroscopy (only as an additional procedure)	-	-	+	+
Open decompression and transposition of ulnar nerve	-	-	+	+
Open reinsertion of rotator cuff	-	-	+	+
Open reconstruction of rotator cuff, latissimus dorsi tendon transfer	-	-	+	+
Open reconstruction of sternoclavicular joint ligaments	-	-	+	+
Open reconstruction of sternoclavicular joint ligaments with ligament graft	-	-	+	+
Open reposition of a fracture of the lower leg and ankle sprain, stabilization with plates and screws, reconstruction of ligaments	-	-	+	+
Open debridement/cleaning of the hip joint with heliotomy	-	-	+	+
Mallet finger	-	-	+	+
Hallux valgus	-	-	+	+
Hallux valgus endoscopic method	-	-	+	+
Bone graft harvesting from the olecranon	-	-	+	+
Collection of the bone graft from the wing of ilium	-	-	+	+
Diagnostic bone material collection from the shoulder area for histopathological examination	-	-	+	+
Intervertebral disc prosthesis (one level)	-	-	+	+
Intervertebral disc prosthesis (several levels)	-	-	+	+
Dupuytren contracture - removal of contracturing bands	-	-	+	+
Stage 4/5 Dupuytren contracture - removal of contracturing bands	-	-	+	+
Reinsertion of flexor tendon attachment	-	-	+	+
Reinsertion of the tibial (medial) collateral ligament	-	-	+	+
Reinsertion of the collateral ligament of the MP joint of the thumb	-	-	+	+
Reconstruction of the knee extension apparatus	-	-	+	+
Nerve and tendon reconstruction	-	-	+	+
Shoulder rotator cuff ring reconstruction with the use of the LARS synthetic ligament	-	-	+	+
Reconstruction of extensor (buttonhole deformity)	-	-	+	+
Reconstruction of hand extensor tendons, in children	-	-	+	+
Reconstruction of hand flexor tendons	-	-	+	+
Reconstruction of hand flexor tendons, in children	-	-	+	+
Reconstruction of the Achilles tendon (autograft ST plus GR) open/endoscopic option	-	-	+	+
Achilles tendon reconstruction with the use of the LARS synthetic ligament	-	-	+	+
Two-stage tendon reconstruction	-	-	+	+
Reconstruction of the medial patella attachment using the LARS synthetic ligament	-	-	+	+
Reconstruction of scapho-lunate ligaments, dynamic tenodesis FCR/ECRB (wrist instability)	-	-	+	+
Reconstruction of scapho-lunate ligaments, open tenodesis (wrist instability)	-	-	+	+
Reconstruction of ankle joint ligaments	-	-	+	+
Reconstruction of ankle joint ligaments, in children	-	-	+	+
Ankle ligament reconstruction with the use of the LARS synthetic ligament	-	-	+	+
Reconstruction of the coracoclavicular ligament with the use of the LARS synthetic ligament	-	-	+	+
Anterior cruciate ligament reconstruction with the use of the LARS synthetic ligament	-	-	+	+
Posterior cruciate ligament reconstruction	-	-	+	+
Reconstruction of the posterior cruciate ligament with the use of the LARS synthetic ligament	-	-	+	+
Medial collateral (inner) ligament reconstruction	-	-	+	+
Reconstruction of the tibial (medial) collateral ligament with the use of the LARS synthetic ligament	-	-	+	+
Fibular collateral (lateral) ligament reconstruction	-	-	+	+
Reconstruction of the peroneal (lateral) collateral ligament with the use of the LARS synthetic ligament	-	-	+	+
Ulnar collateral/anular ligament reconstruction	-	-	+	+
Secondary reconstruction of upper limb flexor and extensor tendons	-	-	+	+
Reconstruction of acromioclavicular dislocation	-	-	+	+
Hip joint revision	-	-	+	+
Vertebral stabilization (lumbar region) ALIF	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Interspinous vertebral dynamic/percutaneous stabilization	-	-	+	+
Interbody vertebral stabilization cage/dynamic prosthesis without prosthesis cost	-	-	+	+
Interbody stabilization PLIF, TLIF using open or percutaneous technique - 1 level	-	-	+	+
Trans-vertebral stabilization PLIF, open or percutaneous TLIF – every additional level	-	-	+	+
Vertebral stabilization with a plate by anterior approach without implant cost	-	-	+	+
Vertebral stabilization with a plate by anterior approach Vertebral body prosthesis implantation without prosthesis cost	-	-	+	+
Occipitocervical/cervical vertebral stabilization by posterior approach	-	-	+	+
Anterior and posterior vertebral stabilization	-	-	+	+
Anterior vertebral stabilization (thoracic region)	-	-	+	+
Anterior vertebral stabilization (cervical region)	-	-	+	+
Sternoclavicular joint stabilisation - ligament graft	-	-	+	+
Posterior vertebral stabilization (lumbar region)	-	-	+	+
Posterior short-segmented stabilization without implant cost	-	-	+	+
Posterior vertebral cable-based stabilization of fractures of the C1-C3 region	-	-	+	+
Pseudo-joint/non-union of the proximal end of the humerus - resection, stabilization, bone grafts	-	-	+	+
Pseudo-joint/non-union of head of the radius - resection, stabilisation, bone grafts	-	-	+	+
Pseudo-joint/non-union of the forearm (1 bone) - resection, stabilisation, bone grafts	-	-	+	+
Pseudo-joint/non-union of the forearm (2 bones) - resection, stabilisation, bone grafts	-	-	+	+
Pseudo-joint/non-union of the shaft of the humerus - resection, stabilisation, bone grafts	-	-	+	+
Pseudo-joint/non-union of the olecranon	-	-	+	+
Ankle joint - decompression of the Achilles tendon	-	-	+	+
Open wrist extensor synovectomy (ECU/FCU inflammation)	-	-	+	+
Tendon stitch	-	-	+	+
Hand extensor tendons stitching	-	-	+	+
Hand flexor tendons stitching	-	-	+	+
Tendon stitching of upper limb (excluding hand tendons)	-	-	+	+
Suturing/reconstruction of the Achilles tendon or quadriceps tendon	-	-	+	+
Tendon tenolysis (applies to the tendons of the lower limb)	-	-	+	+
Tendon tenolysis (for lower limb tendons) with bone drilling	-	-	+	+
Flexor tenolysis	-	-	+	+
Transfer or transplantation of tendons or peripheral nerves of upper limb	-	-	+	+
Transfer or transplantation of flexors or peripheral extensor of upper limb	-	-	+	+
Posterior vertebral stabilization (cervical region) without or with decompressive laminectomy - 1 level	-	-	+	+
Posterior vertebral stabilization (cervical region) without or with decompressive laminectomy - each additional level	-	-	+	+
Removal of Baker's cyst	-	-	+	+
Removal of osteocartilaginous exostosis	-	-	+	+
Removal of osteocartilaginous exostosis, in children	-	-	+	+
Surgical stabilisation of interphalangeal joint arthritis	-	-	+	+
Carpal tunnel release in an outpatient setting	-	-	+	+
Inflamed tendinous sheath liberation	-	-	+	+
Vertebroplasty (one level)	-	-	+	+
Vertebroplasty (several levels)	-	-	+	+
Percutaneous vertebroplasty (as in thoracic region)	-	-	+	+
Percutaneous vertebroplasty unilateral, one-level	-	-	+	+
Resection of a bone tumour (in a hand or foot)	-	-	+	+
Excision of Morton's neuroma, plantar nerve neurolysis	-	-	+	+
Excision of palmar aponeurosis for Dupuytren's disease – one finger	-	-	+	+
Excision of palmar aponeurosis for Dupuytren's disease – every following finger	-	-	+	+
Lengthening of the femur with simultaneous correction of the limb axis with the use of PRECICE intramedullary magnetic nail	-	-	+	+
Extension/axial correction of a limb with Ilizarov's method (one level)	-	-	+	+
Extension/axial correction of a limb with Ilizarov's method (one level) in children	-	-	+	+
Extension/axial correction of a limb with Ilizarov's method (several levels)	-	-	+	+
Filling the defect with a bone graft; accompanying procedure; without material/filling costs (only as an additional procedure)	-	-	+	+
Foot reconstruction procedure with internal stabilization	-	-	+	+
Placement of clasp traction behind the skull	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Hand bones nailing	-	-	+	+
Fixation of humerus fracture	-	-	+	+
Fixation of medial/lateral malleolus fracture	-	-	+	+
Operative treatment of patella fracture with "Weber girth"	-	-	+	+
Distal humeral end fracture CRIF - closed reposition, wire stabilisation	-	-	+	+
Distal humeral end fracture ORIF - open method with plate, screw stabilisation	-	-	+	+
Fracture of the greater tubercle of the humerus / coracoid process - stabilized with a screw	-	-	+	+
Scaphoid bone fracture - surgical treatment	-	-	+	+
Scaphoid bone fracture, screw stabilisation	-	-	+	+
Humerus/forearm bone fracture - closed reposition in a child	-	-	+	+
Hand/foot bone fracture - closed reposition in a child	-	-	+	+
Metacarpal or phalangeal fracture - open reposition or stabilisation (ORIF)	-	-	+	+
Metacarpal bones or phalanx fracture - closed reposition or stabilisation (CRIF)	-	-	+	+
Thigh/ankle bone fracture - closed reposition in a child	-	-	+	+
Scapular fracture - open reposition with plate and screw stabilisation	-	-	+	+
Phalangeal Fracture - surgical treatment	-	-	+	+
Olecranon fracture - open reposition with dedicated plate stabilisation	-	-	+	+
<b>UROLOGICAL PROCEDURES</b>				
Biopsy of penis tumour	-	-	+	+
Rinsing, thrombectomy and urinary catheterization, intravesical drug administration, in children	-	-	+	+
Partial penile amputation due to tumour	-	-	+	+
Transurethral resection of the prostate (TURP)	-	-	+	+
Transurethral resection of urinary bladder tumour - Transurethral electroresection (TURT) with a histopathological examination	-	-	+	+
Endoscopic incision of urethra	-	-	+	+
Endoscopic removal of kidney stone/foreign body from the ureter	-	-	+	+
Endoscopic removal of ureteral lesions	-	-	+	+
Catheterization of the ureter with diagnostics with a permanent D-J catheter placement, Zeiss-loop procedure, Dormia basket, in children	-	-	+	+
Heminephrectomy, unilateral	-	-	+	+
Hematoma or injury of the vulva, perineum or vagina – surgical treatment, in children	-	-	+	+
Retroperitoneal laparoscopic radical prostatectomy (LRP)	-	-	+	+
Peritoneal laparoscopic radical prostatectomy (LRP)	-	-	+	+
Laparoscopic adrenalectomy, in children	-	-	+	+
Laparoscopic excision of the lesion located in the adrenal gland	-	-	+	+
Prostatic adenoma laserotherapy	-	-	+	+
Mapping of the urinary bladder	-	-	+	+
Percutaneous puncture of a simple kidney cyst, in children	-	-	+	+
Hydrocele surgery	-	-	+	+
Spermatic cord varices surgery	-	-	+	+
Spermatic cord varices surgery, in children	-	-	+	+
Radical prostatectomy	-	-	+	+
Adenomectomy	-	-	+	+
Plasty of the pyeloureteral junction with or without nephrolithiasis, in children	-	-	+	+
Transurethral incision of the prostate (TUIP)	-	-	+	+
Percutaneous nephrostomy	-	-	+	+
Revision of testicle, epididymis, scrotum in adults	-	-	+	+
Testicle, epididymis and scrotum revision, in children	-	-	+	+
Diagnostic ureteroscopy	-	-	+	+
Removal of kidney stones (lumbotomy) and/or drainage and/or kidney biopsy and/or movable kidney stitching, in children	-	-	+	+
Removal of the testicles in adults, bilateral	-	-	+	+
Removal of calculi from renal pelvis and calyx - Removal of renal calculi with PNL /percutaneous nephrolithotripsy/	-	-	+	+
Removal of calculi from renal pelvis	-	-	+	+
Removal of calculi from urinary bladder - Surgical removal of calculi from urinary bladder	-	-	+	+
Surgical removal of ureteral calculi from ureter, formation of the vesicocutaneous fistula or monolateral fistula in situ, in children	-	-	+	+
Removal of ureteral calculi from ureter using classic method (open ureterolithotomy)	-	-	+	+
Laparoscopic removal of ureteral calculi from ureter	-	-	+	+
Removal of a simple kidney cyst, in children	-	-	+	+

	COMPLEX	COMPLEX+	ELITE	ELITE+
Removal of a calculus or foreign body from the urinary bladder through the urethra or a suprapubic fistula, in children	-	-	+	+
Vasectomy	-	-	+	+
Kidney tumour resection (classic method)	-	-	+	+
Laparoscopic ovariectomy, including resection or fenestration of cyst in newborns	-	-	+	+
orchietomy, simple (and subcapsular), in children	-	-	+	+
Nephrectomy - unilateral	-	-	+	+
Nephrectomy, unilateral, in children	-	-	+	+
Kidney removal (nephrectomy) by laparoscopy - unilateral	-	-	+	+
Nephrectomy, resection of the ureter, classic method	-	-	+	+
Resection of the testicular adnexa, in children	-	-	+	+
Resection of the hydrocele; unilateral, in children	-	-	+	+
Resection of the hydrocele; bilateral, in children	-	-	+	+
Resection of a spermatic cord hygroma; unilateral, in children	-	-	+	+
Resection of a spermatic cord hygroma; bilateral, in children	-	-	+	+
Removal of the adrenal gland lesion	-	-	+	+
Laparoscopic ovarian cyst enucleation, in children	-	-	+	+
Replacement of a nephrostomy catheter	-	-	+	+
Replacement of a catheter in the ureter	-	-	+	+
Replacement or removal of a catheter in renal fistula, in children	-	-	+	+
Surgical creation of a suprapubic fistula (cystostomy), in children	-	-	+	+
Urinary bladder endoscopy through suprapubic fistula	-	-	+	+
Bladder endoscopy through suprapubic fistula with bladder biopsy and tissue sample collection for histopathological examination	-	-	+	+
<b>SURGICAL PROCEDURES</b>				
Vessel puncture	-	-	+	+
Lumbar puncture	-	-	+	+
Administration of neuroprotective drugs - intravenous infusion	-	-	+	+
Blood and/or blood substitutes transfusion	-	-	+	+
Antibiotic injection or infusion in children below the age of 16	-	-	+	+
Injection or infusion of another preventive or therapeutic substance in children below the age of 16	-	-	+	+
Application of a gastric tube	-	-	+	+

The present appendix enters into force on 1 July 2025 and applies to insurance agreements concluded from this date on.