

**APPENDIX NO 2 TO THE GENERAL TERMS OF INSURANCE FROM 1 JULY 2025
THE “CARE FOR YOU AND YOUR FAMILY” 1/2025 – SCOPE OF INSURANCE**

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
EMERGENCY AID						
HOTLINE MEDICOVER						
Emergency information advice (24h)	+	+	+	+	+	+
AMBULANCE						
The Emergency Service is provided in the case of a sudden illness or an accident within the Area where the benefits are provided. Calling the ambulance takes place via the Medicover Hotline, whose dispatchers determine whether it is justified to send an ambulance based on the obtained information.	+	+	+	+	+	+
HOME VISITS						
Home visits (of a family doctor, internist or paediatrician) are provided in the case of a sudden illness or an accident within the Area where the benefits are provided. Making appointment for a home visit takes place via the Medicover Hotline, whose dispatchers determine whether a home visit is justified based on the obtained information.	-	-	-	-	30 PLN (limit: 2x per year)	+ (limit: 2x per year)
CONSULTATIONS OF EMERGENCY CARE PHYSICIANS						
Consultation of surgical emergency care physician	-	-	30 PLN	+	30 PLN	+
Consultation of general emergency care physician	30 PLN	+	30 PLN	+	30 PLN	+
Consultation of orthopaedic emergency care physician	-	-	30 PLN	+	30 PLN	+
Consultation of paediatric emergency care physician	30 PLN	+	30 PLN	+	30 PLN	+
The services of emergency care physicians are provided in the event of sudden illness or accident that require initial treatment and are provided in selected Medicover Medical Facilities. All emergencies should be reported to the Medicover Hotline, whose dispatchers, based on the information obtained, will determine whether emergency assistance is required and indicate the possible place where it will be provided. In situations related to saving life and health, the Medicover HotLine will indicate to the Insured a medical facility, including facilities in the public system, where it will be possible to obtain appropriate assistance.						
CONSULTATIONS OF PHYSICIANS						
Consultations are carried out due to medical indications in the form of stationary visits or advice provided via electronic channels (telemedicine) by Medicover Medical Facility or, after obtaining a referral from Medicover, also by another Medical Facility (sub-supplier) with whom Medicover has concluded a relevant agreement. The scope does not include outpatient consultations in a Hospitals. In order to offer the best solution, corresponding to a given medical need, Medicover reserves the right to verify medical indications before performing a given service						
CONSULTATIONS OF PRIMARY CARE PHYSICIANS						
Internist consultation	30 PLN	+	30 PLN	+	30 PLN	+
Family medicine physician consultation	30 PLN	+	30 PLN	+	30 PLN	+
Paediatrician consultation	30 PLN	+	30 PLN	+	30 PLN	+
CONSULTATIONS OF SPECIALISTS – BASIC LEVEL						
Dermatologist consultation	30 PLN	+	30 PLN	+	30 PLN	+
Paediatric dermatologist consultation	30 PLN	+	30 PLN	+	30 PLN	+
Gynaecologist consultation	30 PLN	+	30 PLN	+	30 PLN	+
Paediatric gynaecologist consultation	30 PLN	+	30 PLN	+	30 PLN	+
Ophthalmologist consultation	30 PLN	+	30 PLN	+	30 PLN	+
Paediatric ophthalmologist consultation	30 PLN	+	30 PLN	+	30 PLN	+
Medicover Optician Optometry - eye examination and selection of corrective lenses	30 PLN	+	30 PLN	+	30 PLN	+
CONSULTATIONS OF SPECIALISTS – ADVANCED LEVEL						
Surgeon consultation	-	-	30 PLN	+	30 PLN	+
Paediatric surgeon consultation	-	-	30 PLN	+	30 PLN	+
Cardiologist consultation	-	-	30 PLN	+	30 PLN	+
Paediatric cardiologist consultation	-	-	30 PLN	+	30 PLN	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
Neurologist consultation	-	-	30 PLN	+	30 PLN	+
Paediatric neurologist consultation	-	-	30 PLN	+	30 PLN	+
Orthopaedist consultation	-	-	30 PLN	+	30 PLN	+
Paediatric orthopaedist consultation	-	-	30 PLN	+	30 PLN	+
Otolaryngologist consultation	-	-	30 PLN	+	30 PLN	+
Paediatric otolaryngologist consultation	-	-	30 PLN	+	30 PLN	+
Urologist consultation	-	-	30 PLN	+	30 PLN	+
Paediatric urologist consultation	-	-	30 PLN	+	30 PLN	+
CONSULTATIONS WITH SPECIALIST DOCTORS - ADVANCED LEVEL						
Available on the basis of a referral issued by a physician of a Medicover medical centre..						
Vascular surgeon consultation	-	-	-	-	30 PLN	+
Surgeon oncologist consultation	-	-	-	-	30 PLN	+
Paediatric surgeon oncologist consultation	-	-	-	-	30 PLN	+
Diabetologist consultation	-	-	-	-	30 PLN	+
Paediatric diabetologist consultation	-	-	-	-	30 PLN	+
Gynaecologist - oncologist consultation	-	-	-	-	30 PLN	+
Haematologist consultation	-	-	-	-	30 PLN	+
Paediatric haematologist consultation	-	-	-	-	30 PLN	+
Hepatologist consultation	-	-	-	-	30 PLN	+
Infectious diseases physician consultation	-	-	-	-	30 PLN	+
Nephrologist consultation	-	-	-	-	30 PLN	+
Paediatric nephrologist consultation	-	-	-	-	30 PLN	+
Oncologist consultation	-	-	-	-	30 PLN	+
Travel medicine - medical consultation	30 PLN	+	30 PLN	+	30 PLN	+
PREVENTIVE VISIT						
A preventive visit is the first-time or annual appointment with the patient's personal physician (internist or family doctor), during which the physician conducts a review of the patient's medical history, a physical examination, and recommends appropriate examinations suitable for the age and gender of the patient based on the Prevention Standard. In the case of additional risk factors or chronic diseases in patient's family, including oncological diseases, the physician determines the scope of preventive examinations individually. Due to continuity of care provided by the patient's personal physician, during the visit, it is possible to commission performance of examinations necessary for the proper treatment of the patient's chronic diseases.	30 PLN	+	30 PLN	+	30 PLN	+
NURSE CONSULTATIONS						
Nurse medical consultation	30 PLN	+	30 PLN	+	30 PLN	+
Midwife consultation	30 PLN	+	30 PLN	+	30 PLN	+
OUTPATIENT PROCEDURES						
Available on the basis of a referral issued by a physician of a Medicover medical centre.						
NURCING PROCEDURES						
Urine analysis - urine dipstick test	+	+	+	+	+	+
Capillary cholesterol level - strip test measurement	+	+	+	+	+	+
D-dimer - test strip	+	+	+	+	+	+
Patient education by a nurse	+	+	+	+	+	+
Education of the patient by the midwife	+	+	+	+	+	+
Blood glucose fingerstick capillary measurement	+	+	+	+	+	+
Inhalations on an emergency basis in an outpatient setting	+	+	+	+	+	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
Enema	+	+	+	+	+	+
Blood collection	+	+	+	+	+	+
Administration of ophthalmic drops	+	+	+	+	+	+
Intranasal administration of the drug	+	+	+	+	+	+
Oral drug administration	+	+	+	+	+	+
Per rectum drug administration	+	+	+	+	+	+
Measurement of blood pressure	+	+	+	+	+	+
Temperature measurement	+	+	+	+	+	+
Patient weight measurement	+	+	+	+	+	+
Growth measurement	+	+	+	+	+	+
Counseling a midwife in breastfeeding	+	+	+	+	+	+
Strep A test	+	+	+	+	+	+
Strep A test Quik Read	+	+	+	+	+	+
Actim CRP test	+	+	+	+	+	+
Troponin test	+	+	+	+	+	+
Oxygen therapy on an emergency basis in an outpatient setting	+	+	+	+	+	+
Tick removal	+	+	+	+	+	+
Nursing procedure	+	+	+	+	+	+
INJECTIONS						
Intramuscular / subcutaneous injection	+	+	+	+	+	+
Intravenous injection	+	+	+	+	+	+
Intradermal injection	+	+	+	+	+	+
Drip	+	+	+	+	+	+
Venflon removal	+	+	+	+	+	+
Venflon insertion	+	+	+	+	+	+
OTHER PROCEDURES						
Dermatoscopy	+	+	+	+	+	+
Cryotherapy with liquid nitrogen N2	-	-	-	-	+	+
SURGICAL PROCEDURES						
Percutaneous biopsy of subcutaneous lesion	-	-	-	-	+	+
Electrocoagulation of skin lesion / mucous membrane	-	-	-	-	+	+
Next rinsing of wound/abscess	-	-	+	+	+	+
Cryosurgical removal of a wart	-	-	-	-	+	+
Cryosurgical skin lesion removal	-	-	-	-	+	+
Incision and drainage of cutaneous and subcutaneous haematoma	-	-	+	+	+	+
Incision and drainage of cutaneous and subcutaneous hematoma, in children	-	-	+	+	+	+
Incision and drainage of cutaneous and subcutaneous abscess/paronychia	-	-	+	+	+	+
Incision and drainage of infections of skin and subcutaneous tissue wounds	-	-	+	+	+	+
Incision and removal of cutaneous and subcutaneous foreign body	-	-	+	+	+	+
Incision and removal of cutaneous and subcutaneous foreign body, in children	-	-	+	+	+	+
Abscess incision (limb)	-	-	+	+	+	+
Breast abscess incision	-	-	+	+	+	+
Incision of paronychia of finger or toe in children	-	-	+	+	+	+
Necrectomy under ambulatory conditions	-	-	+	+	+	+
Cutting or paring of hyperkeratotic lesions (e.g. corn or callus), in children	-	-	-	-	+	+
Prepuce separation under surface anesthesia (EMLA)	-	-	-	-	+	+
One skin tissue sample collection	-	-	+	+	+	+
Skin tissue sample collection	-	-	+	+	+	+
Simple superficial skin wound closure, up to 10 cm, in children	-	-	+	+	+	+
Simple superficial skin wound closure, up to 5 cm, in children	-	-	+	+	+	+
Abscess, haematoma, blister or skin/subcutaneous tissue aspiration puncture	-	-	+	+	+	+
Wedge resection of ingrown nail	-	-	-	-	+	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
Preputial stretch	-	-	-	-	+	+
Pudendal labia separation under surface anesthesia (EMLA)	-	-	-	-	+	+
Foreign body removal	-	-	+	+	+	+
Removal of skin nodules (atheroma, fibroma, lipoma), in children	-	-	-	-	+	+
Tick removal with incision	-	-	+	+	+	+
Fingernail removal	-	-	+	+	+	+
Removal of the nail plate, partial or total	-	-	+	+	+	+
Removal of the nail plate, partial or total, simple; single, in children	-	-	-	-	+	+
Removal of melanocytic or vascular skin lesions under local anaesthesia, in children	-	-	-	-	+	+
Removal of cutaneous papillomas	-	-	-	-	+	+
Initial or subsequent treatment, second degree burn, local treatment (dressing), adults	-	-	+	+	+	+
Initial or subsequent treatment, second degree burn, local treatment (dressing), below 1 year old, in children	-	-	+	+	+	+
Initial or subsequent treatment, second degree burn, local treatment (dressing), above 1 year old, in children	-	-	+	+	+	+
Initial or subsequent treatment, first degree burn, local treatment (dressing), adults	-	-	+	+	+	+
Initial or subsequent treatment, first degree burn, local treatment (dressing), below 1 year old, in children	-	-	+	+	+	+
Initial or subsequent treatment, first degree burn, local treatment (dressing), above 1 year old, in children	-	-	+	+	+	+
Cutting of hyperkeratotic lesions (e.g. corn or callus)	-	-	-	-	+	+
Resection of a small subcutaneous lesion up to 1,5 cm	-	-	-	-	+	+
Resection of a small subcutaneous lesion up to 1,5 cm	-	-	+	+	+	+
Resection of a small skin lesion up to 1,5 cm	-	-	+	+	+	+
Resection of a fingernail and wedge resection of a nail wall, in children	-	-	-	-	+	+
Resection of a single pigmented naevus, in children	-	-	-	-	+	+
Resection of a medium subcutaneous lesion over 1,5 cm	-	-	-	-	+	+
Resection of a medium skin lesion over 1,5 cm	-	-	-	-	+	+
Resection of a subcutaneous/skin lesion over 3 cm without plastic surgery procedures	-	-	-	-	+	+
Curettage/destruction of a skin lesion	-	-	+	+	+	+
Application/change of large dressing	-	-	+	+	+	+
Application/change of dressing	-	-	+	+	+	+
Application/change of burn dressing	-	-	+	+	+	+
Stitches removal	-	-	+	+	+	+
Wound sewing up to 3 cm	-	-	+	+	+	+
Wound sewing over 3 cm	-	-	+	+	+	+
Facial wound sewing up to 3 cm	-	-	+	+	+	+
Local infiltration anesthesia for a procedure	-	-	+	+	+	+
GYNAECOLOGICAL PROCEDURES						
Laser ablation of cervical lesions	-	-	-	-	+	+
Vaginal mucosal membrane biopsy; after colposcopy	-	-	-	-	+	+
Vaginal and pudendal condyloma cryotherapy	-	-	-	-	+	+
Cryotherapy of uterine cervix lesions	-	-	-	-	+	+
Cervical erosion treatment - electrocoagulation	-	-	-	-	+	+
Cervical erosion treatment - cryotherapy	-	-	-	-	+	+
Cervical erosion treatment - laser	-	-	-	-	+	+
Cervical erosion treatment - solcogyn	-	-	+	+	+	+
Fiblaferon bandage	-	-	+	+	+	+
Removal of the intrauterine device	-	-	-	-	+	+
Application of the intrauterine device	-	-	-	-	+	+
Colposcopy	-	-	-	-	30 PLN	+
Ectocervix tissue sample collection with endocervical curettage	-	-	-	-	30 PLN	+
Ectocervix tissue sample collection with endocervical and uteral curettage	-	-	-	-	30 PLN	+
LARYNGOLOGICAL PROCEDURES						

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
Saliwary gland fine needle biopsy	-	-	-	-	+	+
Minor procedures/exchange of drain/bandage	-	-	+	+	+	+
Evacuation of auricular concha haematoma	-	-	-	-	+	+
Auditory meatus abscess incision	-	-	+	+	+	+
Ear dressing	-	-	+	+	+	+
Ear dressing under microscope guidance, in children	-	-	+	+	+	+
Ear wash	+	+	+	+	+	+
Anterior nasal tamponade	-	-	+	+	+	+
Anterior nasal tamponade, two-side	-	-	+	+	+	+
Foreign body removal from the ORL region	-	-	+	+	+	+
Nasal tamponade removal	-	-	+	+	+	+
Cerumen removal	-	-	+	+	+	+
OPHTHALMIC PROCEDURES						
Foreign body removal from the eye during ophthalmologist consultation	-	-	-	-	+	+
ORTHOPAEDIC PROCEDURES						
Aspiration/injection intracystic, intratissual	-	-	+	+	+	+
Periarticular block	-	-	+	+	+	+
Incision of hematoma and drainage	-	-	+	+	+	+
Fracture reduction without internal stabilization	-	-	+	+	+	+
Fixing plaster bandage	-	-	+	+	+	+
Fixing plaster bandage (crus)	-	-	+	+	+	+
Fixing plaster bandage (forearm/arm)	-	-	+	+	+	+
Fixing plaster bandage (hand and forearm)	-	-	+	+	+	+
Fixing plaster bandage (thigh/crus)	-	-	+	+	+	+
Fixing plaster bandage immobilising the knee	-	-	+	+	+	+
Popliteal fossa puncture under USG guidance	-	-	-	-	+	+
Joint puncture with or without drug injection	-	-	+	+	+	+
Joint puncture with or without drug injection, in children	-	-	+	+	+	+
Joint/cyst puncture	-	-	+	+	+	+
Joint/cyst puncture with drug injection	-	-	+	+	+	+
Intraarticular drug injection	-	-	+	+	+	+
Gypsum plaster application - big	-	-	+	+	+	+
Gypsum plaster application - small	-	-	+	+	+	+
Application of Jewett corset, lumbar corset with laces, thermoplastic mass	-	-	+	+	+	+
Application of Jewett corset, lumbar corset with laces, thermoplastic mass in children	-	-	+	+	+	+
Application and adaptation of soft orthopaedic collar	-	-	+	+	+	+
Application and adaptation of rigid orthopaedic collar (e.g. Philadelphia type)	-	-	+	+	+	+
Application of a synthetic plaster bandage	-	-	+	+	+	+
Application of a Kramer splint	-	-	+	+	+	+
Application of long orthopaedic stabilizer on lower limb, upper limb	-	-	+	+	+	+
Application of long orthopaedic stabilizer on lower limb, upper limb, in children	-	-	+	+	+	+
Application of short orthopaedic stabilizer on lower limb, upper limb	-	-	+	+	+	+
Application of short orthopaedic stabilizer on lower limb, upper limb, in children	-	-	+	+	+	+
Application of an orthopaedic stabilizer on trunk and shoulder girdle	-	-	+	+	+	+
Application of a trunk or upper limb orthosis	-	-	+	+	+	+
Application of a trunk or upper limb orthosis	-	-	+	+	+	+
Application of a trunk and shoulder girdle orthosis	-	-	+	+	+	+
Application of a trunk and shoulder girdle orthosis	-	-	+	+	+	+
Stabilization dressing removal	-	-	+	+	+	+
UROLOGICAL PROCEDURES						
Catheterization of the urinary bladder	-	-	+	+	+	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
Prepuce separation, in children	-	-	-	-	+	+
Urinary bladder irrigation	-	-	+	+	+	+
Dissection of labial adhesions (synechia), in girls	-	-	-	-	+	+
Laser removal of penile condyloma	-	-	-	-	+	+
Replacement/removal of a catheter	-	-	+	+	+	+
TREATMENT PROCEDURES						
Cytology sampling	+	+	+	+	+	+
Smear collection	-	-	+	+	+	+
Cervical smear collection	-	-	+	+	+	+
Vaginal smear collection	-	-	+	+	+	+
Cytology sampling	-	-	+	+	+	+
DIAGNOSTIC TESTS						
Available on the basis of a referral issued by a physician of a Medcover medical centre.						
ALLERGOLOGY						
Gluten -F79	-	-	+	+	+	+
IgE total	-	-	+	+	+	+
Cow's milk -F2	-	-	+	+	+	+
CYTOLOGICAL AND HISTOPATHOLOGICAL TESTS						
Cytology	-	-	30 PLN	+	30 PLN	+
Cytological examination of material from fine-needle aspiration biopsy of 1 organ	-	-	-	-	30 PLN	+
Nipple fluid cytology	-	-	-	-	30 PLN	+
Histopathological examination of the additional serial slices (over 2)	-	-	30 PLN	+	30 PLN	+
Histopathological examination of diagnostic material - small	-	-	30 PLN	+	30 PLN	+
Histopathological examination of cutaneous fragments	-	-	30 PLN	+	30 PLN	+
Immunopathological examination of cutaneous fragments	-	-	30 PLN	+	30 PLN	+
Uteral cervix cytology	+	+	+	+	+	+
Additional histochemical colouring	-	-	30 PLN	+	30 PLN	+
Additional immunohistochemical staining	-	-	30 PLN	+	30 PLN	+
URINE ANALYSIS						
Urine - general examination	+	+	+	+	+	+
Urine - protein	+	+	+	+	+	+
Urine - Bence Jones protein using immunofixation	-	-	-	-	+	+
Urine - specific gravity	+	+	+	+	+	+
Urine - cytology	-	-	-	-	+	+
Urine - glucose	+	+	+	+	+	+
Urine - dysmorphic blood cells	-	-	-	-	+	+
Urine - Addis count	-	-	-	-	+	+
Urine - microalbuminuria	-	-	+	+	+	+
Diurnal urine - protein	-	-	+	+	+	+
Diurnal urine - glucose	-	-	+	+	+	+
Diurnal urine - Copper Cu level	-	-	-	-	+	+
Diurnal urine - microalbuminuria	-	-	+	+	+	+
Panel: albumin, urinary creatinine and urine albumin/creatinine (ALB/CRE) levels	-	-	+	+	+	+
STOOL TESTS						
Examination for threadworm	-	-	+	+	+	+
Faeces - general examination	-	-	+	+	+	+
Faeces - occult blood	-	-	+	+	+	+
Faeces - lamblias by ELISA	-	-	+	+	+	+
Faeces - Parasites (1 test)	-	-	+	+	+	+
Faeces for digestion rate	-	-	+	+	+	+
BIOCHEMISTRY						
Serum renin activity (SRA)	-	-	-	-	+	+
Albumin - serum	-	-	+	+	+	+
Alpha-1 antitrypsin	-	-	-	-	+	+
Alanine aminotransferase - ALT (GPT)	+	+	+	+	+	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
Aspartate aminotransferase - AST (GOT)	+	+	+	+	+	+
Amylase - urine	+	+	+	+	+	+
Amylase - serum	+	+	+	+	+	+
Pancreatic amylase - urine	-	-	+	+	+	+
Pancreatic amylase - serum	-	-	+	+	+	+
Beta-2-microglobulin (urine)	-	-	-	-	+	+
Beta-2-microglobulin (serum)	-	-	-	-	+	+
Total protein - serum	-	-	+	+	+	+
Immunofixation method monoclonal protein	-	-	-	-	+	+
Acute phase protein - CRP - quantitative	+	+	+	+	+	+
Direct bilirubin	-	-	-	-	+	+
Total bilirubin - serum	-	-	+	+	+	+
Total bilirubin and fractions - serum	-	-	+	+	+	+
Total iron binding capacity - TIBC	-	-	-	-	+	+
Chlorides - diurnal urine	-	-	+	+	+	+
Chlorides - serum	-	-	+	+	+	+
Chlorides in sudor	-	-	+	+	+	+
Total cholesterol	+	+	+	+	+	+
HDL Cholesterol	+	+	+	+	+	+
Direct LDL cholesterol	+	+	+	+	+	+
Lactate dehydrogenase - LDH	-	-	+	+	+	+
Protein electrophoresis - urine	-	-	-	-	+	+
Protein electrophoresis - serum	-	-	-	-	+	+
Ferritin	-	-	+	+	+	+
Alkaline phosphatase - ALP	-	-	+	+	+	+
Alkaline phosphatase B fraction ALP-B	-	-	+	+	+	+
Acid phosphatase - total - ACP	-	-	+	+	+	+
Prostatic acid phosphatase - ACPp	-	-	+	+	+	+
Phosphorus - urine	-	-	+	+	+	+
Phosphorus - diurnal urine	-	-	+	+	+	+
Phosphorus - serum	-	-	+	+	+	+
Fructosamine - serum	-	-	+	+	+	+
Blood galactose	-	-	-	-	+	+
Galactose in urine	-	-	-	-	+	+
Gamma-glutamyl transpeptidase - GGTP	-	-	+	+	+	+
Random glycaemia	+	+	+	+	+	+
Glucose - ear/nasal leak	-	-	+	+	+	+
Glucose (random test)	+	+	+	+	+	+
Glucose 1h postprandial	-	-	+	+	+	+
Glucose 2h postprandial in venous blood	-	-	+	+	+	+
Glucose 30min postprandial	-	-	+	+	+	+
Glucose 90 min postprandial	-	-	+	+	+	+
Fasting glucose in venous blood	+	+	+	+	+	+
Glucose after 50g of glucose - measured after 1h	-	-	+	+	+	+
Glucose after 50g of glucose - measured after 2h	-	-	+	+	+	+
Glucose after 75g of glucose after 4h	-	-	+	+	+	+
Glucose after 75g of glucose - measured after 1h	-	-	+	+	+	+
Glucose after 75g of glucose - measured after 2h	-	-	+	+	+	+
Glucose after 75g of glucose - measured after 3h	-	-	+	+	+	+
Fasting blood glucose level	-	-	+	+	+	+
Glycated haemoglobin	-	-	+	+	+	+
hs CRP	-	-	+	+	+	+
Immunoelectroforesis	-	-	-	-	+	+
Immunoglobulin A - IgA	-	-	-	-	+	+
Immunoglobulin G - IgG	-	-	-	-	+	+
Immunoglobulin M - IgM	-	-	-	-	+	+
Creatine kinase - CK	+	+	+	+	+	+
Creatine kinase heart type - CKMB	+	+	+	+	+	+
Creatine kinase heart type - CKMB-MASS	+	+	+	+	+	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
Creatinine clearance (estimated)	-	-	-	-	+	+
Creatinine - urine	-	-	+	+	+	+
Creatinine - diurnal urine	-	-	+	+	+	+
Creatinine - serum	-	-	+	+	+	+
Folic acid	-	-	-	-	+	+
Lactic acid (plasma)	-	-	+	+	+	+
Uric acid - urine	-	-	+	+	+	+
Uric acid - diurnal urine	-	-	+	+	+	+
Uric acid - serum	-	-	+	+	+	+
Cholic acids (serum)	-	-	+	+	+	+
Lipase - serum	-	-	+	+	+	+
Lipid panel	+	+	+	+	+	+
Magnesium - urine	-	-	+	+	+	+
Magnesium - diurnal urine	-	-	+	+	+	+
Magnesium - serum	-	-	+	+	+	+
Myoglobin	-	-	+	+	+	+
Urea - diurnal urine	-	-	+	+	+	+
Urea - serum	-	-	+	+	+	+
Urea (urine)	-	-	+	+	+	+
Mucoproteins	-	-	-	-	+	+
Potassium - urine	-	-	+	+	+	+
Potassium - diurnal urine	-	-	+	+	+	+
Potassium - serum	+	+	+	+	+	+
Procalcitonin	-	-	-	-	+	+
Soluble transferrin receptor (sTfR)	-	-	-	-	+	+
Transferrin saturation (calculated)	-	-	-	-	+	+
Sodium - diurnal urine	-	-	+	+	+	+
Sodium - serum	+	+	+	+	+	+
Transferrin	-	-	-	-	+	+
Transferrin + transferrin saturation + fasting iron – panel	-	-	-	-	+	+
Troponin I	+	+	+	+	+	+
Troponin T	+	+	+	+	+	+
Triglycerides TG	+	+	+	+	+	+
Calcium - urine	-	-	+	+	+	+
Calcium - diurnal urine	-	-	+	+	+	+
Total calcium - serum	-	-	+	+	+	+
Corrected calcium - serum	-	-	-	-	+	+
Ionized calcium - blood	-	-	-	-	+	+
Vitamin B12	-	-	-	-	+	+
Free hemoglobin in serum	-	-	-	-	+	+
Iron on empty stomach - serum	-	-	+	+	+	+
Iron - serum after 1 h	-	-	-	-	+	+
Iron - serum after 2 h	-	-	-	-	+	+
Iron - serum after 3 h	-	-	-	-	+	+
Iron - serum after 5 h	-	-	-	-	+	+
Iron - serum after 6 h	-	-	-	-	+	+
Iron x 5 - serum - iron absorption curve	-	-	-	-	+	+
BIOPSIES						
Breast fine needle aspiration biopsy under USG guidance	-	-	-	-	30 PLN	+
Fine needle aspiration biopsy of thyroid gland under USG guidance	-	-	-	-	30 PLN	+
Fine needle aspiration biopsy of subcutaneous tissue lesion under ultrasound control	-	-	-	-	30 PLN	+
Fine needle aspiration biopsy under USG guidance	-	-	-	-	30 PLN	+
Testicle biopsy	-	-	-	-	30 PLN	+
Biopsy of skin	-	-	-	-	30 PLN	+
Salivary gland biopsy under USG guidance	-	-	-	-	30 PLN	+
CARDIAC DIAGNOSTICS						
Resting ECG	30 PLN	+	30 PLN	+	30 PLN	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
Holter ECG 24 hours	-	-	30 PLN	+	30 PLN	+
24-hour blood pressure Holter monitoring	-	-	30 PLN	+	30 PLN	+
Resting ECG interpretation	30 PLN	+	30 PLN	+	30 PLN	+
ECG effort test	-	-	30 PLN	+	30 PLN	+
LABORATORY DIAGNOSTICS OF INFECTIONS						
Adenovirus antigen -faeces	-	-	+	+	+	+
Candida antigen	-	-	-	-	+	+
ASO	-	-	-	-	+	+
CMV IgG avidity	-	-	+	+	+	+
Clostridium difficile - A and B toxin in faeces	-	-	+	+	+	+
Mycosis - serological test	-	-	-	-	+	+
HBe antigen	-	-	-	-	+	+
Hbs antigen	-	-	+	+	+	+
Helicobacter pylori - faecal antigen test	-	-	+	+	+	+
HIV - antigen/antibodies (for confirmation test)	-	-	+	+	+	+
Mononucleosis (screening test)	-	-	+	+	+	+
Widal test	-	-	-	-	+	+
Immunoglobulins anti -HIV with p24 antigen - COMBO assay	-	-	+	+	+	+
Immunoglobulins anti HCV - RIBA	-	-	-	-	+	+
Immunoglobulins anti - CMV IgG	-	-	+	+	+	+
Immunoglobulins anti - CMV IgM	-	-	-	-	+	+
Immunoglobulins anti - HAV total	-	-	-	-	+	+
Immunoglobulins anti - HAV IgG	-	-	-	-	+	+
Immunoglobulins anti - HAV IgM	-	-	+	+	+	+
Immunoglobulins anti - HbC IgM	-	-	-	-	+	+
Immunoglobulins anti - HbC total	-	-	-	-	+	+
Immunoglobulins anti - HBe total	-	-	-	-	+	+
Immunoglobulins anti - HbS total	-	-	+	+	+	+
Immunoglobulins anti - HCV	-	-	+	+	+	+
Immunoglobulins anti aspergillosis	-	-	-	-	+	+
Immunoglobulins anti Bordetella pertussis IgA	-	-	+	+	+	+
Immunoglobulins anti Bordetella pertussis IgG	-	-	+	+	+	+
Immunoglobulins anti Bordetella pertussis IgM	-	-	+	+	+	+
Immunoglobulins anti Borrelia	-	-	-	-	+	+
Immunoglobulins anti Borrelia IgG	-	-	-	-	+	+
Immunoglobulins anti Borrelia IgM	-	-	-	-	+	+
Immunoglobulins anti candidiasis	-	-	-	-	+	+
Immunoglobulins anti Chlamydia pneumoniae IgA	-	-	+	+	+	+
Immunoglobulins anti Chlamydia pneumoniae IgG	-	-	+	+	+	+
Immunoglobulins anti Chlamydia pneumoniae IgM	-	-	+	+	+	+
Immunoglobulins anti Chlamydia trachomatis IgA	-	-	+	+	+	+
Immunoglobulins anti Chlamydia trachomatis IgG	-	-	+	+	+	+
Immunoglobulins anti Chlamydia trachomatis IgM	-	-	+	+	+	+
Immunoglobulins anti Coxsackie	-	-	-	-	+	+
Immunoglobulins anti EBV IgG	-	-	+	+	+	+
Immunoglobulins anti EBV IgM	-	-	+	+	+	+
Immunoglobulins anti enteroviruses IgG	-	-	-	-	+	+
Immunoglobulins anti enteroviruses IgM	-	-	-	-	+	+
Immunoglobulins anti Helicobacter pylori IgG quantitative	-	-	+	+	+	+
Immunoglobulins anti Helicobacter pylori-qualitative	-	-	+	+	+	+
Immunoglobulins anti Herpes simplex IgG	-	-	+	+	+	+
Immunoglobulins anti Herpes simplex IgM	-	-	+	+	+	+
Immunoglobulins anti tick-borne encephalitis IgG	-	-	-	-	+	+
Immunoglobulins anti tick-borne encephalitis IgM	-	-	-	-	+	+
Immunoglobulins anti Legionella pneumophila IgG	-	-	-	-	+	+
Immunoglobulins anti Legionella pneumophila IgM	-	-	-	-	+	+
Immunoglobulins anti Listeria monocytogenes	-	-	-	-	+	+
Immunoglobulins anti Mycoplasma pneumoniae IgG	-	-	+	+	+	+
Immunoglobulins anti Mycoplasma pneumoniae IgM	-	-	+	+	+	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
Immunoglobulins anti measles IgG	-	-	+	+	+	+
Immunoglobulins anti measles IgM	-	-	+	+	+	+
Immunoglobulins anti Varicella IgG	-	-	+	+	+	+
Immunoglobulins anti Varicella IgM	-	-	+	+	+	+
Immunoglobulins anti Rickettsia IgG	-	-	-	-	+	+
Immunoglobulins anti Rickettsia IgG and IgM	-	-	-	-	+	+
Immunoglobulins anti rubella IgG	-	-	+	+	+	+
Immunoglobulins anti rubella IgG	-	-	+	+	+	+
Serotypes of anti-Yersinia sp. immunoglobulins (IgA, IgM, IgG)	-	-	-	-	+	+
Immunoglobulins anti mumps IgG	-	-	+	+	+	+
Immunoglobulins anti mumps IgM	-	-	+	+	+	+
Immunoglobulins anti tetanus	-	-	-	-	+	+
Immunoglobulins anti toxoplasmosis IgA	-	-	+	+	+	+
Immunoglobulins anti toxoplasmosis IgG	-	-	+	+	+	+
Immunoglobulins anti toxoplasmosis IgM	-	-	+	+	+	+
Immunoglobulins anti Echinococcus	-	-	-	-	+	+
Immunoglobulins anti pneumocytosis IgM and IgG	-	-	-	-	+	+
Immunoglobulins anti Trichinella spp. (włośnica) metodą Western blot	-	-	-	-	+	+
Borrelia IgG blot antibodies	-	-	-	-	+	+
Borrelia IgM blot antibodies	-	-	-	-	+	+
Anit-brucella antibodies, IgD method (B. abortus, B. melitensis, B. suis and B. canis)	-	-	-	-	+	+
Anit-brucella antibodies, IgM method (B. abortus, B. melitensis, B. suis and B. canis)	-	-	-	-	+	+
Anti-Treponema pallidum antibodies	-	-	+	+	+	+
Rotavirus antigen - faeces	-	-	+	+	+	+
Syphilis serology (VDRL)	-	-	+	+	+	+
Toxoplasmosis - panel (IgG, IgM)	-	-	+	+	+	+
IgG toxo-avidity	-	-	+	+	+	+
Trichomonas vaginalis antigen	-	-	+	+	+	+
NEUROLOGICAL DIAGNOSTICS						
EEG Electroencephalography	-	-	30 PLN	+	30 PLN	+
EEG (electroencephalography) – children	-	-	30 PLN	+	30 PLN	+
Sleep EEG Electroencephalography	-	-	30 PLN	+	30 PLN	+
Electromyography (EMG)	-	-	-	-	30 PLN	+
Electroneurography	-	-	-	-	30 PLN	+
EMG (Electromyography) - edrophonium test	-	-	-	-	30 PLN	+
EMG (Electromyography) - ischaemic test	-	-	-	-	30 PLN	+
Mini mental state scale	-	-	-	-	30 PLN	+
PULMONOLOGICAL DIAGNOSTICS						
Spirometry	-	-	30 PLN	+	30 PLN	+
Spirometry with bronchodilatation test	-	-	30 PLN	+	30 PLN	+
OPHTHALMOLOGICAL DIAGNOSTICS						
Eye fundus examination	30 PLN	+	30 PLN	+	30 PLN	+
Visual acuity test - computer	+	+	+	+	+	+
Visual field test	-	-	+	+	+	+
Visual field test - MATRIX	-	-	30 PLN	+	30 PLN	+
Sight defect evaluation - sciascopy	+	+	+	+	+	+
Chromatic vision test	+	+	+	+	+	+
Binocular sight and strabismus angle examination	-	-	30 PLN	+	30 PLN	+
Stereoscopic vision test	30 PLN	+	30 PLN	+	30 PLN	+
Twilight vision and light reaction examination	-	-	-	-	30 PLN	+
Tear secretion examination	-	-	30 PLN	+	30 PLN	+
Conjunctival cytology	-	-	-	-	30 PLN	+
Exophthalmometry	-	-	30 PLN	+	30 PLN	+
GDX - laser optic nerve fiber thickness measurement	-	-	30 PLN	+	30 PLN	+
Gonioscopy	-	-	30 PLN	+	30 PLN	+
Keratometry	-	-	30 PLN	+	30 PLN	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
Diurnal curve of intraocular pressure	-	-	30 PLN	+	30 PLN	+
Pachymetry	-	-	-	-	30 PLN	+
Intraorbital pressure measurement	+	+	+	+	+	+
Reflectometry	+	+	+	+	+	+
Corneal topography	-	-	30 PLN	+	30 PLN	+
UBM - ultrasound biomicroscopy	-	-	30 PLN	+	30 PLN	+
Volumetry of the posterior segment	-	-	30 PLN	+	30 PLN	+
DIAGNOSIS OF ORL DISEASES (LARYNGOLOGY)						
Impedance audiometry (tymanometry)	-	-	30 PLN	+	30 PLN	+
Impedance audiometry + Eustachian tube function testing	-	-	30 PLN	+	30 PLN	+
Impedance audiometry (tymanometry) for children up to the age of 3	-	-	30 PLN	+	30 PLN	+
Speech audiometry	-	-	30 PLN	+	30 PLN	+
Tonal audiometry	-	-	30 PLN	+	30 PLN	+
Tonal and impedance audiometry	-	-	30 PLN	+	30 PLN	+
Tonal audiometry for children up to the age of 8	-	-	30 PLN	+	30 PLN	+
Electronystagmography (ENG)	-	-	-	-	30 PLN	+
Otoacoustic emissions	-	-	-	-	30 PLN	+
Otoacoustic emissions of cochlear linear deformation products (dB)	-	-	-	-	30 PLN	+
Speech discrimination test (SDT)	-	-	-	-	30 PLN	+
DIAGNOSTICS OF THE URINARY SYSTEM						
Urodynamic measurement	-	-	-	-	30 PLN	+
Cystometry	-	-	-	-	30 PLN	+
Uroflowmetry	-	-	-	-	30 PLN	+
HAEMATOLOGY						
Absolute eosinophilia - blood	-	-	+	+	+	+
Erythrocytes - osmotic resistance - blood	-	-	-	-	+	+
Leucocytosis	-	-	-	-	+	+
Leukogram	-	-	+	+	+	+
Complete blood count + platelets count verification (EDTA + heparin)	-	-	+	+	+	+
Complete blood count+platelets count verification (EDTA+citrate)	-	-	+	+	+	+
Full blood count - analyser - blood	+	+	+	+	+	+
Full blood count - analyser - capillary blood	+	+	+	+	+	+
Full blood count - microscopic smear - blood	+	+	+	+	+	+
Full blood count - microscopic smear - capillary blood	+	+	+	+	+	+
Biernacki Reaction - ESR - blood	-	-	+	+	+	+
Reticulocytes - blood	-	-	+	+	+	+
Reticulocytes - capillary blood	-	-	+	+	+	+
Peripheral blood microscopic smear	-	-	+	+	+	+
HORMONES						
17 - OH Progesterone	-	-	+	+	+	+
Estradiol	-	-	+	+	+	+
Human chorionic gonadotropin beta-subunit - beta HCG	-	-	+	+	+	+
Follicle-stimulating hormone - FSH	-	-	+	+	+	+
Luteinizing hormone - LH	-	-	+	+	+	+
Thyroid-stimulating hormone - TSH	-	-	+	+	+	+
Insulin	-	-	-	-	+	+
Insulin 30min postprandial	-	-	-	-	+	+
Insulin 90min postprandial	-	-	-	-	+	+
Insulin after 1h	-	-	-	-	+	+
Insulin after 2h	-	-	-	-	+	+
Peptide C	-	-	-	-	+	+
Progesterone - P	-	-	+	+	+	+
Prolactin - PRL	-	-	+	+	+	+
Pregnancy test - urine	-	-	+	+	+	+
Testosterone - T	-	-	+	+	+	+
Free testosterone (FTST)	-	-	+	+	+	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
IMMUNOLOGY						
Mannan antigen Candida sp.	-	-	-	-	+	+
Immunoglobulins antierythrocytal in autoimmune hemolytic anaemia diagnostics	-	-	-	-	+	+
Immunoglobulins anti B2GP1 (beta 2 glycoprotein 1)	-	-	-	-	+	+
Immunoglobulins anti phosphatidylinositol IgG and IgM	-	-	-	-	+	+
Immunoglobulins anti insulin (anti IAA)	-	-	-	-	+	+
Immunoglobulins anti cardiolipin (IgM and IgG)	-	-	-	-	+	+
Immunoglobulins anti cardiolipin IgG	-	-	-	-	+	+
Immunoglobulins anti cardiolipin IgM	-	-	-	-	+	+
Anti-phosphatidylserine/prothrombin (aPS/PT) IgG antibodies	-	-	-	-	+	+
Anti-phosphatidylserine/prothrombin (aPS/PT) IgM antibodies	-	-	-	-	+	+
Immunoglobulins anti platelet	-	-	-	-	+	+
Immunoglobulins anti reticulin	-	-	-	-	+	+
OTHER DIAGNOSTICS						
Hydrogen breath test after sucrose load	-	-	-	-	30 PLN	+
OTHER LABORATORY TESTS						
Urinary calculus - composition examination	-	-	+	+	+	+
Synovial fluid - for uric acid crystals detection	-	-	+	+	+	+
Synovial fluid - general examination	-	-	+	+	+	+
OTHER IMAGING TESTS						
Mammography	-	-	-	-	30 PLN	+
Mammography of a single breast	-	-	-	-	30 PLN	+
COAGULOLOGY						
Platelet aggregation	-	-	-	-	+	+
Antithrombin III (AT III)	-	-	+	+	+	+
APTT (Activated Partial Thromboplastin Time)	-	-	+	+	+	+
Protein C	-	-	+	+	+	+
Protein S	-	-	+	+	+	+
Bleeding time	-	-	-	-	+	+
Whole blood coagulation time	-	-	-	-	+	+
Reptilase time	-	-	-	-	+	+
D-dimer quantitative (plasma)	-	-	+	+	+	+
Fibrinogen	-	-	+	+	+	+
PT (INR, Quick)	-	-	+	+	+	+
TT	-	-	+	+	+	+
MARKERS						
Alpha-fetoprotein	-	-	-	-	+	+
CA-125 antigen	-	-	-	-	+	+
CA -15-3 antigen	-	-	-	-	+	+
CA -19-9 antigen	-	-	-	-	+	+
Carcino-embryonic antigen - CEA	-	-	-	-	+	+
Prostate specific antigen - PSA total	-	-	+	+	+	+
Prostate specific antigen - PSA free	-	-	+	+	+	+
BACTERIAL CULTURES						
Chlamydia pneumoniae - throat smear	-	-	-	-	+	+
Chlamydia trachomatis - antigen	-	-	-	-	+	+
Faeces for Salmonella-Shigella carrier state test (3 determinations)	-	-	-	-	+	+
Mycoplasma/Ureaplasma - smear +antibiogram	-	-	-	-	+	+
Faecal culture	-	-	+	+	+	+
Faecal culture extended by EPEC in children up to 2 years old	-	-	+	+	+	+
Faecal culture for Campylobacter sp.	-	-	+	+	+	+
Faecal culture for Salmonella-Shigella	-	-	+	+	+	+
Faecal culture for Clostridium difficile	-	-	+	+	+	+
Faecal culture for enteropathogenic E.coli identification	-	-	+	+	+	+
Faecal culture for fungus identification	-	-	+	+	+	+
Faecal culture for Yersinia sp. identification	-	-	+	+	+	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
Woman's milk culture	-	-	-	-	+	+
Urine culture	-	-	+	+	+	+
Synovial fluid culture	-	-	+	+	+	+
The culture of the fluid from the body cavities towards yeast-like fungi	-	-	+	+	+	+
The culture of fluid from body cavities under anaerobic conditions	-	-	+	+	+	+
Pus culture	-	-	+	+	+	+
Culture for anaerobic bacteria identification	-	-	+	+	+	+
Urethral smear culture	-	-	-	-	+	+
Pharyngeal smear culture	-	-	+	+	+	+
Oral cavity smear culture	-	-	-	-	+	+
Auditory canal smear culture	-	-	+	+	+	+
Cervical smear culture	-	-	+	+	+	+
Nasal smear culture	-	-	+	+	+	+
Anal smear culture	-	-	+	+	+	+
Ulceration/decubitus ulcer smear culture - anaerobes	-	-	+	+	+	+
Umbilical swab culture	-	-	+	+	+	+
Vaginal smear culture	-	-	+	+	+	+
Wound smear culture	-	-	+	+	+	+
Conjunctival smear culture	-	-	+	+	+	+
Skin lesions smear culture	-	-	+	+	+	+
Grade of vaginal microflora	-	-	+	+	+	+
X-RAY						
Impression of X-Ray from other medical facility	-	-	30 PLN	+	30 PLN	+
X-Ray of the skull AP + lateral and posterior inferior	-	-	30 PLN	+	30 PLN	+
X-Ray of the skull PA/PA + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the skull posterior inferior	-	-	30 PLN	+	30 PLN	+
X-Ray of the skull lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the abdominal cavity - plain in supine position	-	-	30 PLN	+	30 PLN	+
X-Ray of the abdominal cavity - plain in standing position	-	-	30 PLN	+	30 PLN	+
X-Ray of the thorax - lateral	30 PLN	+	30 PLN	+	30 PLN	+
Chest X-Ray (inspiration-expiration)	30 PLN	+	30 PLN	+	30 PLN	+
X-Ray of the thorax PA	30 PLN	+	30 PLN	+	30 PLN	+
X-Ray of the thorax PA + lateral	30 PLN	+	30 PLN	+	30 PLN	+
X-Ray of the sacrococcygeal bone AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the sacrococcygeal bone AP + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the sacrococcygeal bone lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the scaphoid bone	-	-	30 PLN	+	30 PLN	+
X-Ray of the humerus AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the humerus AP + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the humerus lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the spine (scoliosis) PA + lateral picture	-	-	30 PLN	+	30 PLN	+
X-Ray of the lumbosacral spine AP + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the lumbosacral spine aimed at L5-S1 lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the lumbosacral spine functional	-	-	30 PLN	+	30 PLN	+
X-Ray of the lumbosacral spine oblique radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the lumbosacral spine lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the thoracic spine - functional	-	-	30 PLN	+	30 PLN	+
X-Ray of the thoracic spine oblique radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the thoracic spine AP + lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the thoracic spine lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the cervical spine - intervertebral foramina	-	-	30 PLN	+	30 PLN	+
X-Ray of the cervical spine - functional	-	-	30 PLN	+	30 PLN	+
X-Ray of the cervical spine AP and lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the cervical spine aimed at dens axis	-	-	30 PLN	+	30 PLN	+
X-Ray of the cervical spine lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the scapula (AP + tangential radiogram)	-	-	30 PLN	+	30 PLN	+
X-Ray of the scapula AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the scapula tangential radiogram	-	-	30 PLN	+	30 PLN	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
X-Ray of the pelvis	-	-	30 PLN	+	30 PLN	+
X-Ray of the sternum	-	-	30 PLN	+	30 PLN	+
X-Ray of the wrist AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the wrist AP + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the wrist lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the nose	-	-	30 PLN	+	30 PLN	+
X-Ray of the clavicle	-	-	30 PLN	+	30 PLN	+
X-Ray of both wrists	-	-	30 PLN	+	30 PLN	+
X-Ray of both calcaneuses	-	-	30 PLN	+	30 PLN	+
Repeat X-ray of both lower legs	-	-	30 PLN	+	30 PLN	+
X-Ray of both hands	-	-	30 PLN	+	30 PLN	+
X-Ray of both knee joints	-	-	30 PLN	+	30 PLN	+
X-Ray of both knee joints in standing position	-	-	30 PLN	+	30 PLN	+
X-Ray of both ankle joints	-	-	30 PLN	+	30 PLN	+
X-Ray of both feet	-	-	30 PLN	+	30 PLN	+
X-Ray of both feet in standing position, AP + lateral projection	-	-	30 PLN	+	30 PLN	+
X-Ray of the orbicular cavities PA	-	-	30 PLN	+	30 PLN	+
X-Ray of the orbicular cavities PA + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray bone age determining	-	-	30 PLN	+	30 PLN	+
Axial X-Ray of the patella	-	-	30 PLN	+	30 PLN	+
X-Ray of the finger	-	-	30 PLN	+	30 PLN	+
X-Ray of the toe	-	-	30 PLN	+	30 PLN	+
X-Ray of the calcaneus	-	-	30 PLN	+	30 PLN	+
X-Ray of the calcaneus lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the calcaneus lateral + axial radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the calcaneus axial radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the skull base	-	-	30 PLN	+	30 PLN	+
X-Ray of the crus	-	-	30 PLN	+	30 PLN	+
X-Ray of the crus AP + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the crus lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the forearm AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the forearm AP + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the forearm lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the hand AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the hand AP + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the hand AP + oblique	-	-	30 PLN	+	30 PLN	+
X-Ray of the hand lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the shoulder joints	-	-	30 PLN	+	30 PLN	+
X-Ray of the hip joints AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the hip joints AP + axial	-	-	30 PLN	+	30 PLN	+
X-Ray of the hip joints axial radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the sacroiliac joints	-	-	30 PLN	+	30 PLN	+
Repeat X-ray of the elbow joints - AP + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the sternoclavicular joints	-	-	30 PLN	+	30 PLN	+
X-Ray of the shoulder joint - oblique radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the shoulder joint AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the shoulder joint AP + axial radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the shoulder joint axial radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the hip joints + axial	-	-	30 PLN	+	30 PLN	+
X-Ray of the hip joint AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the knee joint AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the knee joint AP + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the knee joint lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the elbow joint AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the elbow joint AP + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the elbow joint lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the sternoclavicular joint	-	-	30 PLN	+	30 PLN	+
X-Ray of the ankle joint AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the ankle joint AP + lateral	-	-	30 PLN	+	30 PLN	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
X-Ray of the ankle joint AP lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the temporomandibular joint	-	-	30 PLN	+	30 PLN	+
X-Ray of the foot AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the foot AP + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of foot in standing position, AP + lateral projection	-	-	30 PLN	+	30 PLN	+
X-Ray of the foot lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the third tonsil	-	-	30 PLN	+	30 PLN	+
X-Ray of the knee in tunnel view	-	-	30 PLN	+	30 PLN	+
X-Ray of the splanchnocranium PA	-	-	30 PLN	+	30 PLN	+
X-Ray of the thigh AP	-	-	30 PLN	+	30 PLN	+
X-Ray of the thigh AP + lateral	-	-	30 PLN	+	30 PLN	+
X-Ray of the thigh lateral radiogram	-	-	30 PLN	+	30 PLN	+
X-Ray of the sinuses	-	-	30 PLN	+	30 PLN	+
X-Ray of the ribs	-	-	30 PLN	+	30 PLN	+
Oblique X-ray of the mandible	-	-	30 PLN	+	30 PLN	+
BLOOD TYPE SEROLOGY						
Alloantibody test (anti-RH and other)	-	-	30 PLN	+	30 PLN	+
Indirect Coombs test (ATM)	-	-	-	-	30 PLN	+
Blood type and immune alloantibodies (anti-Rh and other)	-	-	30 PLN	+	30 PLN	+
Blood type certificate	-	-	30 PLN	+	30 PLN	+
Blood cells surface antigens marking	-	-	30 PLN	+	30 PLN	+
USG						
Adult doppler echocardiography	-	-	-	-	30 PLN	+
Paediatric doppler echocardiography	-	-	-	-	30 PLN	+
Ultrasonography of the axilla	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the patellar fossa	-	-	30 PLN	+	30 PLN	+
Doppler sonography of vascular lesions in soft tissues	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the prostate	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the abdominal cavity	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the testes	-	-	-	-	30 PLN	+
Ultrasonography of the thorax and mediastinum	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the lesser pelvis	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the pleura	-	-	30 PLN	+	30 PLN	+
Lung ultrasound	-	-	30 PLN	+	30 PLN	+
Lung ultrasound in children	-	-	30 PLN	+	30 PLN	+
Transfontanelar ultrasonography	-	-	-	-	30 PLN	+
Ultrasonography of the hip joints in children	-	-	30 PLN	+	30 PLN	+
Ultrasound of the hip joints in children of up to 8 months of age - screening test for dysplasia along with an orthopedic consultation	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the breast	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the cranial suture in children	-	-	-	-	30 PLN	+
Ultrasonography of the neck	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the thyroid gland	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the soft tissues	-	-	30 PLN	+	30 PLN	+
Transrectal ultrasonography of the lesser pelvis	-	-	-	-	30 PLN	+
Transvaginal ultrasonography of the lesser pelvis	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the urinary system	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the inguinal lymph nodes	-	-	30 PLN	+	30 PLN	+
Ultrasonography of the cervical lymph nodes	-	-	30 PLN	+	30 PLN	+
ANTI-INFLUENZA VACCINATION						
Intramuscular vaccination against influenza is granted no more often than once a year during the term of the Insurance Contract.						
Eligibility for vaccination (medical examination + nurse)	30 PLN	+	30 PLN	+	30 PLN	+
Injection + the cost of the vaccine	+	+	+	+	+	+
DENTISTRY						
Implemented in selected Medicovert Centres						
A dental check-up (1 during the one year of the Insurance contract)	+	+	+	+	+	+

	STANDARD	STANDARD +	CLASSIC	CLASSIC +	MEDIUM	MEDIUM +
Scaling teeth	20% discount					
Sandblasting teeth	20% discount					
Tooth whitening	15% discount					

The present appendix enters into force on 1 July 2025 and applies to insurance agreements concluded from this date on.